

Premium Plus Europe

# dental products 2022



innovators, designers, manufacturers,  
partners and much, much more...

premium  
plus™

## P.1-2 INTRODUCTION

Who are we  
Why choose us  
What do we make  
Where are we

## P.3-8 SMALL EQUIPMENT

Apex Locators  
Curing Lights  
Curing Light Meter  
Low Speed Handpieces

## P.9-14 PROPHY

Prophy Angles  
Prophy Brushes  
Prophy Cups  
Prophy Points

## P.15-16 Green Line

Disposable Bamboo Cups  
Disposable Micro Applicators  
Disposable Micro Applicator Tips

## P.17 SYRINGE TIPS

Disposable Syringe Tips

## P.18 DISPOSABLE

Disposable Bibs  
Disposable Face Masks  
Disposable Napkin Holders  
Disposable Tray Cover Papers

## P.19-20 BARRIERS

Barrier Film  
Bite Block Sleeves  
Chair Sleeves  
Curing Light Guide Sleeves  
Curing Light Sleeves  
Flowable Composite Sleeves  
Handpiece & Pen Sleeves  
Headrest Covers Non Woven  
Headrest Sleeves  
Impression Gun Sleeves  
Instrument Tray Sleeves  
Intraoral Camera Sleeves  
Keyboard Sleeves  
Mouth Mirror Sleeves  
PC Mouse Sleeves  
PSP Barrier Envelopes  
Suction Tube Sleeves  
Syringe Sleeves  
T-Style Light Handle Sleeves  
Tubing Sleeves  
X-Ray Head Sleeves  
X-Ray Sensor Sleeves

## P.21 APPLICATORS

Brush Applicators  
Brush Tips and Handle  
Composite Gun and Tips  
Micro Applicators  
Micro Applicator Dispensers  
Micro Applicator Tips

## P.22 EVACUATION

Aspirator Brushes  
HVE Suction Tubes  
Oral Evacuators  
Saliva Ejectors  
Suction Tube Adaptors  
Surgical Aspirators

## P.23-24 IMPRESSION

Alginate and Plaster Spatulas  
Autoclavable Impression Trays  
Autoclavable Mixing Bowls  
Disposable 3-in-1 Trays  
Disposable Impression Syringes  
Disposable Impression Trays  
Disposable Intraoral Syringe Tips  
Disposable Mixing Tips

## P.25 ENDO INSTRUMENTS

Aluminium Endo Holder  
Endo Dispensers and Holders  
Endo Measuring Blocks  
Endo Rulers  
Endo Sponges  
Rubber Dam Frame

## P.26-31 SUNDRIES

Acrylic Mixing Cups  
Aluminium Bur Blocks  
Autoclavable Bur/Endo Organisers  
Autoclavable Cabinet Trays  
Autoclavable Cheek Retractors  
Articulating Mounting Plates  
Autoclavable Instrument Trays  
Autoclavable Mouth Lippers  
Autoclavable Napkin Holders  
Autoclavable Prophy Rings  
Brass Bur Brush  
Cotton Roll Dispenser  
Dental Appliance Boxes  
Dental Bib Holder and Clip  
Disposable Bite Loops  
Disposable Cheek Retractors  
Disposable Composite Tips  
Disposable Curved Tip Syringes  
Disposable Dappen Dishes  
Disposable Evacuation Traps  
Disposable Eye Shields  
Disposable Face Masks  
Disposable Fluoride Trays

## P.26-31 SUNDRIES

Disposable Healthy Teeth Bibs  
Disposable Healthy Teeth Cups  
Disposable Healthy Teeth Masks  
Disposable Lab Transport Bags  
Disposable Mixing Pads  
Disposable Mixing Wells  
Disposable Mouth Lippers  
Disposable Mouth Mirrors  
Disposable Plastic Wedges  
Disposable Prophy Rings  
Disposable Sterilisation Pouches  
Disposable Sticky Applicators  
Fracture Detector  
Glass Dappen Dishes  
Glass Mixing Slab  
Jumping Teeth  
Interdental Brushes  
Magnetic Bur Stands  
Mask Extenders  
Mouth Props  
Needle Station  
Patient Tongue Cleaners  
Pen/Toothbrush Holder  
Plastic Bur Dispensers  
Retainer/Mouth Boxes/Denture Baths  
Silicone Instrument Mat  
Silicone Instrument Rings  
X-Ray Film Holders

## P.32-33 ACRYLIC PRODUCTS

Barrier Film Dispenser  
Bib and C-Fold Towel Dispensers  
Chain Dispenser  
Composite Dispensers and Organisers  
Composite Syringe Holders  
Cup Dispensers  
Glove and Tissue Dispensers  
Grinding Box  
Impression Gun Holders  
Light Protection Covers  
Light Protection Hand Shield  
Mask Dispenser  
Micro Applicator Dispensers  
Pouch Dispensers

## P.34-35 ENDO INSTRUMENTS

Barbed Broaches  
Gates Drills  
Ni-Ti Files  
Peeso Reamers  
Pluggers and Files  
Spiral Fillers  
Stainless Steel Files

## P.36-39 PIEZO SCALERS

LED Scalers  
Scaler Handpieces  
Scaler Tips  
Scaler Wrenches and Accessories

## Who are we ?



At **Premium Plus**, manufacturing dental products is what we do. Only for the past decade we've not just made dental products... we've made better dental products.

Through innovation, research, investment in manufacturing, technical know-how and over 40 years experience in the dental trade, we've learned how to control and improve every step of the manufacturing process... and that's a huge advantage to our customers.


With a global view of the dental industry and knowledge of the different geographical markets, we have learned to understand what you expect and are committed to far exceeding your requirements.



## Why choose us ?

Whether its under our own **Premium Plus** brand, private labels or OEM projects, our emphasis is on quality for not only the products, but also its presentation. We not only manufacture in-house – We innovate and develop products, research raw material selection, manufacture moulds, construct production lines, create and design artwork and packaging for our partners, warehouse goods and turn our customers' ideas and requests into reality... providing the complete package.

Our continual investment in purpose-built machinery, technical training and market research along with our flexible approach keeps us at the forefront of dental manufacturers.



# What do we make ?

Over the past decade our range has increased to cover small equipment and the majority of plastic and paper disposable dental products. This gives us, and more importantly you, the ability to offer a huge range that includes LED curing lights, apex locators, handpieces, disposable prophy cups and angles, micro applicators, syringe tips, barrier sleeves, saliva ejectors and suction tubes etc.



LED curing lights



disposable syringe tips



disposable trays for implants



disposable 3-in-1 trays



disposable prophy angles



disposable prophy cups



disposable prophy brushes



disposable micro applicators



disposable PSP barrier envelopes

# Where are we ?

**Premium Plus** now supplies to over 90 countries and regions throughout the world and has regional offices in the USA, Japan, Poland and the United Kingdom. Our corporate head office in Hong Kong oversees the production of our range in our purpose-built manufacturing site. It is also home to our dedicated regulatory affairs team that are constantly working on not only maintaining but exceeding standards set by ISO, CE and the FDA. We are proud of the fact that we hold **ISO13485: 2016** certification for the **Quality Management System of Medical Devices** and have all of the class Ila products manufactured by us certified with the **CE<sub>0123</sub>** mark by **TUV SUD**. We know that with our experience, our integrated range of production processes and our ever-expanding range we have the ability to cover all our customers' requirements.



L10-1  
Straight  
Handpiece  
1:1 Standard



L20-1L  
Latch  
CA Handpiece  
1:1 Standard



L30  
Air Motor  
1:1 Standard  
( 4 holes )  
20,000 r.p.m.

## LOW SPEED HANDPIECES AND AIR MOTOR

**12 MONTH WARRANTY**

## A08 DENTAL APEX LOCATOR

10 colours  
available:



Pink



Orange



Yellow



L. Green



Lime



L. Blue



Blue



L. Lavender



White



Black

- Bright LCD screen with the trajectory of the file being clearly indicated by different colours
- Foldable design with adjustable view angle, saves space and protects the screen
- The unit is designed with a smooth seamless body and membrane buttons to enhance cold sterilization and help avoid cross contamination
- Advanced multiple frequency technology with automatic calibrating ensures accurate measurement
- Measurement results are not affected by tooth type, size of root canal or the internal environment of root canal
- Different beep tones indicate the position of the file in the root canal
- Screen size: 110 mm x 70 mm Overall size: L122 mm x W118 mm x H25 mm
- Accessories autoclavable up to 134°C
- Weight: 300 gms ( including rechargeable lithium battery )

A08 Apex Locator  
A08-1 Battery  
A08-2 Spare Probe  
A08-3 Spare Hook  
A08-4 Spare Cord  
A08-5 Spare Clip

**24 MONTH WARRANTY**

## C01-M / C02-M LED CURING LIGHTS MINI ( with USB Charger )




- 360° Rotatable tips
- Automatic compensation circuit for constant power output
- Fully covered membrane panel for easy cleaning and infection control
- Light weight: approx. 85 gms
- Dual modes: FULL / SOFT
- 12 Operation times
- Fully charged battery provides over 100 x 10 second curing cycles

C01-M / C02-M SPECIFICATIONS		
Model	C01-M (F.O. Light Guide)	C02-M (Direct Light Source)
LIGHT TIP	8 mm ( dia. )	11 mm ( dia. )
LIGHT WAVELENGTH	440~480 nm	440~480 nm
MODE	FULL	1,200 mW/cm <sup>2</sup> for 5, 10, 15, 20, 25, 30 seconds±10%
	SOFT	1 <sup>st</sup> five seconds from 0-900 mW/cm <sup>2</sup> next 5, 10, 15, 20, 25 seconds 900 mW/cm <sup>2</sup> ±10%
WEIGHT	86 gms	84 gms
LENGTH	230 mm	220 mm

C01-M / C02-M CURING LIGHT DEPTH OF CURE						
MODE \ MODEL	C01-M (F.O. Light Guide) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)	C02-M (Direct Light Source) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)
FULL	10 seconds	4.3 mm	2.15 mm	10 seconds	5.1 mm	2.55 mm
SOFT	15 seconds	4.6 mm	2.30 mm	15 seconds	4.8 mm	2.40 mm

**REMARKS:** Above data is based on test results using an A2 shade composite. The light tip was placed above and pointed perpendicular to the composite. Tests were done as per ISO 4049 Standard. The samples were measured and the data was divided by two ( 50% of the total composite depth cured ). ISO 4049 Standard requires that the results for class II restorative materials should be at least 1.5 mm for non-opaque shades and 1.0 mm for opaque shades. All resins and composites have different curing times. It is recommended that you should test your resins and composites performance to determine the curing times required.



C10 LED & HALOGEN CURING LIGHT METER



- Simple, compact design for easy use
- Measures intensity up to 2500 mw/cm<sup>2</sup>
- Size: 110 mm x 68 mm x 33 mm

C10 Light Meter



C01-M Curing Light ( F.O. Light Guide )  
 C02-M Curing Light ( Direct Light Head )  
 C01-M-1 F.O. Light Guide 8 mm  
 C02-M-1 Direct Light Head 11 mm  
 C01/2-M-1 Replacement Battery  
 228 Light Sleeves *Mini* 500 pcs/box

**24 MONTH WARRANTY**

## C01 LED CURING LIGHTS with fibre optic light guides

C01 SPECIFICATIONS			
Model	C01-C (classic)	C01-S (super power)	C01-D (dual range)
F.O. LIGHT GUIDE	8 mm ( dia. )	11 mm ( dia. )	
LIGHT WAVELENGTH	440~480 nm	440~480 nm	390~430 nm 440~480 nm
APPLICATION	General	Ortho / General	General / Ortho
MODE	TACK	N/A	900 mW/cm² for 1 second±10%
	TURBO	1,500 mW/cm² for 5 seconds ±10%	2,000 mW/cm² for 4 seconds±10%
	3' + 3'	N/A	2,000 mW/cm² for 3 + 3 seconds±10% (with 1 second blink in between)
	6' + 6'	N/A	1,500 mW/cm² for 6 + 6 seconds±10% (with 1 second blink in between)
	FULL	1,200 mW/cm² for 5, 10, 15, 20 seconds±10%	
	RAMP	1 <sup>st</sup> five seconds from 0-1,200 mW/cm²	next 5, 10, 15, 20 seconds 1,200 mW/cm²±10%
	SOFT CURE	1 <sup>st</sup> five seconds from 0-900 mW/cm²	next 5, 10, 15, 20, 25 seconds 900 mW/cm²±10%
WEIGHT	205 gms	200 gms	200 gms
LENGTH	260 mm	265 mm	265 mm

CURING LIGHT MODE APPLICATIONS	
TACK	Tack cure, a very short initial curing for temporary processing before final cure. For example, veneer bonding or temporary cement for in-position and easy removal of excess material.
TURBO	Super fast curing for resin and composite under 2 mm thickness. Also recommended for ceramic brackets, veneer bonding etc.
3' + 3'	3 Seconds Mesial + 3 Seconds Distal for metal brackets resin bonding. (with 1 second blink in between)
6' + 6'	6 Seconds Mesial + 6 Seconds Distal for metal brackets with bonding resin requiring more curing time, and buccal tubes bonding. (with 1 second blink in between)
FULL	For general applications.
RAMP	With first 0-5 seconds ramping for general application.
SOFT CURE	With first 0-5 seconds ramping for more gentle processing, designed for the patients sensitive to the heat.

AUTOCLAVABLE  
FIBRE OPTIC  
LIGHT GUIDE  
CAN BE  
ROTATED 360°

AUTOMATIC  
COMPENSATION  
CIRCUIT FOR  
CONSTANT  
POWER OUTPUT

FULLY COVERED  
MEMBRANE PANEL  
FOR EASY CLEANING  
AND INFECTION  
CONTROL

SIZE:  
L265 x Dia.27 (mm)

REPLACEABLE  
BATTERY  
OPENING

ON/OFF  
SWITCH

DISPLAY  
SCREEN

TIME  
SWITCH

MODE  
INDICATORS

MODE  
SWITCH

A FULL CHARGE  
OF BATTERY  
CAN BE USED  
MORE THAN  
100 TIMES WHEN  
SET AT 10 SECOND  
TIME MODE

C01 Complete Set  
with Built-In  
Light Intensity  
Indicator




063  
Protective Hand  
Light Shield

CHARGING  
STATION

LIGHT INTENSITY  
INDICATOR

C01-C Curing Light (Classic) with 8 mm Light Guide  
C01-S Curing Light (Super Power) with 11 mm Light Guide  
C01-D Curing Light (Dual Range) with 11 mm Light Guide  
C01-C-1 8 mm Fibre Optic Light Guide  
C01-S/D-1 11 mm Fibre Optic Light Guide  
C01-S/D-4 Tack Heat Protective Rings, 6 pcs/pack  
C01/2-1 Replacement Battery  
123S Light Sleeves Small (for C01-C) 500 pcs/box  
123L Light Sleeves Large (for C01-S/C01-D) 500 pcs/box

**24 MONTH WARRANTY**



C01-C / C01-S / C01-D CURING LIGHT DEPTH OF CURE									
MODEL	C01-C (classic) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)	C01-S (super power) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)	C01-D (dual range) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)
TURBO	5 seconds	4.2 mm	2.10 mm	4 seconds	4.6 mm	2.30 mm	4 seconds	4.3 mm	2.15 mm
FULL	10 seconds	4.3 mm	2.15 mm	10 seconds	5.1 mm	2.55 mm	10 seconds	4.4 mm	2.20 mm
RAMP	10 seconds	4.1 mm	2.05 mm	10 seconds	5.0 mm	2.50 mm	10 seconds	4.2 mm	2.10 mm
SOFT CURE	15 seconds	4.6 mm	2.30 mm	15 seconds	4.8 mm	2.40 mm	15 seconds	4.6 mm	2.30 mm

**REMARKS:** Above data is based on test results using an A2 shade composite. The light guide tip was placed above and pointed perpendicular to the composite. Tests were done as per ISO 4049 Standard. The samples were measured and the data was divided by two (50% of the total composite depth cured). ISO 4049 Standard requires that the results for class II restorative materials should be at least 1.5 mm for non-opaque shades and 1.0 mm for opaque shades. All resins and composites have different curing times. It is strongly recommended that you should test your composite and resin performance to determine the curing times required.


Data is only for reference, always follow the instructions from your resin and composite manufacturers.

- There are many variables (distance and angle between the light tip and composite, area, shade, thickness and type etc.) affecting composite curing times. It is recommended to place and cure a maximum of 2 mm for each composite placement.
- Using a barrier sleeve on the curing light will reduce 5-10% of light intensity.
- The light guide tip should be placed approximately 1-2 mm above the composite or resin and pointed perpendicular to the tooth surface.
- High intensity curing lights produce more heat. This is a direct indication of the power of the light being emitted. When using the device for more than 10 seconds, do not keep the light tip in one position. It is always recommended to use a dental syringe to blow a cold air flow on the area during long periods of curing. This will maintain a lower temperature for the composite and surrounding area, particularly when using rubber dam so as to avoid any rubber dam breakage due to heat built-up.
- Do not expose soft tissue to the light being emitted for more than 2 seconds or burns may occur.
- Avoid the light guide tip coming into contact with any soft tissue in the mouth.

10 colours available:




## C02 LED CURING LIGHTS 90° right angle direct light source head



C02 SPECIFICATIONS			
Model	C02-C (classic)	C02-S (super power)	C02-D (dual range)
DIRECT LIGHT HEAD	10 mm ( dia. )		
LIGHT WAVELENGTH	440~480 nm	440~480 nm	390~430 nm 440~480 nm
APPLICATION	General	Ortho / General	General / Ortho
MODE	TACK	N/A	900 mW/cm² for 1 second±10%
	TURBO	1,500 mW/cm² for 5 seconds ±10%	2,500 mW/cm² for 3 seconds±10%
	3' + 3'	N/A	2,000 mW/cm² for 3 + 3 seconds±10% (with 1 second blink in between)
	6' + 6'	N/A	1,500 mW/cm² for 6 + 6 seconds±10% (with 1 second blink in between)
	FULL	1,200 mW/cm² for 5, 10, 15, 20 seconds±10%	
	RAMP	1 <sup>st</sup> five seconds from 0-1,200 mW/cm²	next 5, 10, 15, 20 seconds 1,200 mW/cm²±10%
	SOFT CURE	1 <sup>st</sup> five seconds from 0-900 mW/cm²	next 5, 10, 15, 20, 25 seconds 900 mW/cm²±10%
WEIGHT	185 gms	185 gms	185 gms
LENGTH	255 mm	255 mm	255 mm


CURING LIGHT MODE APPLICATIONS	
TACK	Tack cure, a very short initial curing for temporary processing before final cure. For example, veneer bonding or temporary cement for in-position and easy removal of excess material.
TURBO	Super fast curing for resin and composite under 2 mm thickness. Also recommended for ceramic brackets, veneer bonding etc.
3' + 3'	3 Seconds Mesial + 3 Seconds Distal for metal brackets resin bonding. (with 1 second blink in between)
6' + 6'	6 Seconds Mesial + 6 Seconds Distal for metal brackets with bonding resin requiring more curing time, and buccal tubes bonding. (with 1 second blink in between)
FULL	For general applications.
RAMP	With first 0-5 seconds ramping for general application.
SOFT CURE	With first 0-5 seconds ramping for more gentle processing, designed for the patients sensitive to the heat.

C02 Complete Set with Built-In Light Intensity Indicator



C02-C ( Classic ) Curing Light with 10 mm Light Head  
C02-S ( Super Power ) Curing Light with 10 mm Light Head  
C02-D ( Dual Range ) Curing Light with 10 mm Light Head  
C02-C-1 ( Classic ) Direct Light Source Head  
C02-S-1 ( Super Power ) Direct Light Source Head  
C02-D-1 ( Dual Range ) Direct Light Source Head  
C01/2-1 Replacement Battery  
C02-3 Heat Protect Rings, 6 pcs/pack  
C02-4 Tack Heat Protective Rings, 6 pcs/pack  
125 Light Sleeves ( for C02-C/S/D ) 500 pcs/box

**24 MONTH WARRANTY**



C02-C / C02-S / C02-D CURING LIGHT DEPTH OF CURE									
MODEL	C02-C (classic) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (~50%)	C02-S (super power) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (~50%)	C02-D (dual range) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (~50%)
TURBO	5 seconds	4.4 mm	2.20 mm	3 seconds	4.6 mm	2.30 mm	3 seconds	4.5 mm	2.25 mm
FULL	10 seconds	5.1 mm	2.55 mm	10 seconds	5.3 mm	2.65 mm	10 seconds	5.2 mm	2.60 mm
RAMP	10 seconds	4.8 mm	2.40 mm	10 seconds	5.3 mm	2.65 mm	10 seconds	4.9 mm	2.45 mm
SOFT CURE	15 seconds	5.0 mm	2.50 mm	15 seconds	5.4 mm	2.70 mm	15 seconds	5.1 mm	2.55 mm

**REMARKS:** Above data is based on test results using an A2 shade composite. The light tip was placed above and pointed perpendicular to the composite. Tests were done as per ISO 4049 Standard. The samples were measured and the data was divided by two (50% of the total composite depth cured). ISO 4049 Standard requires that the results for class II restorative materials should be at least 1.5 mm for non-opaque shades and 1.0 mm for opaque shades. All resins and composites have different curing times. It is strongly recommended that you should test your composite and resin performance to determine the curing times required.


Data is only for reference, always follow the instructions from your resin and composite manufacturers.

- There are many variables (distance and angle between the light tip and composite, area, shade, thickness and type etc.) affecting composite curing times. It is recommended to place and cure a maximum of 2 mm for each composite placement.
- Using a barrier sleeve on the curing light will reduce 5-10% of light intensity.
- The light tip should be placed approximately 1-2 mm above the composite or resin and pointed perpendicular to the tooth surface.
- High intensity curing lights produce more heat. This is a direct indication of the power of the light being emitted. When using the device for more than 10 seconds, do not keep the light tip in one position. It is always recommended to use a dental syringe to blow a cold air flow on the area during long periods of curing. This will maintain a lower temperature for the composite and surrounding area, particularly when using rubber dam so as to avoid any rubber dam breakage due to heat built-up.
- Do not expose soft tissue to the light being emitted for more than 2 seconds or burns may occur.
- Avoid the light tip coming into contact with any soft tissue in the mouth. As an option, you may cover the entire curing light with a disposable sleeve and then place the Heat Protective Ring (included inside the packing box) onto the light tip covered with sleeve as shown below. Ensure the Heat Protective Ring is securely positioned on the curing light before starting the cure.

10 colours  
available:



# Prophy Angles



## DISPOSABLE 60° TURN RECIPROCATING LATEX FREE PROPHY ANGLES

**NO SPLATTER** - The centrifugal force generated by a normal 360° turn prophy angle results in splattering and mess. Our **NEW 60° turn reciprocating** prophy angles eliminates potential splattering of prophy paste, blood and saliva, keeping the prophy paste in the cup where it belongs.

**NO HEAT** - Our **NEW 60° turn reciprocating** prophy angles build up much less heat during use, assuring a smooth, cool treatment for your patient.

**EFFECTIVE** - Due to less heat generated during use, if necessary more pressure may be applied to remove stubborn stains.

**FASTER** - Thanks to our innovatively designed **NEW 60° turn reciprocating** prophy angles, the prophy cup or brush can be used continuously on the tooth surface, saving valuable chair time.

**SAFER** - The rotational motion of traditional prophy cups and brushes can cause laceration and bleeding of the gums. Our **NEW 60° turn reciprocating** prophy angles provide a much safer and pain-free prophylaxis treatment.

**WARNING: USE OF THESE 60° TURN RECIPROCATING PROPHY ANGLES IS EXTREMELY ADDICTIVE**  
Once you've tried them, you will never want to use any other prophy angles again

## DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES STANDARD CUPS LATEX FREE TURBINE BLADES



Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	CT3399-60WT	CT3399-60LB	CT3399-60LV	CT3399-60OR
Regular Assorted Colours Order No.	CT3399-60RA Assorted: White, L.Blue, Lavender, Orange			



Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	CT3399-60PK	CT3399-60LM	CT3399-60GR	CT3399-60DB
Soft Assorted Colours Order No.	CT3399-60SA Assorted: Pink, Lime, Green, D.Blue			



X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	CT3399-60RD	CT3399-60YL
X-Soft Assorted Colours Order No.	CT3399-60XA Assorted: Red, Yellow	

## DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES SHORT CUPS LATEX FREE TURBINE BLADES



Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	CTS3399-60WT	CTS3399-60LB	CTS3399-60LV	CTS3399-60OR
Regular Assorted Colours Order No.	CTS3399-60RA Assorted: White, L.Blue, Lavender, Orange			



Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	CTS3399-60PK	CTS3399-60LM	CTS3399-60GR	CTS3399-60DB
Soft Assorted Colours Order No.	CTS3399-60SA Assorted: Pink, Lime, Green, D.Blue			



X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	CTS3399-60RD	CTS3399-60YL
X-Soft Assorted Colours Order No.	CTS3399-60XA Assorted: Red, Yellow	

## DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES LATEX FREE BRUSHES REGULAR / SOFT / X-SOFT




Regular Type	Flat	Tapered	Mini Cup
Regular White Colour Order No.	C3399-60-R261F	C3399-60-R261T	C3399-60-R269
Regular Assorted Colours Order No.	C3399-60-R261FA	C3399-60-R261TA	C3399-60-R269A
Assorted: White, L.Blue, Lavender, Orange			



Soft Type	Flat	Tapered	Mini Cup
Soft Clear Colour Order No.	C3399-60-S261F	C3399-60-S261T	C3399-60-S269
Soft Assorted Colours Order No.	C3399-60-S261FA	C3399-60-S261TA	C3399-60-S269A
Assorted: Pink, Lime, Green, D.Blue			




X-Soft Type	Flat	Tapered	Mini Cup
X-Soft Yellow Colour Order No.	C3399-60-X261F	C3399-60-X261T	C3399-60-X269
X-Soft Assorted Colours Order No.	C3399-60-X261FA	C3399-60-X261TA	C3399-60-X269A
Assorted: Yellow, Red			



**STANDARD  
STRAIGHT  
HANDPIECE 1:1**


L10-1 Standard Straight Handpiece 1:1

## DISPOSABLE PROPHY ANGLES STANDARD CUPS LATEX FREE RIBBED AND WEBBED




Type	90° Right Angle		105° Contra Angle	
Cup Colours	Regular Lavender	Soft Green	Regular Lavender	Soft Green
Order No.	3399-090RL	3399-090SG	3399-105RL	3399-105SG

## DISPOSABLE PROPHY ANGLES BRUSHES LATEX FREE FLAT AND TAPERED



Type	90° Right Angle		105° Contra Angle	
Brushes	Regular Flat	Regular Tapered	Regular Flat	Regular Tapered
Order No.	3399-090F	3399-090T	3399-105F	3399-105T

## DISPOSABLE CLEAR PROPHY ANGLES STANDARD CUPS LATEX FREE RIBBED AND WEBBED




Type	90° Right Angle		90° Right Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	C3399-090RB	C3399-090RL	C3399-090SG	C3399-090SP




Type	105° Contra Angle		105° Contra Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	C3399-105RB	C3399-105RL	C3399-105SG	C3399-105SP

## DISPOSABLE CLEAR PROPHY ANGLES SHORT CUPS LATEX FREE RIBBED AND WEBBED




Type	90° Right Angle		90° Right Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	CS3399-090RB	CS3399-090RL	CS3399-090SG	CS3399-090SP




Type	105° Contra Angle		105° Contra Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	CS3399-105RB	CS3399-105RL	CS3399-105SG	CS3399-105SP

## DISPOSABLE CLEAR PROPHY ANGLES STANDARD CUPS LATEX FREE TURBINE BLADES



Type	90° Right Angle		90° Right Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	CT3399-090RB	CT3399-090RL	CT3399-090SG	CT3399-090SP



Type	105° Contra Angle		105° Contra Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	CT3399-105RB	CT3399-105RL	CT3399-105SG	CT3399-105SP

# Prophy Cups and Points

**METAL SHANKS CUPS (8.5 mm)**

**REGULAR STANDARD CUPS**  
RIBBED AND WEBBED

1.500 - 3.000 r.p.m

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	M222WT	M222LB	M222LV	M222OR
<b>Regular Assorted Colours Order No.</b>	M222RA Assorted: White, L.Blue, Lavender, Orange			

**METAL SHANKS CUPS (8.5 mm)**

**SOFT STANDARD CUPS**  
RIBBED AND WEBBED

1.500 - 3.000 r.p.m

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	M222PK	M222LM	M222GR	M222DB
<b>Soft Assorted Colours Order No.</b>	M222SA Assorted: Pink, Lime, Green, D.Blue			

**METAL SHANKS CUPS (8.5 mm)**

**X-SOFT STANDARD CUPS**  
RIBBED AND WEBBED

1.500 - 3.000 r.p.m

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	M222RD	M222YL
<b>X-Soft Assorted Colours Order No.</b>	M222XA Assorted: Red, Yellow	

**DISPOSABLE  
LATEX FREE  
STANDARD  
PROPHY CUPS CA  
METAL SHANKS  
RIBBED AND  
WEBBED**

**PLASTIC SHANKS CUPS (8.5 mm)**

**REGULAR STANDARD CUPS**  
RIBBED AND WEBBED

1.500 - 3.000 r.p.m

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	P222WT	P222LB	P222LV	P222OR
<b>Regular Assorted Colours Order No.</b>	P222RA Assorted: White, L.Blue, Lavender, Orange			

**PLASTIC SHANKS CUPS (8.5 mm)**

**SOFT STANDARD CUPS**  
RIBBED AND WEBBED

1.500 - 3.000 r.p.m

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	P222PK	P222LM	P222GR	P222DB
<b>Soft Assorted Colours Order No.</b>	P222SA Assorted: Pink, Lime, Green, D.Blue			

**PLASTIC SHANKS CUPS (8.5 mm)**

**X-SOFT STANDARD CUPS**  
RIBBED AND WEBBED

1.500 - 3.000 r.p.m

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	P222RD	P222YL
<b>X-Soft Assorted Colours Order No.</b>	P222XA Assorted: Red, Yellow	

**DISPOSABLE  
LATEX FREE  
STANDARD  
PROPHY CUPS CA  
PLASTIC SHANKS  
RIBBED AND  
WEBBED**

**METAL SHANKS SHORT CUPS (7.0 mm)**

**REGULAR SHORT CUPS**  
RIBBED AND WEBBED

1.500 - 3.000 r.p.m

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	S222WT	S222LB	S222LV	S222OR
<b>Regular Assorted Colours Order No.</b>	S222RA Assorted: White, L.Blue, Lavender, Orange			

**METAL SHANKS SHORT CUPS (7.0 mm)**

**SOFT SHORT CUPS**  
RIBBED AND WEBBED

1.500 - 3.000 r.p.m

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	S222PK	S222LM	S222GR	S222DB
<b>Soft Assorted Colours Order No.</b>	S222SA Assorted: Pink, Lime, Green, D.Blue			

**METAL SHANKS SHORT CUPS (7.0 mm)**

**X-SOFT SHORT CUPS**  
RIBBED AND WEBBED

1.500 - 3.000 r.p.m

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	S222RD	S222YL
<b>X-Soft Assorted Colours Order No.</b>	S222XA Assorted: Red, Yellow	

**DISPOSABLE  
LATEX FREE  
SHORT  
PROPHY CUPS CA  
METAL SHANKS  
RIBBED AND  
WEBBED**

**SHORT SHANKS SHORT CUPS (7.0 mm)**

**REGULAR SHORT CUPS**  
RIBBED AND WEBBED

1.500 - 3.000 r.p.m

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	SS-222WT	SS-222LB	SS-222LV	SS-222OR
<b>Regular Assorted Colours Order No.</b>	SS-222RA Assorted: White, L.Blue, Lavender, Orange			

**SHORT SHANKS SHORT CUPS (7.0 mm)**

**SOFT SHORT CUPS**  
RIBBED AND WEBBED

1.500 - 3.000 r.p.m

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	SS-222PK	SS-222LM	SS-222GR	SS-222DB
<b>Soft Assorted Colours Order No.</b>	SS-222SA Assorted: Pink, Lime, Green, D.Blue			

**SHORT SHANKS SHORT CUPS (7.0 mm)**

**X-SOFT SHORT CUPS**  
RIBBED AND WEBBED

1.500 - 3.000 r.p.m

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	SS-222RD	SS-222YL
<b>X-Soft Assorted Colours Order No.</b>	SS-222XA Assorted: Red, Yellow	

**DISPOSABLE  
LATEX FREE  
SHORT  
PROPHY CUPS CA  
METAL SHANKS  
SHORT SHANKS  
RIBBED AND  
WEBBED**

[ fit mini head  
CA handpieces only ]

**REGULAR POINTS**  
STANDARD SHANKS

1.500 - 3.000 r.p.m

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	225WT	225LB	225LV	225OR
<b>Regular Assorted Colours Order No.</b>	225RA Assorted: White, L.Blue, Lavender, Orange			

**SOFT POINTS**  
STANDARD SHANKS

1.500 - 3.000 r.p.m

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	225PK	225LM	225GR	225DB
<b>Soft Assorted Colours Order No.</b>	225SA Assorted: Pink, Lime, Green, D.Blue			

**X-SOFT POINTS**  
STANDARD SHANKS

1.500 - 3.000 r.p.m

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	225RD	225YL
<b>X-Soft Assorted Colours Order No.</b>	225XA Assorted: Red, Yellow	

**DISPOSABLE  
LATEX FREE  
PROPHY POINTS CA  
METAL SHANKS**

[ for lingual  
and interproximal ]

**METAL SHANKS CUPS (8.5 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m.

**REGULAR STANDARD CUPS TURBINE BLADES**

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	T-M222 WT	T-M222 LB	T-M222 LV	T-M222 OR
<b>Regular Assorted Colours Order No.</b>	T-M222RA Assorted: White, L.Blue, Lavender, Orange			

**METAL SHANKS CUPS (8.5 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m.

**SOFT STANDARD CUPS TURBINE BLADES**

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	T-M222 PK	T-M222 LM	T-M222 GR	T-M222 DB
<b>Soft Assorted Colours Order No.</b>	T-M222SA Assorted: Pink, Lime, Green, D.Blue			

**METAL SHANKS CUPS (8.5 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m.

**X-SOFT STANDARD CUPS TURBINE BLADES**

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	T-M222 RD	T-M222 YL
<b>X-Soft Assorted Colours Order No.</b>	T-M222XA Assorted: Red, Yellow	

**DISPOSABLE  
LATEX FREE  
STANDARD  
PROPHY CUPS CA  
METAL SHANKS  
TURBINE BLADES**

**PLASTIC SHANKS CUPS (8.5 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m.

**REGULAR STANDARD CUPS TURBINE BLADES**

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	T-P222 WT	T-P222 LB	T-P222 LV	T-P222 OR
<b>Regular Assorted Colours Order No.</b>	T-P222RA Assorted: White, L.Blue, Lavender, Orange			

**PLASTIC SHANKS CUPS (8.5 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m.

**SOFT STANDARD CUPS TURBINE BLADES**

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	T-P222 PK	T-P222 LM	T-P222 GR	T-P222 DB
<b>Soft Assorted Colours Order No.</b>	T-P222SA Assorted: Pink, Lime, Green, D.Blue			

**PLASTIC SHANKS CUPS (8.5 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m.

**X-SOFT STANDARD CUPS TURBINE BLADES**

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	T-P222 RD	T-P222 YL
<b>X-Soft Assorted Colours Order No.</b>	T-P222XA Assorted: Red, Yellow	

**DISPOSABLE  
LATEX FREE  
STANDARD  
PROPHY CUPS CA  
PLASTIC SHANKS  
TURBINE BLADES**

**METAL SHANKS SHORT CUPS (7.0 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m.

**REGULAR SHORT CUPS TURBINE BLADES**

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	T-S222 WT	T-S222 LB	T-S222 LV	T-S222 OR
<b>Regular Assorted Colours Order No.</b>	T-S222RA Assorted: White, L.Blue, Lavender, Orange			

**METAL SHANKS SHORT CUPS (7.0 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m.

**SOFT SHORT CUPS TURBINE BLADES**

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	T-S222 PK	T-S222 LM	T-S222 GR	T-S222 DB
<b>Soft Assorted Colours Order No.</b>	T-S222SA Assorted: Pink, Lime, Green, D.Blue			

**METAL SHANKS SHORT CUPS (7.0 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m.

**X-SOFT SHORT CUPS TURBINE BLADES**

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	T-S222 RD	T-S222 YL
<b>X-Soft Assorted Colours Order No.</b>	T-S222XA Assorted: Red, Yellow	

**DISPOSABLE  
LATEX FREE  
SHORT  
PROPHY CUPS CA  
METAL SHANKS  
TURBINE BLADES**

**SHORT SHANKS SHORT CUPS (7.0 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m.

**REGULAR SHORT CUPS SHORT SHANKS TURBINE BLADES**

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	SS-T222WT	SS-T222LB	SS-T222LV	SS-T222OR
<b>Regular Assorted Colours Order No.</b>	SS-T222RA Assorted: White, L.Blue, Lavender, Orange			

**SHORT SHANKS SHORT CUPS (7.0 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m.

**SOFT SHORT CUPS SHORT SHANKS TURBINE BLADES**

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	SS-T222PK	SS-T222LM	SS-T222GR	SS-T222DB
<b>Soft Assorted Colours Order No.</b>	SS-T222SA Assorted: Pink, Lime, Green, D.Blue			

**SHORT SHANKS SHORT CUPS (7.0 mm)**

**TURBINE BLADES**

1.500 - 3.000 r.p.m.

**X-SOFT SHORT CUPS SHORT SHANKS TURBINE BLADES**

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	SS-T222RD	SS-T222YL
<b>X-Soft Assorted Colours Order No.</b>	SS-T222XA Assorted: Red, Yellow	

**DISPOSABLE  
LATEX FREE  
SHORT  
PROPHY CUPS CA  
METAL SHANKS  
SHORT SHANKS  
TURBINE BLADES  
[ fit mini head  
CA handpieces only ]**

**REGULAR POINTS SCREW-IN**

1.500 - 3.000 r.p.m.

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	226WT	226LB	226LV	226OR
<b>Regular Assorted Colours Order No.</b>	226RA Assorted: White, L.Blue, Lavender, Orange			

**SOFT POINTS SCREW-IN**

1.500 - 3.000 r.p.m.

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	226PK	226LM	226GR	226DB
<b>Soft Assorted Colours Order No.</b>	226SA Assorted: Pink, Lime, Green, D.Blue			

**X-SOFT POINTS SCREW-IN**

1.500 - 3.000 r.p.m.

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	226RD	226YL
<b>X-Soft Assorted Colours Order No.</b>	226XA Assorted: Red, Yellow	

**DISPOSABLE  
LATEX FREE  
PROPHY POINTS  
SCREW-IN  
[ for lingual  
and interproximal ]**

# Prophy Brushes and Cups

## DISPOSABLE LATEX FREE PROPHY BRUSHES CA REGULAR / SOFT / X-SOFT



Regular Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Regular White Colour Order No.	R-262F	R-262T	R-265	R-M268N	R-269N
Regular Assorted Colours Order No.	R-262FA	R-262TA	R-265A	R-268A	R-269A
	Assorted: White, L.Blue, Lavender, Orange				



Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Soft Clear Colour Order No.	S-262F	S-262T	S-265	S-268	S-269
Soft Assorted Colours Order No.	S-262FA	S-262TA	S-265A	S-268A	S-269A
	Assorted: Pink, Lime, Green, D.Blue				



X-Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
X-Soft Yellow Colour Order No.	X-262F	X-262T	X-265	X-268	X-269
X-Soft Assorted Colours Order No.	X-262FA	X-262TA	X-265A	X-268A	X-269A
	Assorted: Red, Yellow				

## DISPOSABLE LATEX FREE SHORT SHANKS PROPHY BRUSHES CA [fit mini head CA handpieces only]



Regular Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Regular White Colour Order No.	SS-R262F	SS-R262T	SS-R265	SS-R268	SS-R269
Regular Assorted Colours Order No.	SS-R262FA	SS-R262TA	SS-R265A	SS-R268A	SS-R269A
	Assorted: White, L.Blue, Lavender, Orange				



Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Soft Clear Colour Order No.	SS-S262F	SS-S262T	SS-S265	SS-S268	SS-S269
Soft Assorted Colours Order No.	SS-S262FA	SS-S262TA	SS-S265A	SS-S268A	SS-S269A
	Assorted: Pink, Lime, Green, D.Blue				



X-Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
X-Soft Yellow Colour Order No.	SS-X262F	SS-X262T	SS-X265	SS-X268	SS-X269
X-Soft Assorted Colours Order No.	SS-X262FA	SS-X262TA	SS-X265A	SS-X268A	SS-X269A
	Assorted: Red, Yellow				



Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	220WT	220LB	220LV	220OR
Regular Assorted Colours Order No.	220RA Assorted: White, L.Blue, Lavender, Orange			



Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	220PK	220LM	220GR	220DB
Soft Assorted Colours Order No.	220SA Assorted: Pink, Lime, Green, D.Blue			



X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	220RD	220YL
X-Soft Assorted Colours Order No.	220XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE PROPHY CUPS SNAP-ON RIBBED AND WEBBED**



Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	221WT	221LB	221LV	221OR
Regular Assorted Colours Order No.	221RA Assorted: White, L.Blue, Lavender, Orange			



Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	221PK	221LM	221GR	221DB
Soft Assorted Colours Order No.	221SA Assorted: Pink, Lime, Green, D.Blue			



X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	221RD	221YL
X-Soft Assorted Colours Order No.	221XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS SCREW-IN RIBBED AND WEBBED**



Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	S221WT	S221LB	S221LV	S221OR
Regular Assorted Colours Order No.	S221RA Assorted: White, L.Blue, Lavender, Orange			



Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	S221PK	S221LM	S221GR	S221DB
Soft Assorted Colours Order No.	S221SA Assorted: Pink, Lime, Green, D.Blue			



X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	S221RD	S221YL
X-Soft Assorted Colours Order No.	S221XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS SCREW-IN RIBBED AND WEBBED**

## DISPOSABLE LATEX FREE PROPHY BRUSHES SNAP-ON REGULAR / SOFT / X-SOFT

 <p><b>REGULAR WHITE</b> (nylon brush dia. 0.20 mm)</p>			 <p><b>SOFT CLEAR</b> (nylon brush dia. 0.15 mm)</p>			 <p><b>X-SOFT YELLOW</b> (nylon brush dia. 0.10 mm)</p>		
Regular Type	Flat	Tapered	Soft Type	Flat	Tapered	X-Soft Type	Flat	Tapered
Regular White Colour Order No.	R-260F	R-260T	Soft Clear Colour Order No.	S-260F	S-260T	X-Soft Yellow Colour Order No.	X-260F	X-260T

## DISPOSABLE LATEX FREE PROPHY BRUSHES SCREW-IN REGULAR / SOFT / X-SOFT

 <p><b>REGULAR WHITE</b> (nylon brush dia. 0.20 mm)</p>						 <p><b>SOFT CLEAR</b> (nylon brush dia. 0.15 mm)</p>						 <p><b>X-SOFT YELLOW</b> (nylon brush dia. 0.10 mm)</p>					
Regular Type	Flat	Tapered	Micro	Junior Cup	Mini Cup	Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup	X-Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Regular White Colour Order No.	R-261F	R-261T	R-265-1	R-268-1	R-269-1	Soft Clear Colour Order No.	S-261F	S-261T	S-265-1	S-268-1	S-269-1	X-Soft Yellow Colour Order No.	X-261F	X-261T	X-265-1	X-268-1	X-269-1
Regular Assorted Colours Order No.	R-261FA	R-261TA	R-265-1A	R-268-1A	R-269-1A	Soft Assorted Colours Order No.	S-261FA	S-261TA	S-265-1A	S-268-1A	S-269-1A	X-Soft Assorted Colours Order No.	X-261FA	X-261TA	X-265-1A	X-268-1A	X-269-1A
Assorted: White, L.Blue, Lavender, Orange						Assorted: Pink, Lime, Green, D.Blue						Assorted: Red, Yellow					

**SNAP-ON CUPS (8.0 mm)**

**REGULAR CUPS TURBINE BLADES**

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	T-220WT	T-220LB	T-220LV	T-220OR
Regular Assorted Colours Order No.	T-220RA Assorted: White, L.Blue, Lavender, Orange			

**SNAP-ON CUPS (8.0 mm)**

**SOFT CUPS TURBINE BLADES**

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	T-220PK	T-220LM	T-220GR	T-220DB
Soft Assorted Colours Order No.	T-220SA Assorted: Pink, Lime, Green, D.Blue			

**SNAP-ON CUPS (8.0 mm)**

**X-SOFT CUPS TURBINE BLADES**

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	T-220RD	T-220YL
X-Soft Assorted Colours Order No.	T-220XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE PROPHY CUPS SNAP-ON TURBINE BLADES**

**SCREW-IN CUPS (8.5 mm)**

**REGULAR STANDARD CUPS TURBINE BLADES**

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	T-221WT	T-221LB	T-221LV	T-221OR
Regular Assorted Colours Order No.	T-221RA Assorted: White, L.Blue, Lavender, Orange			

**SCREW-IN CUPS (8.5 mm)**

**SOFT STANDARD CUPS TURBINE BLADES**

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	T-221PK	T-221LM	T-221GR	T-221DB
Soft Assorted Colours Order No.	T-221SA Assorted: Pink, Lime, Green, D.Blue			

**SCREW-IN CUPS (8.5 mm)**

**X-SOFT STANDARD CUPS TURBINE BLADES**

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	T-221RD	T-221YL
X-Soft Assorted Colours Order No.	T-221XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS SCREW-IN TURBINE BLADES**

**SCREW-IN SHORT CUPS (7.0 mm)**

**REGULAR SHORT CUPS TURBINE BLADES**

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	T-222WT	T-222LB	T-222LV	T-222OR
Regular Assorted Colours Order No.	T-222RA Assorted: White, L.Blue, Lavender, Orange			

**SCREW-IN SHORT CUPS (7.0 mm)**

**SOFT SHORT CUPS TURBINE BLADES**

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	T-222PK	T-222LM	T-222GR	T-222DB
Soft Assorted Colours Order No.	T-222SA Assorted: Pink, Lime, Green, D.Blue			

**SCREW-IN SHORT CUPS (7.0 mm)**

**X-SOFT SHORT CUPS TURBINE BLADES**

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	T-222RD	T-222YL
X-Soft Assorted Colours Order No.	T-222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS SCREW-IN TURBINE BLADES**



## Greenline air-water syringe tips

Reusable products are a great idea. Unfortunately, trying to clean the inside of a reusable metal air-water syringe tip is just not possible and if you can't clean it, you can't guarantee the effectiveness of its sterilisation. This means that using a disposable plastic air-water syringe tip is the only way to guarantee avoiding cross contamination.

We have however created a more environmentally friendly air-water syringe tip by making a few changes.

- Directly interchangeable with American type syringe tips (long), or European syringes which have been converted to use American type syringe tips (short)
- Made from 100% recycled plastic
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air
- Environmentally friendly packaging

**Greenline Air-water Syringe Tips**  
**G-018 (American Type) 200 pcs/box**  
**G-028 (European Type) 200 pcs/box**

**1** Our Greenline air-water syringe tips are made from 100% recycled plastic, using waste materials left over from other manufacturing processes.

**2** The Greenline air-water syringe tips are packaged in 100% recyclable cardboard boxes, instead of large plastic bags, helping to reduce the amount of plastic packaging in your surgery.



## Greenline bamboo cups

- Leakproof construction, non-slip design
- Dispenses easily from cup dispenser due to their rolled lip
- Conveniently designed 170ml (6oz) size

**Looking to cut down on plastic use? Switching to bamboo cups is a simple and easy change that can have a big impact on reducing plastic waste in your surgery.**

**Here are some reasons to make the switch to using bamboo:**

**Bamboo Cups 170 ml ( 6 oz ), 1000 pcs/box**  
**6800BB Blank**  
**6800BH Healthy Teeth ( 4 assorted designs )**

**1** Bamboo is the world's quickest growing plant and provides a sustainable source of material. When bamboo is cut down to make paper, it is able to quickly recover to be harvested again.

**2** Bamboo absorbs a large amount of CO<sup>2</sup> as it grows, which helps to offset human carbon emissions.

**3** Our Greenline outer carton is 100% recyclable.

## Greenline micro applicator mini

In an effort to limit the environmental effect of one of the most used items in a dental surgery we came up with some great ideas:

**1** We designed the handle to be a smaller, more practical size that reduces the amount of plastic used by 50% in comparison to competitive products.

**2** Instead of new plastic we used 100% recycled plastic. This recycled plastic is made using waste materials from other manufacturing processes.

**3** No more plastic tube that can use up to a third of the amount of plastic as the actual product - just a 100% recyclable box.



ACTUAL SIZE



- Bends into any angle for the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

*Greenline Micro Applicators Mini, 100 pcs/box  
(Length 85 mm, dia 2.5 mm handles)  
G-9901 Regular (dia. 2.5 mm) Light Green  
G-9902 Fine (dia. 2 mm) Medium Green  
G-9903 Ultra Fine (dia. 1.5 mm) Dark Green*

## Greenline micro applicator tips

**Our most environmentally friendly micro applicators:**

**1** By using a micro applicator tip you save 80% of the plastic that you would normally use in the handle of a standard micro applicator.

**2** An autoclavable handle saves plastic. Clean it, autoclave it and re-use it. Simple and effective.

**3** 100% recyclable cardboard box. Recycling means preventing pollution by reducing the need to collect new raw materials.

**4** Instead of new plastic we use 100% recycled plastic. The recycled plastic is made using waste materials from other manufacturing processes.



- For the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

*Greenline Micro Applicator Tips, 100 pcs/box  
G-921 Regular (dia. 2.5 mm) Light Green  
G-922 Fine (dia. 2 mm) Medium Green*

*Autoclavable (134°C) Micro Applicator Tip Handle  
7502W White  
7502T Transparent*

## DISPOSABLE AIR-WATER SYRINGE TIPS (SHORT) EURO TYPE




- Directly interchangeable with American type short syringe tips (syringes which have been converted to use American type short syringe tips)
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air

Syringe Tips Short, 250 pcs/pack  
028S Syringe Tips **Short** Spectrum  
028W Syringe Tips **Short** White

## DISPOSABLE AIR-WATER 'e' SYRINGE TIPS WITHOUT CORE

ready to use, no converter required for American style syringe



- Directly interchangeable with most American style metal air/water syringe tips
- Economically designed without separate water core, in exchange for a split second of moisture when switching from water to air
- Rounded tip end provides maximum patient comfort

Disposable 'e' Air-Water Syringe Tips without core, 250 pcs/pack  
0120S Opaque **Colour** Tips  
012W Opaque **White** Tips

## DISPOSABLE AIR-WATER 'a' SYRINGE TIPS ready to use, no converter required for American style syringe



- Directly interchangeable with most American style metal air/water syringe tips
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air

Disposable 'a' Air-Water Syringe Tips, 250 pcs/pack  
018S **Spectrum** Colour Tips/White Cores  
018C **Clear** Tips/Colour Cores  
018OS **Opaque Colour** Tips/White Cores  
018W **Opaque White** Tips/White Cores

## DISPOSABLE TRANSPARENT SYRINGE TIPS


- Directly interchangeable with \*Sani-Tip® type transparent tip (syringes which have been converted to use transparent tip)
- Costs less than sterilizing metal tips
- Size: Long( American type ) Short( European type )
- Colour: Clear Transparent

Clear Tips, 250 pcs/pack  
011A Standard Length ( **American Type Syringe** )  
011E Short Length ( **European Type Syringe** )



\*Sani-Tip is a registered trademark of Dentsply Sirona

## DISPOSABLE FACE MASKS EAR-LOOP WITH PATTERNS FLUID RESISTANT LATEX FREE




FLOWER (F1)



FLOWER (F2)



FLOWER (F3)



FLOWER (F4)



KIDS



LEAF (L1)



LEAF (L2)



LEAF (L3)



LEAF (L4)



MONSTERS

**LEVEL 3 BARRIER**  
INTERNATIONAL STANDARD ASTM F2100  
BFE ≥99% PFE ≥99%  
**PERFORMANCE TYPE IIR**  
EUROPEAN STANDARD EN14683

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Permits air to pass through mask to prevent glasses from fogging

2288 Face Masks Ear-Loop with Patterns, 50 pcs/box


## DISPOSABLE FLUID RESISTANT DENTAL BIBS WITH PATTERNS




FLOWER (F1)



FLOWER (F2)



FLOWER (F3)




FLOWER (F4)




KIDS




LEAF (L1)



LEAF (L2)



LEAF (L3)



LEAF (L4)




MONSTERS

- Two plies of facial quality tissue plus a layer of polyethylene film offers quick absorbency with a moisture barrier
- Paper specially treated for wet strength
- Embossed horizontal pattern, water contact disperses horizontally instead of "channelling" down onto patients clothing
- Size: 45 cm x 33 cm

### Dental Bibs with Patterns

2200FA Flowers Assorted, 500 pcs/box  
2200LA Leaves Assorted, 500 pcs/box  
2200KID Kids, 500 pcs/box  
2200MON Monsters, 500 pcs/box


## DISPOSABLE PROPHY BIBS EXTRA LONG FLUID RESISTANT



- Ideal for prophy
- Features contour neck design for additional coverage to shoulders and arm
- Two plies of facial quality tissue plus a layer of polyethylene
- Size: W45 cm x L60 cm
- Colour: Light Blue

2208 Propphy Bibs Extra Long  
100 pcs/box + Bib Holder XS


## DISPOSABLE FLUID RESISTANT TRAY COVER PAPERS



- Two plies of facial quality tissue plus a layer of polyethylene film
- Colours: Blue and white barrier

2220 "B" Plastic Tray Covers 200'S (29.5 cm X 21.5 cm)  
2221 "F" Plastic Tray Covers 200'S (20 cm X 13.5 cm)  
2223 "ISO" Aluminium Tray Covers 200'S (27.5 cm X 17.5 cm)

## DISPOSABLE NAPKIN HOLDERS



- Fully disposable
- Easy to apply
- Width: 15 mm
- Length: 44 cm extendable up to 60 cm

2209 Napkin Holders, 100 pcs/pack

## DISPOSABLE PSP BARRIER ENVELOPES



- Quick tear-off opening
- Fits most phosphor plates
- Soft vinyl with rounded corners

### DURR® TYPE

#### Mid-Opening Barrier Envelopes

188-0 No. 0 (I.D. 39 mm x 28 mm) 100 pcs/box  
 188-1 No. 1 (I.D. 44 mm x 29 mm) 100 pcs/box  
 188-2 No. 2 (I.D. 45 mm x 35 mm) 100 pcs/box  
 188-3 No. 3 (I.D. 58 mm x 30 mm) 50 pcs/box  
 188-4 No. 4 (I.D. 82 mm x 60 mm) 50 pcs/box

#### Mid-Opening Barrier Envelopes Bulk

188-2B No. 2 (I.D. 45 mm x 35 mm) 500 pcs/box

#### Top-Opening Barrier Envelopes

198-0 No. 0 (I.D. 27 mm x 40 mm) 100 pcs/box  
 198-1 No. 1 (I.D. 28 mm x 45 mm) 100 pcs/box  
 198-2 No. 2 (I.D. 34 mm x 46 mm) 100 pcs/box

#### Top-Opening Barrier Envelopes Bulk

198-2B No. 2 (I.D. 33 mm x 44 mm) 500 pcs/box

### DIGORA® (SOREDEX®) TYPE

#### Top-Opening Barrier Envelopes

189-0 No. 0 (I.D. 24 mm x 34 mm) 100 pcs/box  
 189-1 No. 1 (I.D. 26 mm x 43 mm) 100 pcs/box  
 189-2 No. 2 (I.D. 33 mm x 44 mm) 100 pcs/box

### KODAK® (CARETEAM®) TYPE

#### Top-Opening Barrier Envelopes

199-0 No. 0 (I.D. 31 mm x 36 mm) 100 pcs/box  
 199-1 No. 1 (I.D. 33 mm x 44 mm) 100 pcs/box  
 199-2 No. 2 (I.D. 40 mm x 46 mm) 100 pcs/box

#### Protective Paper Covers

178-0 (2 x 23 mm x 36 mm) 100 pcs/box  
 178-1 (2 x 24 mm x 42 mm) 100 pcs/box  
 178-2 (2 x 30 mm x 42 mm) 100 pcs/box



## DISPOSABLE PC MOUSE SLEEVES

- Universal size, fit both cordless and corded optical mouse
- Soft, pliable polypropylene sleeves
- Easy to apply

PC Mouse Sleeves, 500 pcs/box  
 133S 15 cm x 8.5 cm (5 7/8" x 3 3/8")  
 133L 16 cm x 10 cm (6 1/8" x 4")

## DISPOSABLE X-RAY SLEEVES



- Full x-ray unit coverage
- Disposable yet economical
- Soft, pliable polypropylene sleeve holds position until removed
- Easy application and removal

X-Ray Head Sleeves, 250 pcs/box  
 108 Small 20 cm x 17 cm x 60 cm  
 (7 7/8" x 6 5/8" x 23 1/2")  
 109 Large 35 cm x 24 cm x 75 cm  
 (13 3/4" x 9 1/2" x 29 1/2")



## DISPOSABLE HVE TUBE SLEEVES

- Pre-cut opening for easier application
- Made from very supple poly plastic for greater tactile feel

#### HVE Suction Tube Sleeves, 500 pcs/box

135S Small (11 mm) 35 cm x 5.5 cm (13 3/4" x 2 1/8")  
 135L Large (16 mm) 38 cm x 6 cm (15" x 2 3/8")



### A. STANDARD

#### A. Standard Sensor Sleeve, 500 pcs/box

140XS X-Small 3.8 cm x 20 cm (1 1/2" x 7 7/8")  
 140S Small 4.2 cm x 20 cm (1 5/8" x 7 7/8")  
 140M Medium 4.5 cm x 20 cm (1 3/4" x 7 7/8")  
 140L Large 6 cm x 20 cm (2 3/8" x 10")



### B. TWO STEP

#### B. Two Step Sensor Sleeves, 500 pcs/box

183-1 Size 1 3.4 cm x 5 cm x 22 cm (1 3/8" x 2" x 8 5/8")  
 183-2 Size 2 3.8 cm x 5.5 cm x 22 cm (1 1/2" x 2 1/8" x 8 5/8")

## DISPOSABLE X-RAY SENSOR SLEEVES

- Made from very supple poly plastic for greater tactile feel
- Easy to apply



## DISPOSABLE INSTRUMENT TRAY SLEEVES

- Instruments are placed directly on top of the disposable plastic sleeve
- Reduces the possibility of cross-contamination, saves cleaning time

#### Tray Sleeves, 500 pcs/box

101 Standard 'B' 27 cm x 36 cm (10 1/2" x 14")  
 102 Mini 'F' 19 cm x 28 cm (7 1/2" x 11")



## DISPOSABLE ISO INSTRUMENT TRAY SLEEVES

- Instruments are placed directly on top of the disposable plastic sleeve
- Reduces the possibility of cross-contamination, saves cleaning time

ISO Metal Tray Sleeves, 500 pcs/box  
 190 Standard 31 cm x 21 cm  
 (12 1/8" x 8 1/4")




## DISPOSABLE IMPRESSION GUN SLEEVES

- Plastic sleeve covers cartridge and handle
- Provides protection in case of cartridge failure or leakage

#### Impression Gun Sleeves, 500 pcs/pack

107 Universal 25 cm x 21 cm (9 7/8" x 8 1/4")




## DISPOSABLE MOUTH MIRROR SLEEVES

- Made from very supple poly plastic for greater tactile feel

#### Mouth Mirror Sleeves, 500 pcs/box

140XS X-Small 3.8 cm x 20 cm (1 1/2" x 7 7/8")

## DISPOSABLE BARRIER FILM



- With 5 mm non-adhesive edge for simple placement and removal
- Residue free
- Colours: Blue and Clear

#### Barrier Film, 1200 pcs/roll

8008-C Clear 10 cm x 15 cm (3 7/8" x 6")  
 8008-B Blue 10 cm x 15 cm (3 7/8" x 6")

## DISPOSABLE T-STYLE LIGHT HANDLE SLEEVES



- Universal sizing to fit most T-style handles
- Full handle coverage
- Disposable yet economical
- Soft, pliable polypropylene sleeve holds position until removed
- Easy application and removal

#### T-Shape Light Handle Sleeves, 500 pcs/box

106 Universal 10 cm / 15 cm x 8.5 cm (3 7/8" / 6" x 3 3/8")



## DISPOSABLE BITE BLOCK SLEEVES

- Polypropylene sleeves
- Easy application and removal
- Fully disposable

#### Bite Block Sleeves, 5 x 200 pcs/box

145 Universal  
 5.5 cm x 2.6 cm (2 1/8" x 1")

## DISPOSABLE PEN TYPE CURING LIGHT SLEEVES



- Made from very supple poly plastic for greater tactile feel
- Easy to apply

**Pen Type Curing Light Sleeves, 500 pcs/box**  
228 Mini Short 25 cm x 3.8 cm (9" x 1 1/2")  
123SS Small Short 28 cm x 5 cm (11" x 2")

123S Small 32 cm x 5 cm (12 1/2" x 2")  
123L Large 35 cm x 6.5 cm (13 3/4" x 2 1/2")  
123XL X-Large 38 cm x 7.2 cm (15" x 2 7/8")

## DISPOSABLE INTRAORAL CAMERA /RA CURING LIGHT SLEEVES



- Made from very supple poly plastic for greater tactile feel
- Easy to apply

**Intraoral Camera Sleeves / RA Curing Light Sleeves**  
228 Mini Short 25 cm x 3.8 cm (9" x 1 1/2"), 500 pcs/box  
125 Standard 33 cm x 4.8 cm (13" x 1 7/8"), 500 pcs/box  
125SS Short 28 cm x 4.8 cm (11" x 1 7/8"), 500 pcs/box



## DISPOSABLE PEEL-N-STICK LIGHT GUIDE SLEEVES

- Soft, pliable polypropylene sleeve
- Easy to apply
- Economical

**Light Guide Sleeves, 200 pcs/box**  
128 Small (fits 7-8 mm Guide)  
129 Large (fits 9-11 mm Guide)



## DISPOSABLE PEN AND HANDPIECE SLEEVES

- Disposable sleeves for pen, handpieces, and ultrasonic scalers
- Made from soft pliable poly plastic for greater tactile feel

**500 pcs/box**  
103 Pen Shape Instrument 22 cm x 2.4 cm (8 1/2" x 1")  
104S Low Speed/Universal Slim 22 cm x 3.8 cm (8 1/2" x 1 1/2")  
104L Low Speed/Universal Large 22 cm x 4 cm (8 1/2" x 1 5/8")



## DISPOSABLE SYRINGE/HVE SLEEVES

- Pre-cut opening for easier application
- Ideal for 3-way syringes, saliva ejectors and HVE valves etc

**Syringe Sleeves, 500 pcs/box**  
100C Clear 26 cm x 6.5 cm (10" x 2 1/2")  
100B Blue 26 cm x 6.5 cm (10" x 2 1/2")

## DISPOSABLE TUBING SLEEVES



- For straight and coiled tubing
- Affordable protection from infectious aerosols and minimizes time spent on cleaning
- 1200 ft/roll (366 m)

118 Tubing Sleeve for straight tubing 2" (5 cm)  
119 Tubing Sleeve for coiled tubing 4" (10 cm)

## DISPOSABLE FLOWABLE COMPOSITE SYRINGE SLEEVES



- Made from very supple poly plastic for greater tactile feel
- Easy to apply
- Economical

**Flowable Composite Syringe Sleeves, 200 pcs/box**  
138 Universal 1.8 cm / 5 cm x 12.5 cm (3/8" / 2" x 5")



## DISPOSABLE KEYBOARD SLEEVES

- Soft, pliable polypropylene sleeves

**Keyboard Sleeves**  
158S Standard 16 cm x 55 cm (6 1/4" x 21 5/8"), 500 pcs/box  
158M Medium 21.5 cm x 55 cm (8 1/2" x 21 5/8"), 250 pcs/box  
108 Large 20 cm + 17 cm x 60 cm (7 7/8" + 6 5/8" x 23 1/2"), 250 pcs/box




## DISPOSABLE CHAIR SLEEVES

- Eliminates the need for separate headrest covers
- Avoids the need for harmful disinfectants and aerosols prolonging the life of dental chairs/stools

**Chair Sleeves, 125 pcs/box**  
111 Full Chair 180 cm x 72 cm (70" x 28 3/8")  
112 Half Chair 100 cm x 65 cm (39 3/8" x 25 5/8")

## DISPOSABLE HEADREST SLEEVES



- Polypropylene sleeves
- Reduces possible cross-contamination from infectious aerosol spray

**Headrest Sleeves, 500 pcs/box**  
113 Small 26 cm x 27.5 cm (10 1/4" x 10 7/8")  
114 Large 35 cm x 28 cm (13 3/4" x 11")



## DISPOSABLE NON-WOVEN HEADREST COVERS

- Breathable non-woven fabric
- Soft, provides maximum patient comfort
- Colours: Light Blue and White

**Non Woven Headrest Covers, 500 pcs/box**  
780S Small 26 cm x 28 cm (10 1/4" x 11")  
780M Medium 35 cm x 28 cm (13 3/4" x 11")

# Applicators and Tips




## DISPOSABLE MICRO APPLICATORS

- Economical and disposable, saving up to 80% by the reduction of excess materials used
- Bends into any angle for the placement of small controlled amounts of material in limited access areas



Available in :-  
Standard Handles  
100 mm x dia. 3 mm  
Mini Handles  
85 mm x dia. 2.5 mm



Available in :-  
Standard Handles  
100 mm x dia. 3 mm  
Mini Handles  
85 mm x dia. 2.5 mm



Available in :-  
Standard Handles  
100 mm x dia. 3 mm


**Standard Handles**  
Tube Pack 400 pieces  
901T Regular  
902T Fine  
903T Ultrafine  
904T Cylinder

**Mini Handles**  
Tube Pack 400 pieces  
9901T Regular  
9902T Fine  
9903T Ultrafine

**Standard Handles**  
Bulk Pack 1000 pieces  
901B Regular  
902B Fine  
903B Ultrafine  
904B Cylinder

**Mini Handles**  
Bulk Pack 1000 pieces  
9901B Regular  
9902B Fine  
9903B Ultrafine

**Standard Handles**  
Dispenser Pack 400 pieces  
901D Regular  
902D Fine  
903D Ultrafine  
904D Cylinder



## DISPOSABLE MICRO APPLICATOR DISPENSERS

- Small, sturdy, durable construction

**Applicator Dispenser**  
18-900 **Standard Handle**  
18-9900 **Mini Handle**

## DISPOSABLE MICRO APPLICATOR TIPS




- Economical and disposable saving up to 80% by the reduction of excess materials used
- For the placement of small controlled amounts of material in limited access areas
- Can be used for etchants, bonding agents, cavity lining, fluoride varnishing, hemostatic and sealants etc

**Micro Applicator Tips, 100 pcs/box**  
(Blue, Green, Lavender or Yellow)  
921 Regular  
922 Fine

**Micro Applicator Tips, 500 pcs/box**  
(Blue, Green, Lavender or Yellow)  
B921 Regular  
B922 Fine

**Brush Handle Autoclavable**  
7502W - White  
7502T - Transparent

## DISPOSABLE BRUSH TIPS AND HANDLES



- Perfect for placement of etchants, bonding agents, sealers and cements etc
- Available Colours: **Blue, Green, Lavender or Yellow**

7501 Brush Tips **Regular** Standard Pack, 100 pcs/box  
7511 Brush Tips **Mini** Standard Pack, 100 pcs/box  
7502W Brush Handle Autoclavable **White**  
7502T Brush Handle Autoclavable **Clear**




## DISPOSABLE BRUSH APPLICATORS

- Perfect for placement of etchants, bonding agents, sealers and cements etc
- Bendable to reach around corners and the tightest spaces
- Handles are colour coded to eliminate confusion between materials
- Disposable, eliminates cross-contamination
- Available colours: **Blue, Green, Lavender or Yellow**

**Brush Applicator Single Colour, 100 pcs/pack**  
7500 Regular  
7510 Mini

## AUTOCLAVABLE HVE SUCTION TUBES




- Fits European style 16 mm or standard 11 mm suction tubing
- Autoclavable up to 134°C
- Special high quality plastic, sturdy enough for cheek retraction
- Fully polished internal surface and edge for quiet operation and patient comfort
- Assortment of bright, lively colours: Lavender, Light Blue, Light Green, Lime and Yellow

**Assorted Colours, 10 pcs/pack**

335L Adult Large (16 mm)  
335M Adult Medium (16 mm)  
336P Pedo (16 mm)

005L Adult Large (16 mm)  
005M Adult Medium (16 mm)  
006P Pedo (16 mm)

205M Adult Medium (11 mm)  
206P Pedo (11 mm)



## DISPOSABLE SOFT TOUCH™ ORAL EVACUATORS (SLOTTED) VENTED LATEX FREE

- Soft Touch edge eliminates the risk of lacerating the oral tissue
- Rigid tubing strong enough for cheek retraction
- Vented to reduce unnecessary tissue grab and increase evacuation cover area
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders
- Colour: White (Blue or Lavender Tip)

PATENT PENDING

ST001 Soft Touch™ Oral Evacuators, 50 pcs/pack



## DISPOSABLE VENTED (SLOTTED) ORAL EVACUATORS

- Vented to reduce unnecessary tissue grab
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders

**Disposable Oral Evacuators, 100 pcs/pack**

001 White

001A Single Colour



## DISPOSABLE VENTED/NON-VENTED ORAL EVACUATORS 'S' CUT

- Vented and non-vented combination
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders

**Disposable Oral Evacuators, 100 pcs/pack**

301 White

301A Single Colour




## DISPOSABLE VENTED ORAL EVACUATORS 'S' CUT

- Vented to reduce unnecessary tissue grab
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders
- Colours: Blue, Yellow, Green, Lime or Lavender

**Disposable Oral Evacuators, 100 pcs/pack**

308 White

308A Single Colour



## AUTOCLAVABLE SURGICAL ASPIRATOR TIPS

- Non-sterile
- Autoclavable up to 134°C
- Colours: Standard - White Large orifice - Blue
- Single use



**Autoclavable Surgical Tips**  
25 pcs/pack

007 Mini Tip

009 Standard Non-Vented

009V Standard Vented

008 Large Orifice Non-Vented

008V Large Orifice Vented



## DISPOSABLE SALIVA EJECTORS


- Tip design that eliminates suction of tissue
- Smooth fixed tip for patient safety and comfort

**Saliva Ejectors, 100 pcs/pack**

300W White Tip/Clear Tube

300B Blue Tip/Clear Tube

300A White Tip/Coloured Tube



## AUTOCLAVABLE ASPIRATOR BRUSHES


- Autoclavable up to 134°C
- Rigid bristles for effective cleaning

020 X-Fine dia. 5 mm, 6 pcs/pack

021 Fine dia. 8 mm, 6 pcs/pack

022 Medium dia. 14 mm, 6 pcs/pack

023 Large dia. 20 mm, 6 pcs/pack



## AUTOCLAVABLE SUCTION TUBE ADAPTORS

- Autoclavable up to 134°C



## DISPOSABLE 3-IN-1 TRAYS

- Wide occlusal plane
- Strong and tough plastic
- Specially designed walls for extra retention
- Tear resistant quality mesh
- Colour: Blue

**3-in-1 Trays**  
 18-N401 Posterior 36 pcs/box  
 18-N402 Quadrant 36 pcs/box  
 18-N403 Sideless 36 pcs/box  
 18-N404 Anterior 36 pcs/pack  
 18-N405 Full Arch 24 pcs/pack

## DISPOSABLE 3-IN-1 TRAYS

Stainless Steel Wire Connectors



- Stainless steel wire connector for greater access in limited space
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh
- Colour: Blue

**3-in-1 Trays**  
 18-S401 Posterior 36 pcs/box  
 18-S402 Quadrant 36 pcs/box  
 18-S403 Sideless 36 pcs/box

## DISPOSABLE 3-IN-1 TRAYS

Rigid Bar Connectors




- Rigid Aluminium Bar Connector
- Strong and tough
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh
- Colour: Blue


**3-in-1 Trays**  
 18-T401 Posterior 36 pcs/box  
 18-T402 Quadrant 36 pcs/box  
 18-T403 Sideless 36 pcs/box

## DISPOSABLE IMPRESSION TRAYS WITH RIM LOCK

for Implant Post and General Impressions



base sections can be easily removed with a bur for implant posts



rim lock reduced thickness trim lines on labial wall for easy removal in inclination post cases

- Save time and expensive laboratory charges
- Strong, rigid distortion free plastic construction
- Anatomically designed
- Smooth edges for patient comfort
- Excellent retention for impression materials whilst providing sufficient pressure for all details
- Colour: Blue

**Disposable Impression Trays, 10 pcs/pack**  
 410 Intro (one size each)  
 411-420 Single pack



## AUTOCLAVABLE IMPRESSION TRAYS WITH RIM LOCK

- Autoclavable up to 134°C (275°F)
- Strong, rigid distortion free plastic construction
- Anatomically designed
- Smooth edges for patient comfort
- Excellent retention for impression materials whilst providing sufficient pressure for all details
- Colour: Light Grey

**Autoclavable Impression Trays**  
 430 Intro 10 pcs/pack (one size each)  
 431-440 Single 5 pcs/pack



## DISPOSABLE 3-IN-1 TRAYS

- Wide occlusal plane
- Strong and tough plastic
- Specially designed walls for extra retention
- Tear resistant quality mesh
- Individually wrapped

### 3-in-1 Trays

N401 Posterior 36 pcs/box  
N402 Quadrant 36 pcs/box  
N403 Sideless 36 pcs/box  
N404 Anterior 36 pcs/pack  
N405 Full Arch 24 pcs/pack

## DISPOSABLE 3-IN-1 TRAYS

Wire Connectors Stainless Steel



- Stainless steel wire connector for greater access in limited space
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh

### 3-in-1 Trays

S401 Posterior 36 pcs/box  
S402 Quadrant 36 pcs/box  
S403 Sideless 36 pcs/box

## DISPOSABLE 3-IN-1 TRAYS

Rigid Bar Connectors



- Rigid Aluminium Bar Connector
- Strong and tough
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh

### 3-in-1 Trays

T401 Posterior 36 pcs/box  
T402 Quadrant 36 pcs/box  
T403 Sideless 36 pcs/box

## DISPOSABLE PLASTIC COATED METAL PLIABLE IMPRESSION TRAYS



- Disposable
- Pliable metal

451-460  
Pliable  
Metal Tray

## AUTOCLAVABLE ALGinate/PLASTER CURVED SPATULA

- For alginate or plaster
- Light weight, 58 gms only
- Autoclavable up to 134°C
- Stainless steel blade
- Handle colour: Blue

MS455  
Curved Spatula

## DISPOSABLE IMPRESSION SYRINGES

- Pre-bent for easy application
- Disposable
- 5 ml capacity

089  
Impression Syringes  
50 pcs/pack

## FLEXIBLE MIXING BOWLS



- For effective mixing of alginates and plasters
- Sizes: 7460 Small dia. 11 cm x H8 cm  
7470 Medium dia. 12.5 cm x H10 cm
- Available in Transparent Red, Green, Blue, Purple, Yellow and solid Blue

7460 Flexible Mixing Bowl Small  
7470 Flexible Mixing Bowl Medium


## AUTOCLAVABLE ALGinate AND PLASTER SPATULAS



- Autoclavable up to 134°C
- Fit all flexible mixing bowls
- Will not scratch the surface of bowls and clean up easily
- Flexible control in mixing with easy grip handle
- Size: Length: 190 mm

450R Regular Blue  
450XS Extra Stiff Grey

## DISPOSABLE INTRAORAL SYRINGE TIPS



- Universal fitting
- Available in Yellow or White

Intraoral Tips, 100 pcs/pack  
085 Yellow for Yellow mixing tips  
086 Clear for Green and Pink mixing tips

## DISPOSABLE DYNAMIC MIXING TIPS

- Fits Pentamix<sup>®</sup> type mixing machine
- Economically priced
- Colours: Red or White

7055 Dynamic Mixing Tips, 50 pcs/pack

<sup>1</sup> Pentamix is a registered trademark of 3M or 3M ESPE AG.

# Endo Instruments and Tips


## AUTOCLAVABLE ENDO STAND



- Autoclavable plastic stand with disposable sponge insert
- Cleans and holds endo instruments
- Silicone ring base resists sliding
- Autoclavable up to 134°C
- Colour: Blue

4833 Endo Stand Large (dia. 45 mm)  
812 Endo Sponges, 50 pcs/pack

## DISPOSABLE ENDO SPONGES



811  
for round endo stand  
size: 2" dia. x 3/8" thick  
(50mm dia. x 8mm)

812  
for oval and round endo stand  
size: 2 1/2" dia. x 3/8" thick  
(65mm dia. x 8mm)

- Disposable blue polyurethane sponges
- Colour: Blue

Endo Sponges, 50 pcs/pack  
811 for Round Endo Stand  
812 for Oval and Large Endo Stand


## DISPOSABLE PEEL-AND-STICK ENDO CUSHIONS



802 Peel-and-Stick  
Endo Cushions  
50 pcs/box

- Hold, arrange and clean small instruments during endodontic or implant procedures
- Ideal for files, screws, drills and pluggers etc
- Peel-and-stick back secures to patient napkins, tray covers or anywhere handy
- Pre-arranging saves set up time
- Dense blue polyurethane foam 75 mm long

## AUTOCLAVABLE ENDO CUSHION HOLDER



- Holder for used files with disposable foam cushions
- Built in endo file ruler
- Stainless steel construction
- Autoclavable up to 134°C
- Sizes: 50 mm x 50 mm x 25 mm

1180 Endo Cushion Holder  
(without Cushion)  
801 Square Endo Cushions  
50 pcs/pack

## AUTOCLAVABLE TRIANGULAR ENDO RING AND CUSHIONS



- Disposable cushions
- Colour: Blue
- Autoclavable up to 134°C

088 Autoclavable Cushion Holders  
with Large and Small Rings  
803 Disposable Cushions 50 pcs/box



## AUTOCLAVABLE ENDO HOLDER ALUMINIUM

2800 Endo Holder


- Specially designed for ultrasonic cleaning and autoclaving of root canal instruments
- Holds 18 hand or engine endo instrument up to size 100 all lengths
- Millimeter rule for rubber stop measurements for both right or left hand use
- Adjustable cover with silicone stop usage counter for sterilization
- Size: W65 mm x D30 mm x H55 mm
- Autoclavable up to 134°C
- Colour: Blue

## AUTOCLAVABLE RUBBER DAM FRAME



4866  
Rubber  
Dam Frame

- Proven design
- Better grip
- Enhance patient comfort
- Autoclavable up to 134°C




## AUTOCLAVABLE ENDO DISPENSER PLASTIC

N055 Endo Dispenser

- Specially designed for cleaning and autoclaving of endo instruments
- Holds 18 hand or engine instruments up to size 100 (all lengths)
- Autoclavable up to 134°C
- Size: 85 mm x 52 mm x 14 mm
- Colour: Blue

## AUTOCLAVABLE ENDO MEASURING BLOCK PLASTIC



4888  
Endo Measuring Block


- Accurate settings
- Durable construction
- Autoclavable up to 134°C
- Size: L100 mm x D24 mm x H32 mm
- Colour: Blue



## AUTOCLAVABLE ENDO RULER ALUMINIUM

- For both hand and engine instruments
- Autoclavable up to 134°C
- Gauges from 1 to 30 mm for right or left hand

4898 Endo Ruler



10005  
Endo Measuring Block


## AUTOCLAVABLE ENDO MEASURING BLOCK ALUMINIUM

- Durable aluminium construction
- Accurate settings
- Autoclavable up to 134°C
- Size: L150 mm x W24 mm x H33 mm
- Colour: Blue

Welcome to our new Greenline. We believe that making simple changes to the everyday products you purchase is the most sustainable way of helping our planet. This range is our first step towards offering you the choice of more environmentally friendly products.

After scratching our heads, we've created our interdental brushes with a few 'ez' changes:

## ez interdental brushes




- ISO size (colour coded)
- Latex and BPA free
- Reusable
- Plastic free box
- Non-slip, easy grip design
- Small, compact and easy to carry

Interdental Brushes, ISO Size No. 1-6  
Single or Assorted Sizes, 6 pcs/box

1 We have designed the shape of our handle to be smaller and practical in size, so that it uses up to 65% less plastic than some leading brands

2 Instead of using new plastic, we use 100% recycled plastic for the brush handle and 50% recycled plastic for the protective cap. This recycled plastic is made using waste materials left over from other manufacturing processes.

3 Unlike some other brands who package interdental brushes in unnecessarily large plastic boxes and bags, we use a cardboard box which is 100% plastic free and easily recyclable



ISO Size	1	2	3	4	5	6
Reference Size	XX Fine	X Fine	Fine	Fine -Medium	Medium	Large
Made to fit hole ( mm )	<0.8	0.9-1.0	1.1-1.2	1.3-1.5	1.6-1.8	>1.9
Wire Dia. ( mm )	0.35	0.35	0.45	0.45	0.45	0.45
Order Code	G800-1	G800-2	G800-3	G800-4	G800-5	G800-6
Assorted Order Code	G800-A No.1-6 Assorted					



## DISPOSABLE HEALTHY TEETH BIBS AND CUPS

### HEALTHY TEETH DENTAL BIBS

- Fun way to promote dental health to patients
- Two plies of facial quality tissue plus a layer of polyethylene film offers quick absorbency with a positive moisture barrier
- Paper specially treated for wet strength
- Size: 33 cm x 45 cm

Healthy Teeth  
2200HT Dental Bibs, 500 pcs/pack  
6800HT Paper Cups 170 ml (6 oz), 1,000 pcs/box

### HEALTHY TEETH PAPER CUPS

- Leakproof construction, non-slip design
- Dispenses easily from cup dispenser due to their rolled lip
- Fun way to promote dental health to patients



## AUTOCLAVABLE TRAYS PLASTIC




STANDARD COLOURS
Blue
Light Blue
Green
Yellow
White
Light Beige
Lavender

- Autoclavable up to 134°C

650 Standard Flat 'B' Tray 34 cm x 24 cm x 2 cm  
 651 Standard Divided 'B' Tray 34 cm x 24 cm x 2 cm  
 652 Mini Tray Flat 'F' Tray 24 cm x 16.5 cm x 2 cm

## AUTOCLAVABLE CABINET TRAYS PLASTIC



- Autoclavable up to 134°C
- Indispensable drawer organizer
- Scientifically designed for maximum convenience and efficiency
- Easy to clean, sterilize and disinfect
- Resists breaking, chipping and chemical attack
- Colours: Light Blue, Blue, White, Yellow, Lavender, Green and Light Beige
- Size: 9.5 cm x 19.5 cm x 2 cm

653 Cabinet Tray

STANDARD COLOURS	Yellow	Light Blue	Light Beige	Blue	White	Green	Lavender
------------------	--------	------------	-------------	------	-------	-------	----------



## INSTRUMENT TRAY RACKS

- Sturdy, chromium plated steel construction
- Size:  
Standard (8 trays)  
W37 cm x D24 cm x H37 cm  
Mini (6 trays)  
W28 cm x D17 cm x H29 cm

658 Tray Rack Standard 'B'  
 659 Tray Rack Mini 'F'

## AUTOCLAVABLE INSTRUMENT MAT



655 Instrument Mat

- Autoclavable
- Silicone material
- Size: L172 mm x W50 mm x H10 mm

STANDARD COLOURS	Yellow	Light Blue	Light Beige
Blue	White	Green	Lavender


## AUTOCLAVABLE NEEDLE STATION STAINLESS STEEL



- Holds any dental needle sheath
- Solid stainless construction, autoclavable
- Silicone ring base resists sliding
- Size: Dia. D55 mm x H38 mm

031 Needle Station

## AUTOCLAVABLE STERILIZATION CASSETTES PLASTIC



- Sturdy, durable construction
- Autoclavable

3881 Small (5 instruments)  
 3882 Medium (8 instruments)

STANDARD COLOURS	Blue	White	Light Blue	Green	Lavender
------------------	------	-------	------------	-------	----------

## AUTOCLAVABLE SILICONE INSTRUMENT CODE RINGS



- Autoclavable to 134°C
- Sizes: Small - for small instruments  
Large - for pliers and forceps etc
- Available in single colors: Blue, Light Blue, Green, Yellow, Pink, Red, Orange, Lavender, Black and White

Silicone Instrument Rings  
 657S Small, 50 pcs/box  
 657L Large, 25 pcs/box

## AUTOCLAVABLE BUR/ENDO ORGANIZERS




4810 (78 holes)  
 for both hand/engine  
 endo instruments  
 21 mm - 30 mm

4811 (48 holes)  
 for both hand/engine  
 endo instruments  
 21 mm - 30 mm

4812 (36 holes)  
 for both hand/engine  
 endo instruments  
 21 mm - 30 mm

4813  
 12 endo vials



4818  
 78 FG

4819  
 42 FG + 36 CA

- Smart, flexible design for customize setups
- Autoclavable up to 134°C
- Colour: Blue

Endo Stand, W115 mm x D52 mm x H40 mm  
 4810 - 78 Holes  
 4811 - 48 Holes + 4 Endo Vials  
 4812 - 36 Holes + Endo Clean  
 4813 - 12 Endo Vials  
 Bur Stand, W115 mm x D52 mm x H40 mm  
 4818 - 78 FG Holes  
 4819 - 42 FG + 36 CA Holes

Stainless Steel Cover, W115 mm x D52 mm x H15 mm  
 4830 - Sterilization Cover

Bur/Endo Box, (box only)  
 4821 Organizer Box for 1 Stand W120 mm x D55 mm x H56 mm  
 4823 Organizer Box for 3 Stands W160 mm x D120 mm x H56 mm  
 4825 Organizer Box for 5 Stands W265 mm x D120 mm x H56 mm



4823

4825

4821



STAINLESS STEEL COVER

4830

## JUMPING TEETH



- Cute design
- Economical giveaway for kids

8001  
Jumping Teeth  
24 pcs/box



090 Napkin Holder Adult (L47 cm)  
090C Napkin Holder Child (L41 cm)  
090XS Napkin Holder Extra Short (L37 cm)

## AUTOCLAVABLE NAPKIN HOLDERS

- Autoclavable silicone up to 134°C
- Stainless steel alligator clips
- Non-slip design
- Bright, attractive colours
- Colours available  
Adult: Light Blue, Blue, Green, Red, Yellow, White, Pink and Lavender  
Child: Light Blue, Lavender, Blue and Pink  
XS (for neck contour bibs): Blue only

## PEN / TOOTHBRUSH HOLDER



- Cute design

2005  
Pen / Toothbrush Holder



## DENTAL BIB HOLDER AND CLIP

- Cold disinfection only
- Cute design

091 Clip  
092 Bib Holder, White or Red

## DISPOSABLE MOUTH MIRRORS



- Disposable plastic mouth mirrors for patients
- Anti-fog front surface fiber glass mirror
- Mirror size: dia. 23 mm

800 Disposable Mouth Mirrors, 10 pcs/box

## RETAINER BOXES/MOUTH GUARD BOXES/DENTURE BATHS



600 Retainer Box  
W75 mm x D61 mm x H28 mm



601 Mouth Guard Box  
W77 mm x D64 mm x H40 mm



602 All Guard Box  
W77 mm x D77 mm x H38 mm



603 Denture Bath  
W83 mm x D68 mm x H52 mm

Colours: Blue, Green, Yellow, White, Lime, Light Blue, Lavender or Assorted

600 Retainer Boxes, 10 pcs/box  
601 Mouth Guard Boxes, 10 pcs/box

602 All Guard Boxes, 10 pcs/box  
603 Denture Baths, 10 pcs/box

## DENTAL APPLIANCE BOXES WITH MIRRORS




PASTEL COLOURS	
Vanilla	Sea Green
Sand	Lilac
Light Mauve	Baby Blue
White	Assorted

- Sturdy strong plastic
- Size: W80 mm x D72 mm x H32 mm

612  
Dental Appliance Boxes  
10 pcs/box

## INTRAORAL CHEEK RETRACTORS



- Holds mouth open, depresses tongue movement
- Anatomically designed
- Available in both autoclavable and disposable

**Autoclavable Intraoral Cheek Retractor**  
2060A Adult Large, 1 pc/box  
2060B Adult Small, 1 pc/box  
2060C Child, 1 pc/box



**Disposable Intraoral Cheek Retractors**  
2080A Adult Large, 10 pcs/box  
2080B Adult Small, 10 pcs/box  
2080C Child, 10 pcs/box

## INTRAORAL MOUTH LIPPERS



- Expands the mouth vertically rather than horizontally
- Ideal for working in the gingival areas for anteriors, ortho procedures, bleaching etc...
- Available in both autoclavable and disposable



**Autoclavable Intraoral Lippers, 2 pcs/box**  
2040A Adult, Semi-Transparent  
2040C Child, Semi-Transparent  
**Disposable Intraoral Lippers, 10 pcs/box**  
2030A Adult, White  
2030C Child, White

## AUTOCLAVABLE CHEEK RETRACTORS



- Autoclavable up to 134°C

**Mouth Retractor**  
2050C Child, 2 pcs/pack  
2050A Adult, 2 pcs/pack  
2055C Child, 2 pcs/pack  
2055A Adult, 2 pcs/pack



## AUTOCLAVABLE MOUTH PROPS LATEX FREE

2090A Mouth Prop Adult  
2090P Mouth Prop Pado

- Made of chemical resistant silicone
- Autoclavable up to 134°C
- Available in: - Adult (30 mm x 40 mm x 20 mm)  
Pado (30 mm x 25 mm x 20 mm)



## DISPOSABLE MULTI-PURPOSE DAPPEN DISHES

004B Standard Pack  
Assorted Colours  
1000 pcs/box

- Disposable to save time and prevent cross-contamination
- For prophylaxis, etchant and bonding etc
- Colours: Lavender, White, Green, Light blue and Yellow

## DISPOSABLE PROPHY RINGS



- Disposable to save time and prevent cross-contamination
- For prophylaxis, endo etc
- Colour: Blue

010 Disposable Propyl Rings, 200 pcs/box

## AUTCLAVABLE PROPHY RINGS



- Autoclavable up to 134°C
- For prophylaxis, endo etc
- Colour: Grey

A010 Autoclavable Propyl Rings, 10 pcs/pack

## GLASS DAPPEN DISH



- Colours: Light Blue, Green, Clear or Brown

040 Glass Dappen Dish

## DOUBLE ARCH



LARGE blue



MEDIUM yellow



SMALL green

## SINGLE ARCH



LARGE blue

MEDIUM yellow


SMALL green

## DISPOSABLE FLUORIDE TRAYS

- Extremely comfortable, anatomically designed trays
- Economical price
- Colour coded

Double Arch, 50 pcs/box  
7800S Small (green)  
7800M Medium (yellow)  
7800L Large (blue)

Single Arch, 100 pcs/box  
7801S Small (green)  
7801M Medium (yellow)  
7801L Large (blue)



## DISPOSABLE MIXING PADS

Mixing Pads, 3X100 pcs/pack  
3220 Small 35 mm X 45 mm  
3225 Large 70 mm X 80 mm



## DISPOSABLE MIXING WELLS

- Sturdy design

906 Mixing Wells 4 Wells 200 pcs/box  
907 Mixing Wells 2 Wells 500 pcs/box



## DISPOSABLE FLOWABLE COMPOSITE AND ETCHING GEL TIPS

- Universal Luer-lock design
- Bendable
- Gauges: 080 G.20 (0.9 mm)  
081 G.23 (0.6 mm)  
082 G.18 (1.2 mm)

100 pcs/pack

080 Flow-Tips Black G.20  
081 Etch-Tips Light Blue G.23  
082 Liner-Tips Pink G.18


## DISPOSABLE VALUSTICK STICKY APPLICATORS



- Bends into any angle for placement of Veneers, Inlays, Onlays, Crowns etc
- Strong adhesive for multiple applications
- Disposable
- Length: 110 mm
- Colour: White

909 Valustick Sticky Applicators  
50 pcs/box

## DISPOSABLE PLASTIC WEDGES



actual size

- Anatomically designed
- Soft tough plastic

Disposable Plastic Wedges, 100 pcs/box  
7650X X-Large (17 mm) White  
7650L Large (15 mm) Yellow  
7650M Medium (13 mm) Green  
7650S Small (11 mm) Blue

## TONGUE CLEANERS



- Effective in the treatment of halitosis
- Multiple cleaning ridges
- Assorted colours

9000 Tongue Cleaners  
20 pcs/pack

## OBLONG ARTICULATING MOUNTING PLATES



490 Mounting Plates, 100 pcs/box

- Fits Denar type articulators
- Fully disposable
- Colours: Blue or White

## AUTOCLAVABLE ACRYLIC MIXING CUPS



- Autoclavable up to 134°C

280 Mixing Cup Small dia. 25 mm  
281 Mixing Cup Medium dia. 35 mm  
282 Mixing Cup Large dia. 50 mm  
283 Mixing Cup X-Large dia. 70 mm

## DISPOSABLE EVACUATION TRAPS




041

041 Disposable Evacuators dia. 48 mm Green, 20 pcs/pack  
042 Disposable Evacuators dia. 54 mm Blue, 20 pcs/pack



042

## AUTOCLAVABLE ALUMINIUM BUR BLOCKS



- Ideal for storage of dental burs
- Specially designed for ultrasonic cleaning and autoclaving of burs
- Sturdy construction, autoclavable up to 134°C
- Colours: Silver and Blue

### Small Bur Block

038-FG 15 FG W58 mm x D25 mm x H31 mm  
039-MIX 10 FG + 5 RA W58 mm x D25 mm x H31 mm  
037-HP 6 HP W54 mm x D28 mm x H62 mm

### Large Bur Block

2832-FG 32 FG W80 mm x D42 mm x H33 mm  
2832-MIX 16 FG + 16 RA W80 mm x D42 mm x H33 mm  
2880-FG 80 FG W100 mm x D75 mm x H33 mm  
2880-MIX 40 FG + 40 RA W100 mm x D75 mm x H33 mm

## DISPOSABLE EVACUATION TRAPS



- Fits Adec type unit

044 Evacuation Traps  
20 pcs/pack

## AUTOCLAVABLE PLASTIC BUR DISPENSERS



- Specially designed for cleaning and autoclaving of burs
- Locks open or closed for processing
- Autoclavable up to 134°C
- Size: 75 mm x 35 mm x 10 mm

050-FG, Bur Dispenser 12 FG  
050-MIX Bur Dispenser 6 FG + 6 RA

COLOURS	Yellow
Blue	White
Light Blue	Light Beige
Green	Lavender

## AUTOCLAVABLE MAGNETIC BUR STANDS



COLOURS	Yellow
Blue	White
Light Blue	Light Beige
Green	Lavender

- Stands autoclavable up to 134°C
- Fits both FG and RA burs
- Size: Small Square 42 mm x 42 mm x 12 mm  
Large Rectangular 80 mm x 42 mm x 12 mm

033 Bur Stand Square, 8 Holes  
033A Bur Stand Cover Square  
034 Bur Stand Rectangular, 14 Holes  
034A Bur Stand Cover Rectangular

## AUTOCLAVABLE BRASS BUR BRUSH



- Telescopic handle with brass wire bristles
- Length: 12 cm

1110  
Brass Bur Brush

## DISPOSABLE CURVED TIP SYRINGES



078  
Curved Tip  
Syringes  
50 pcs/box

- Made of polypropylene plastic
- Full 12 ml capacity
- Self sealing plunger
- Designed for perio irrigation, impression materials, post surgical home use, fluoride treatments etc

## AUTOCLAVABLE FRACTURE DETECTOR

The instrument for locating cracks in teeth



- Autoclavable to 134°C
- Simple tool for practice
- Quick and precise to locate cracks
- Can be used for crown and bridge seating

025 Autoclavable  
Fracture Detector Blue

## GLASS CEMENT MIXING SLAB



- Polished glass mixing slab with bevelled edges
- Size: 65 mm x 135 mm x 15 mm

045 Glass Slab


## COTTON ROLL DISPENSER



- Top flips back for easy loading, sliding drawer dispenses up to 4 rolls with a single pull
- Foam rubber strips inserted into base prevent slipping on table top or counter

1140 Roll Dispenser

COLOURS	Blue	Light Blue	Green
Yellow	White	Light Beige	Lavender



## DISPOSABLE SELF-SEALING STERILISATION POUCHES

- With internal and external steam indicators
- Triple adhesive seal to ensure sterile storage
- Blue tinted plastic window helps detect puncture holes that may be caused by jagged instruments

### Standard Pack, 200 pcs/box

- 6001 2 1/4" x 5" (55 mm x 130 mm)
- 6003 3 1/2" x 5 1/4" (90 mm x 145 mm)
- 6005 2 3/4" x 9" (70 mm x 230 mm)
- 6007 3 1/2" x 9" (90 mm x 230 mm)
- 6009 5 1/4" x 10" (135 mm x 260 mm)
- 6011 7 1/2" x 13" (190 mm x 330 mm)

### Standard Pack, 100 pcs/box

- 6015 10" x 15" (255 mm x 380 mm)

## DISPOSABLE IIR FACE MASKS FLUID RESISTANT LATEX FREE



### PERFORMANCE TYPE IIR

EN14683

BFE ≥99% PFE ≥99%

### LEVEL 3 BARRIER

ASTM F2100

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Permits air to pass through mask to prevent glasses from fogging
- Colours: Blue, Green, Pink, Lavender or Black (ear-loop only)

### IIR Face Masks, 50 pcs/box

2288 Ear-Loop


2288T Tie-On

## MASK EXTENDERS



- Relieve ear fatigue and pain
- Adjustable buckle strip for earloop masks
- Autoclavable soft silicone
- Colours: Light Blue, Light Green, Lavender, Pink, White or Assorted

## DISPOSABLE IIR FACE MASKS WITH SHIELDS EAR-LOOP FLUID RESISTANT LATEX FREE



### PERFORMANCE TYPE IIR

EN14683

BFE ≥99% PFE ≥99%

### LEVEL 3 BARRIER

ASTM F2100

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Anti-fog shields
- Permits air to pass through mask to prevent shield from fogging
- Colours: Blue, Green, Pink or Lavender

### FS2288 IIR Face Masks with Shields

Ear-Loop, 25 pcs/box

## DISPOSABLE LAB TRANSPORT BAGS



121  
Lab Transport Bag  
22 cm x 18 cm  
100 pcs/box

- Eliminates cross-contamination of packing materials and shipping containers from exposure to potentially infectious materials
- Printed with easy to understand instructions and the required Biohazard symbol for easy identification and compliance
- Convenient two-pouch system keeps requisition slips separate from lab work
- Meets requirements and recommendations for the transport of dental cases
- Permanent adhesive closure does not contact the gloved hand
- White front provides for easy writing of pertinent information

## DISPOSABLE EYE SHIELDS



- Available in tinted or clear lenses
- Light weight, optical plastic shields
- Assorted colours frames: Blue, Light Blue, Lavender, Green and White

### Disposable Eye Shield 20 Lenses + 20 Frames (Assorted Colours)

720T, Tinted


720C, Clear

### Replacement Eye Shield Lens Only, 50 pcs/pack

720T-R, Tinted

720C-R, Clear

## DISPOSABLE BITE WING LOOPS



- Convenient pop-open design ensures quick and easy use
- Manufactured from quality ten point paper stock
- Quick, simple and economical

### Bite Wing Loops, 500 pcs/box

A. 2011-1 Film Child

B. 2011-2 Film Adult

C. 2012-1 Sensor Size 1


D. 2012-2 Sensor Size 2

## AUTOCCLAVABLE PLASTIC X-RAY FILM HOLDER



- One end for anterior x-rays, the other end for posterior
- Both ends securely hold film without bending it
- Improves quality and accuracy of intraoral films
- Helps to standardize the bisecting angle technique
- Colours: Blue and Light Beige

1188 X-Ray Film Holder




## DELUXE ACRYLIC COMPOSITE ORGANISERS

- Smart, flexible design
- Sturdy, durable construction
- Clear material makes contents easy to see
- For storage of composites, adhesive, micro applicators etc.

### Composite Organiser

M060 Mini **W19.5 cm x H9.5 cm x D14.5 cm**

S060 Standard **W29 cm x H9.5 cm x D14.5 cm**



## DISPOSABLE MICRO APPLICATOR DISPENSERS

Applicator Dispenser  
18-900 **Standard Handle**  
18-9900 **Mini Handle**

- Small, sturdy, durable construction

## ACRYLIC ORTHO CHAIN DISPENSER




- Long lasting dispenser that will fit the decor of any office
- Chain is dispensed easily with an interior roller
- Holds up to 15 spools



## ACRYLIC COMPOSITE DISPENSER

- Smart, durable construction
- Clear material makes contents easy to see
- For storage of 20 composite syringes, etch and bonding material etc.

H060 Composite Dispenser



## ACRYLIC COMPOSITE SYRINGE HOLDERS

551 Syringe Holder **Small**  
552 Syringe Holder **Medium**

- Smart, durable construction
- Size: 551 Small (11 holes) **W10 cm x D12.5 cm x H12 cm**  
552 Medium (23 holes) **W20 cm x D12.5 cm x H12 cm**



## LIGHT PROTECTION HAND SHIELD

- Hand held shield for curing light
- Cold disinfection only
- Size: **12.5 cm x 26 cm x 0.3 cm**

063 Light Protection Hand Shield



## LIGHT PROTECTION COVERS

- Extends working time of composite materials
- Sturdy, durable construction
- Cold disinfection only
- Size: Small **W10 cm x D7.5 cm x H3 cm**  
Medium **W15 cm x D10 cm x H3 cm**

062-0 Light Protection Cover **Small**  
062-1 Light Protection Cover **Medium**



## ACRYLIC IMPRESSION GUN HOLDERS

- For both loaded or empty guns
- Store all guns in upright position
- Include storage compartments
- Sturdy, durable construction
- Sizes:

072 Gun Holder for 2 guns

074 Gun Holder for 4 guns

076 Gun Holder for 6 guns



## ACRYLIC GRINDING BOX

- Ideal for grinding and sand blasting
- Retains flying debris
- Sturdy durable construction
- Size: W30 cm x D20 cm x H18 cm

065 Grinding Box

## ACRYLIC GLOVE AND TISSUE DISPENSERS



- Smart and attractive acrylic design
- Sturdy, durable construction
- Pre-drilled holes for wall mounting
- Internal measurements:-

064 Glove Dispenser **Standard** W25 cm x D14 cm x H9 cm

066 Glove Dispenser **Small** W25 cm x D14 cm x H7 cm

068 Glove/Tissue Dispenser **Large** W24 cm x D12.5 cm x H10 cm

069 Glove/Tissue Dispenser **Extra Large** W24 cm x D12.5 cm x H11 cm

064 Glove Dispenser **Standard**

066 Glove Dispenser **Small**

068 Glove/Tissue Dispenser **Large**

069 Glove/Tissue Dispenser **Extra Large**




## PLASTIC CUP DISPENSER

- Holds approx. 50 disposable cups from 150 ml to 200 ml (5 oz to 7 oz)
- Self adhesive
- Made of ABS plastic (acrylonitrile butadiene styrene)
- Size: dia. 100 mm x L280 mm

1280  
Plastic Cup  
Dispenser

## ACRYLIC BIB AND C-FOLD TOWEL DISPENSERS



- Sturdy, durable construction
- Smart, attractive acrylic design
- Sizes:

057 W15 cm x D11 cm x H12 cm

058 W23.5 cm x D10 cm x H13.5 cm

057 Bib Dispenser

058 C-Fold Towel Dispenser

057CV Bib Dispenser With Cover


058CV C-Fold Towel Dispenser With Cover



## ACRYLIC MASK DISPENSER

095  
Mask Dispenser

- Sturdy, durable construction
- Hinged lid for protection against debris
- Clear material makes contents easy to see
- Pre-drilled holes for wall mounting
- Size: W194 mm x D106 mm x H108 mm



## ACRYLIC POUCH DISPENSERS

- Can be used on table top or wall mounted in either vertical or horizontal position
- Sizes:-

061-0 (7.5 cm x 14.5 cm x 21 cm)

061-1 (8.5 cm x 27.5 cm x 21 cm)

061-2 (10 cm x 18.5 cm x 21 cm)

061-3 (10 cm x 27.5 cm x 21 cm)

061-4 (15 cm x 29.5 cm x 21 cm)

061-0 Pouch Dispenser for 5.5 cm x 10 cm Pouches

061-1 Pouch Dispenser for 7 cm x 23 cm Pouches

061-2 Pouch Dispenser for 9 cm x 13.5 cm Pouches

061-3 Pouch Dispenser for 9 cm x 23 cm Pouches

061-4 Pouch Dispenser for 13.5 cm x 26 cm Pouches


## ACRYLIC BARRIER FILM DISPENSER



1155 Barrier Film Dispenser

- Sturdy durable construction
- Clear material makes contents easy to see
- Size: dia. W14 cm x D23 cm x H19 cm

## CROSS-SECTION



## E01 SUPER FILES GOLD NiTi heat activation

- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.


E01 SUPER FILES GOLD NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	3.5-9	0.19
21 mm or 25 mm	S1	2-11	0.17
	S2	4-11.5	0.20
	F1	7	0.20
	F2	8	0.25
	F3	9	0.30
	F4	6	0.40
	F5	5	0.50

E01 Super Files Gold  
Single or Assorted Sizes  
6 pcs/pack

## E01 RECOMMENDED OPERATION PROCESS

PROBE	#10	
	#15	
OPENING	SX	
SHAPING	S1	
	S2	
FINISHING	F1	
	F2	
	F3	
ENLARGING	F4	
	F5	

## CROSS-SECTION



## E02 SUPER FILES BLUE NiTi heat activation

- Smart varied taper design
- High flexibility and pre-curved memory
- Safe tip, reduces the possibility of root canal deviation
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.

E02 SUPER FILES BLUE NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	3.5-9	0.19
21 mm or 25 mm	S1	2-11	0.17
	S2	4-11.5	0.20
	F1	7	0.20
	F2	8	0.25
	F3	9	0.30
	F4	6	0.40
	F5	5	0.50

E02 Super Files Blue  
Single or Assorted Sizes  
6 pcs/pack

## E02 RECOMMENDED OPERATION PROCESS

PROBE	#10	
	#15	
OPENING	SX	
SHAPING	S1	
	S2	
FINISHING	F1	
	F2	
	F3	
ENLARGING	F4	
	F5	

## CROSS-SECTION




## E03 PRO-FLEXI FILES NiTi heat activation function

E03 PRO-FLEXI FILES heat activation function			
Length	Size	Taper %	Tip (mm)
19 mm	#01/09	9	0.25
21 mm or 25 mm	#20/04	4	0.20
	#25/04	4	0.25
	#30/04	4	0.30
	#35/04	4	0.35
	#25/06	6	0.25

## E03 RECOMMENDED OPERATION PROCESS

OPENING	#01	
NARROW CANAL	#20 (-4%)	
	#25 (-4%)	
MEDIUM CANAL	#30 (-4%)	
WIDE CANAL	#35 (-4%)	
	#25 (-6%)	



## E05 ONE FILES NiTi heat activation

- Reciprocating movement
- Use only one instrument for root canal preparation, efficient and time saving
- 3 sizes for different size root canals
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.

E05 One Files  
Single or Assorted Sizes  
6 pcs/pack

E05 ONE FILES NiTi heat activation	Length	Size	Taper %	Tip (mm)
	21 mm or 25 mm	#R25	8	0.25
		#R40	6	0.40
		#R50	5	0.50
E05 ONE FILES				

## E38 BARBED BROACHES stainless steel



- Good flexibility
- Highly resistant to fracture

E38 Barbed Broaches  
Single Size  
Stainless Steel  
10 pcs/pack

E38 BARBED BROACHES stainless steel	
Length	Size
21 mm	XXXXF (0)
	XXXF (1)
	XXF (2)
	XF (3)
	F (4)
	M (5)
	C (6)

## E48 C+ FILES stainless steel



- For calcified root canal, with 3 mm very rigid tip
- Recommended for single use only

E48 C+ Files  
Single or  
Assorted Sizes  
6 pcs/pack

E48 C+ FILES stainless steel	
Length	Size
21 mm or 25 mm	#06
	#08
	#10
	#12.5
	#15

## E04 ULTRASONIC FILES NiTi alloy



- For use with ultrasonic scaler
- Excellent tenacity
- Length: 33 mm

E04 ULTRASONIC FILES NiTi alloy			
#15	#20	#25	#30
			#35
			#40

E04  
Ultrasonic Files  
Single or  
Assorted Sizes  
6 pcs/pack

## E11 SPIRAL FILLERS stainless steel



E11 SPIRAL FILLERS stainless steel	
Length	Size
21 mm or 25 mm	#25
	#30
	#35
	#40

E11  
Spiral Fillers  
Single or  
Assorted Sizes  
4 pcs/pack

## E12 GATES DRILLS stainless steel



- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

E12 GATES DRILLS stainless steel		
Length	Size	Diameter (mm)
28 mm or 32 mm	#1	0.5
	#2	0.7
	#3	0.9
	#4	1.1
	#5	1.3
	#6	1.5

E12  
Gates Drills  
Single or  
Assorted Sizes  
6 pcs/pack

## E15 PEESO REAMERS stainless steel



- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

E15 PEESO REAMERS stainless steel		
Length	Size	Diameter (mm)
28 mm or 32 mm	#1	0.7
	#2	0.9
	#3	1.1
	#4	1.3
	#5	1.5
	#6	1.7

E15  
Peeso Reamers  
Single or  
Assorted Sizes  
6 pcs/pack

## E30 K-FILES stainless steel



E30 K-FILES stainless steel							
#06	#08	#10					
#15	#20	#25	#30	#35	#40		
#45	#50	#55	#60	#70	#80		

E30 K-Files Stainless Steel 21 or 25 mm, 6 pcs/pack  
No.06-80 Single Size  
No.15-40, 45-80 Assorted Sizes

## E32 K-FILES NiTi alloy



E32 K-FILES NiTi alloy							
#08	#10						
#15	#20	#25	#30	#35	#40		
#45	#50	#55	#60	#70	#80		

E32 K-Files NiTi Alloy 21 or 25 mm, 6 pcs/pack  
No.06-80 Single Size  
No.15-40, 45-80 Assorted Sizes

## E34 H-FILES stainless steel



E34 H-FILES stainless steel							
#08	#10						
#15	#20	#25	#30	#35	#40		
#45	#50	#55	#60	#70	#80		

E34 H-Files Stainless Steel 21 or 25 mm, 6 pcs/pack  
No.10-80 Single Size  
No.15-40, 45-80 Assorted Sizes

## E36 H-FILES NiTi alloy



E36 H-FILES NiTi alloy							
#08	#10						
#15	#20	#25	#30	#35	#40		
#45	#50	#55	#60	#70	#80		

E36 H-Files NiTi Alloy 21 or 25 mm, 6 pcs/pack  
No.10-80 Single Size  
No.15-40, 45-80 Assorted Sizes

## E40 / E42 SPREADERS stainless steel / NiTi alloy



E40 SPREADERS stainless steel						
#15	#20	#25	#30	#35	#40	

E40 Spreaders Stainless Steel 21 or 25 mm, 6 pcs/pack  
No.15-40, Single or Assorted Sizes

E42 SPREADERS NiTi alloy						
#15	#20	#25	#30	#35	#40	

E42 Spreaders NiTi Alloy 21 or 25 mm, 6 pcs/pack  
No.15-40, Single or Assorted Sizes

## E44 / E46 PLUGGERS stainless steel / NiTi alloy



E44 PLUGGERS stainless steel						
#15	#20	#25	#30	#35	#40	

E44 Pluggers Stainless Steel 21 or 25 mm, 6 pcs/pack  
No.15-40, Single or Assorted Sizes

E46 PLUGGERS NiTi alloy						
#15	#20	#25	#30	#35	#40	


E46 Pluggers NiTi Alloy 21 or 25 mm, 6 pcs/pack  
No.15-40, Single or Assorted Sizes



## REFINE MaxPiezo 7+ / DS7+ PORTABLE LED SCALERS

- Automatic frequency tracking, real-time feedback
- Extra large, capacity 600 ml water tank for water, chlorhexidine, hydrogen peroxide, sodium hypochlorite etc...
- Power and water controlled by touch panel, easy to clean for infection control
- Detachable handpiece
- Frequency:  $28 \text{ kHz} \pm 3 \text{ kHz}$
- Complete with 8 tips
- Size:  $W180 \text{ mm} \times D180 \text{ mm} \times H150 \text{ mm}$
- Weight: **1.6 Kg (unit only)**
- Colour: White

**ONE YEAR WARRANTY**  
(except scaler tips)



MaxPiezo 7 (EMS Type) Portable **Non-LED** Scaler Set  
MaxPiezo 7+ (EMS Type) Portable **LED** Scaler Set  
MaxPiezo DS7 (SATELEC Type) Portable **Non-LED** Scaler Set  
MaxPiezo DS7+ (SATELEC Type) Portable **LED** Scaler Set

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland  
2. SATELEC is a registered trademark of Satelec/Acteon Group France



## REFINE MaxPiezo 6+ / DS6+ LED SCALERS

- Automatic frequency tracking, real-time feedback
- Power and water controlled by touch panel, easy to clean for infection control
- Detachable handpiece
- Frequency:  $28 \text{ kHz} \pm 3 \text{ kHz}$
- Complete with 6 tips
- Size:  $W155 \text{ mm} \times D168 \text{ mm} \times H80 \text{ mm}$
- Weight: **0.6 Kg (unit only)**
- Colour: White

**ONE YEAR WARRANTY**  
(except scaler tips)



MaxPiezo 6 (EMS Type) **Non-LED** Scaler Set  
MaxPiezo 6+ (EMS Type) **LED** Scaler Set  
MaxPiezo DS6 (SATELEC Type) **Non-LED** Scaler Set  
MaxPiezo DS6+ (SATELEC Type) **LED** Scaler Set

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland  
2. SATELEC is a registered trademark of Satelec/Acteon Group France



## REFINE N3000L / V3000L BUILT-IN LED SCALERS

- Automatic frequency tracking, real-time feedback
- Detachable handpiece
- Frequency:  $28 \text{ kHz} \pm 3 \text{ kHz}$
- Complete with 6 tips

**ONE YEAR WARRANTY**  
(except scaler tips)



N3000 (EMS Type) Built-In **Non-LED** Scaler Set  
N3000L (EMS Type) Built-In **LED** Scaler Set  
V3000 (SATELEC Type) Built-In **Non-LED** Scaler Set  
V3000L (SATELEC Type) Built-In **LED** Scaler Set

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland  
2. SATELEC is a registered trademark of Satelec/Acteon Group France



## REFINE AUTOCLAVABLE SCALER HANDPIECE KITS

- Complete with:-  
1x Handpiece 3H / 5L / 7H / 7L  
3x Perio scaler tip P1 / PD1  
1x Torque wrench TW-1L  
1x Scaler tip holder No.1  
1x Sterilization box



3H **Non-LED** Handpiece Kit (EMS Type)  
7H **Non-LED** Handpiece Kit (SATELEC Type)  
5L **LED** Handpiece Kit (EMS Type)  
7L **LED** Handpiece Kit (SATELEC Type)  
(for handpiece connections, please refer to Page 37)

**ONE YEAR WARRANTY**  
(except scaler tips)

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland  
2. SATELEC is a registered trademark of Satelec/Acteon Group France

## REFINE SCALER HANDPIECES



HP-3H Non-LED Scaler Handpiece (EMS¹ Type)



HS-7H Non-LED Scaler Handpiece (SATELEC² Type)



HP-5L LED Scaler Handpiece (EMS¹ Type)



HS-7L LED Scaler Handpiece (SATELEC² Type)

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
2. SATELEC is a registered trademark of Satelec/Acteon Group France
3. NSK is a registered trademark of Nakanishi Inc. Japan

## REFINE SCALER TORQUE WRENCHES



TW-1L

For EMS¹,  
KAVO PiezoLED⁵  
SATELEC², NSK³  
type scalers



TS-1L

For SIRONA⁴  
type scaler



TK-1L

For KAVO⁵  
SONICflex⁵  
SONOsoft⁵  
type scalers

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
2. SATELEC is a registered trademark of Satelec/Acteon Group France
3. NSK is a registered trademark of Nakanishi Inc. Japan
4. SIRONA is a registered trademark of Sirona Dental System
5. KAVO, SONICflex, SONOsoft, PiezoLED are registered trademarks of Kavo Dental GmbH Germany

## REFINE SCALER HANDPIECE HOSES



3H Non-LED (EMS¹ Type)  
Handpiece Hose



7H Non-LED (SATELEC² Type)  
Handpiece Hose




5L LED (EMS¹ Type)  
Handpiece Hose



7L LED (SATELEC² Type)  
Handpiece Hose

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
2. SATELEC is a registered trademark of Satelec/Acteon Group France

## REFINE ENDO WRENCH



Multi function wrench  
for both endo chuck & bur

TW-A

## REFINE FOOT SWITCH



## REFINE SCALER TIP HOLDER



NO. 2

## E04 ULTRASONIC FILES NiTi alloy



- For use with ultrasonic scaler
- Excellent tenacity
- Length: 33 mm


E04 Ultrasonic Files  
Single or  
Assorted Sizes  
6 pcs/pack

E04 ULTRASONIC FILES NiTi alloy	
#15 ○	#30 ●
#20 ●	#35 ●
#25 ●	#40 ●


## REFINE SCALER TIPS STAINLESS STEEL

FOR EMS<sup>1</sup>, SATELEC<sup>2</sup>, NSK<sup>3</sup> and SIRONA<sup>4</sup> REFINE Type Scalers


### SCALING



G1 (EMS<sup>1</sup> Type)  
GD1 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
GS1 (SIRONA<sup>4</sup> Type)  
Supragingival deposits  
in all quadrants



G2 (EMS<sup>1</sup> Type)  
GD2 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
GS2 (SIRONA<sup>4</sup> Type)  
Heavy supragingival  
deposits on anterior teeth



G3 (EMS<sup>1</sup> Type)  
GD3 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
GS3 (SIRONA<sup>4</sup> Type)  
Supragingival deposits  
in all quadrants, including the  
interproximal and sulcus areas



G4 (EMS<sup>1</sup> Type)  
GD4 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
GS4 (SIRONA<sup>4</sup> Type)  
Supragingival and  
interproximal deposits




G5 (EMS<sup>1</sup> Type)  
GD5 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
GS5 (SIRONA<sup>4</sup> Type)  
Supragingival deposits  
in all quadrants




G6 (EMS<sup>1</sup> Type)  
GD6 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
GS6 (SIRONA<sup>4</sup> Type)  
Voluminous supragingival  
deposits


### ENDO



E1 (EMS<sup>1</sup> Type)  
ED1 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
ES1 (SIRONA<sup>4</sup> Type)  
120° file holder for anterior  
root canal irrigation



E2 (EMS<sup>1</sup> Type)  
ED2 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
ES2 (SIRONA<sup>4</sup> Type)  
95° file holder for molar teeth  
root canal irrigation




E3 (EMS<sup>1</sup> Type)  
ED3 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
ES3 (SIRONA<sup>4</sup> Type)  
Gutta-percha melting




E3D (EMS<sup>1</sup> Type)  
ED3D (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
ES3D (SIRONA<sup>4</sup> Type)  
Diamond coated instrument for  
root canal enlarging




P4D (EMS<sup>1</sup> Type)  
PD4D (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
PS4D (SIRONA<sup>4</sup> Type)  
Diamond coated instrument for  
root canal enlarging



E14 (EMS<sup>1</sup> Type)  
ED14 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
ES14 (SIRONA<sup>4</sup> Type)  
Removing root filling obstructions  
during root canal retreatments




E15 (EMS<sup>1</sup> Type)  
ED15 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
ES15 (SIRONA<sup>4</sup> Type)  
Removing root filling obstructions  
during root canal retreatments



E4 (EMS<sup>1</sup> Type)  
ED4 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
ES4 (SIRONA<sup>4</sup> Type)  
Removing root filling obstructions  
during root canal retreatment



E4D (EMS<sup>1</sup> Type)  
ED4D (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
ES4D (SIRONA<sup>4</sup> Type)  
Removing calcification and  
filling material during  
root canal retreatment



E5 (EMS<sup>1</sup> Type)  
ED5 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
ES5 (SIRONA<sup>4</sup> Type)  
Removing root filling obstructions  
during root canal retreatment



E5D (EMS<sup>1</sup> Type)  
ED5D (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)  
ES5D (SIRONA<sup>4</sup> Type)  
Removing calcification and  
filling material during  
canal retreatment


1. EMS is a registered trademark of Electro Medical System S.A. Switzerland  
2. SATELEC is a registered trademark of Satelec/Acteon Group France  
3. NSK is a registered trademark of Nakanishi Inc. Japan  
4. SIRONA is a registered trademark of Sirona Dental System

## REFINE SCALER TIPS STAINLESS STEEL


### FOR EMS<sup>1</sup>, SATELEC<sup>2</sup>, NSK<sup>3</sup> and SIRONA<sup>4</sup> Type Scalers




**P1 (EMS<sup>1</sup> Type)**  
**PD1 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**PS1 (SIRONA<sup>4</sup> Type)**  
 Shallow pocket  
 subgingival deposits



**P3 (EMS<sup>1</sup> Type)**  
**PD3 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**PS3 (SIRONA<sup>4</sup> Type)**  
 Deep pocket  
 subgingival deposits



**P4 (EMS<sup>1</sup> Type)**  
**PD4 (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**PS4 (SIRONA<sup>4</sup> Type)**  
 Shallow pocket  
 subgingival deposits



**P3D (EMS<sup>1</sup> Type)**  
**PD3D (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
**PS3D (SIRONA<sup>4</sup> Type)**  
 Diamond coated instrument  
 for root planning after  
 periodontal flap surgery

### PERIO



**P2L (EMS<sup>1</sup> Type)**  
**PD2L (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
 Left angle instrument to remove  
 calculus from very narrow  
 inter-root space and furcation



**P2R (EMS<sup>1</sup> Type)**  
**PD2R (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
 Right angle instrument to remove  
 calculus from very narrow  
 inter-root space and furcation



**P2LD (EMS<sup>1</sup> Type)**  
**PD2LD (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
 Removal of calculus from narrow  
 inter-root spaces (diamond-coated)



**P2RD (EMS<sup>1</sup> Type)**  
**PD2RD (SATELEC<sup>2</sup>, NSK<sup>3</sup> Type)**  
 Diamond coated instrument  
 for root planning

### FOR AMDENT<sup>6</sup> Type Scalers



**A1 (AMDENT<sup>6</sup> Type)**  
 Supragingival scaling  
 (#37)



**A2 (AMDENT<sup>6</sup> Type)**  
 Supragingival scaling  
 (#39)


### FOR KAVO SONICflex<sup>5</sup> Type Scalers




**GK1 (KAVO<sup>5</sup> Type)**  
 Supragingival deposits  
 in all quadrants



**GK2 (KAVO<sup>5</sup> Type)**  
 Supragingival heavy  
 calculus and plaque




**GK3 (KAVO<sup>5</sup> Type)**  
 Supragingival interdental  
 calculus and calculus  
 at the neck of the tooth




**GK4 (KAVO<sup>5</sup> Type)**  
 Supragingival deposits,  
 including the interproximal  
 and sulcus areas



**GK5 (KAVO<sup>5</sup> Type)**  
 Subgingival calculus



**GK6 (KAVO<sup>5</sup> Type)**  
 Left angle instrument for  
 removing subgingival  
 calculus




**GK7 (KAVO<sup>5</sup> Type)**  
 Right angle instrument for  
 removing subgingival  
 calculus

### FOR KAVO SONOsoft<sup>5</sup> Type Scalers



**GC1 (KAVO<sup>5</sup> Type)**  
 Supragingival deposits  
 in all quadrants



**GC2 (KAVO<sup>5</sup> Type)**  
 Supragingival interdental  
 calculus and calculus  
 at the neck of the tooth



**PC1 (KAVO<sup>5</sup> Type)**  
 Subgingival calculus,  
 including the interproximal  
 and sulcus areas


### KAVO PiezoLED<sup>5</sup> Type Scalers



**201 (KAVO<sup>5</sup> Type)**  
 Supragingival and  
 interproximal deposits



**202 (KAVO<sup>5</sup> Type)**  
 Supragingival deposits  
 in all quadrants,  
 including the interproximal  
 and sulcus areas



**203 (KAVO<sup>5</sup> Type)**  
 Deep pocket subgingival  
 deposits

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland  
 2. SATELEC is a registered trademark of Satelec/Acteon Group France  
 3. NSK is a registered trademark of Nakanishi Inc. Japan  
 4. SIRONA is a registered trademark of Sirona Dental System  
 5. KAVO, SONICflex, SONOsoft, PiezoLED are registered trademarks of Kavo Dental GmbH Germany  
 6. AMDENT is a registered trademark of Amdent AB Sweden



**Premium Plus International Ltd.**

1001, Yuen Long Trading Centre  
No.33, Wang Yip Street West  
Yuen Long, N.T.

**Hong Kong**

Tel: 852-2761-3211

Email: [mailbox@premiumplushk.com](mailto:mailbox@premiumplushk.com)

Web: [www.premiumplushk.com](http://www.premiumplushk.com)



**Premium Plus Poland sp. z o.o.**

ul. Bukowska 27  
62-081 Wysogotowo

**Poland**

Tel: 48-61-880-1094

Email: [info@premiumpluspl.com](mailto:info@premiumpluspl.com)

Web: [www.premiumpluspl.com](http://www.premiumpluspl.com)

**Premium Plus UK Ltd.**

2, Knighton Heath Industrial Estate  
847 Ringwood Road, Bournemouth  
Dorset BH11 8NE

**U.K.**

Tel: 44-1202-611011

Email: [info@premiumplusuk.com](mailto:info@premiumplusuk.com)

Web: [www.premiumplusuk.com](http://www.premiumplusuk.com)

**Premium Plus (Dongguan) Limited**

No. 1 Industrial Area, Tutang,  
Changping, Dongguan,  
Guangdong 523581

**China**

Tel: 86-769-83397277

Email: [info@premiumpluschina.com](mailto:info@premiumpluschina.com)

**Premium Plus Dental Supplies Inc.**

155 Liberty Avenue  
Brooklyn NY 11212

**U.S.A.**

Tel: 1-718-366-8686

Email: [info@premiumplususa.com](mailto:info@premiumplususa.com)

Web: [www.premiumplususa.com](http://www.premiumplususa.com)

**Premium Plus Japan Co., Ltd.**

5F, 1-1-31, Nishimidorigaoka,  
Toyonakashi, Osaka, 560-0005

**JAPAN**

Tel: 81-6-6845-0066

Email: [info@premiumplus.jp](mailto:info@premiumplus.jp)

Web: [www.premiumplus.jp](http://www.premiumplus.jp)