freephone : 0800 009 8822 email : sales@premiumplusuk.com

shop on our website : www.premiumplusuk.com





MY ACCOUNT REF ...

FREE DELMERY FOR ORDERS OVER £50 OTHERWISE £4.95 Royal Mail or £7.50 COURIER CHARGES APPLY FOR MAINLAND DELIVERY. CHARGES FOR OTHER ZONES APPLY PLEASE SEE WEBSITE FOR DETAILS.



PREMIUM PLUS UK LTD UNIT 2, KNIGHTON HEATH IND. ESTATE BOURNEMOUTH, DORSET BH11 8NE

e98 Smart, Accurate and Reliable APEX LOCATOR

Fast measurement 🥂 Precise positioning

- Imported AI High-Speed Chip
- Advanced Multi Frequency Technology
- High Precision in Wet & Dry Canals
- Automatic Calibration



Screen Display & Its Meaning



Didi alarm sound for a long time interval Value:12 The corresponding scale value is 2, indicating the distance from the apex is about 2mm

Didi alarm sound interval becomes shorter Value:09 It indicates that the

about 1.5mm

Model: e98

Uninterrupted long beep Value:00

Very rapid Didi alarm sound Value:-3 It indicates that the endo It indicates that the root

distance from the apex is file has reached the apex canal file has exceeded the apex

Auto Start & Stop **Apical Reverse** Apical Slow Down



e-98 Apex Locator each £165.00

Dimensions: 20cm x 17.5cm x7cm ±1cm (package) Weight: $650g \pm 10\%$ Display: 3.5" colour LCD Degree of Protection: IPX 0 Power supply: Lithium ion battery: 3.7V, 1500mAh Charger power supply: AC100-240V 5.5VA 50Hz/60Hz Frequency: 50/60Hz, ±10% Power Rating: 0.3 W Electrical safety class: Class II Relative humidity: <80% Ambient temperature: 10°C / 40 °C

Large 3.5" LCD Display

Visual display of file position

Volume Adjustable

Meets different usage needs

File Clip with Large Arc

Easier file installation

Biomimetic-silica-wrapped File Clip

 Can be autoclaved more than 1000 times. avoid cross-infection

316L Stainless Steel Lip Hook

Safer medical grade stainless steel

Powerful 1500 mAh lithium-ion battery Long-lasting battery life

Compact Size & Stable Design

 In line with clinical operating habits, more convenient to use



Integrate e88 Endomotor with e98 Apex Locator (Connect Function)





E05/E06 ONE FILES

1 111 - 10 - 10


. ...

E06 One Files NiTi Alloy

#R25

#R40

#R50



 Unique flexibility Non-uniform taper (2%-6%) • Pro-Path files #016 is all vou need to manage all curves to the apex E16 Pro-Path Files #016

21 mm or 25 mm 6 pcs/pack ... £22.95



· Efficient, safe shaping and dentin removal

E07 M-Files NiTi Alloy 21 mm or 25 mm, 6 pcs/pack ... £29.95

E08 ROLL WAVE FILES GOLD NITI heat activation

actual size Reciprocating system (1. 4. 1. A. 1. A.

· Increased flexibility for safety

• Available in 21 mm or 25 mm Efficient safe shaping

E08 Roll Wave Files Gold

4 pcs/pack ... £29.95

LENGTH

LENGTH	SIZE	No.	TAPER %
	😑 small	20	07
21 mm or	small-medium	25	07
25 mm	medium	35	06
) large	45	05



E14 PA-FILES NITI allow

 • • ••••
 • • • • • • • • • • • • • • • • • • •

- 2% taper, for building a glide path
- · Efficient and time saving
- (+150-300 r.p.m.

LENGTH	SIZE	No.
21 mm	small	013
or 25 mm	⊖ small-medium	016
	😑 medium	019

E14 PA-Files 21 mm or 25 mm 6 pcs/pack ... £19.95

E10 D-FILES retreatment files




material (▶150-300 r.p.m. No. SIZE TAPER %

16 mm 18 mm or 22 mm	D1	30	0.09		
	D2	25	0.08		
	D3	20	0.07		
	D1-D3				
510 D 5/40 10 mm 10 mm 00mm					

E10 D-Files 16 mm, 18 mm, 22mm 6 pcs/pack ... £22.95

E09 GC-FILES stainless steel





E03 PRO-FLEXI FILES NiTi heat activation function



CROSS


-SECTION


• Recommended speed () 150-300 r.p.m.

> E03 Pro-Flexi Files Single or Assorted Sizes 6 pcs/pack £26.95

E03 PRO-FLEXI FILES heat activation function					
Length	Size	Taper %	Tip (mm)		
19 mm	#01/09 🔾	9	0.25		
21 mm or 25 mm	#20/04 😑	4	0.20		
	#25/04 🔴	4	0.25		
	#30/04 🔵	4	0.30		
	#35/04 🔵	4	0.35		
	#25/06 🌔	6	0.25		

E03 RECOMMENDED OPERATION PROCESS				
OPENING	#01			
	#20 (-4%)			
NARROW CANAL	#25 (-4%)			
MEDIUM CANAL	#30 (-4%)			
WIDE CANAL	#35 (-4%)			
	#25 (-6%)			





E01 SUPER FILES GOLD NITI heat activation

Smart varied taper design

E01 S	UPER FILES	GOLD NiTi h	eat activation		
Length	Size	Taper %	Tip (mm)		
19 mm	SX	3.5-9	0.19		
21 mm or 25 mm	S1 🔴	2-11	0.17		
	S2 ()	4-11.5	0.20		
	F1 🛑	7	0.20		
	F2 🛑	8	0.25		
	F3 🔵	9	0.30		
	F4 🔴	6	0.40		
	F5 🛑	5	0.50		

E01 Super Files Gold Single or Assorted Sizes 6 pcs/pack ... £24.95

1 FREE (same item) **E02 SUPER FILES BLUE**

Buy 2 get

NiTi heat activation Smart varied taper design

· High flexibility and pre-curved memory

E02 SUPER FILES BLUE NiTi heat activation				
Length	Size	Taper %	Tip (mm)	
19 mm	SX	3.5-9	0.19	
21 mm or 25 mm	S1 🔴	2-11	0.17	
	S2 🔿	4-11.5	0.20	
	F1 🛑	7	0.20	
	F2 🔴	8	0.25	
	F3 🔵	9	0.30	
	F4 🌑	6	0.40	
	F5 🔴	5	0.50	

E02 Super Files Blue Single or Assorted Sizes 6 pcs/pack ... £24.95



- · Good flexibility and fracture resistance
- Torque 2.0 Ncm 2.5 Ncm
 Recommended speed () 150-300 r.p.m.

E01 RECO	MME	NDED OPERATION PROCESS
PROBE	#10	
PROBE	#15	
OPENING	SX	
SHAPING	S1	
SHAPING	S2	
	F1	
FINISHING	F2	
	F3	
	F4	
ENLARGING	F5	

· Safe tip, reduces the possibility of root canal deviation

• Torque 2.0 Ncm - 2.5 Ncm • Recommended speed 🕖 150-300 r.p.m

E02 OPERATION PROCESS			
PROBE	#10		
FRODE	#15	*	
OPENING	SX		
CUADING	S1		
SHAPING	S2		
	F1		
FINISHING	F2		
	F3		
ENLARGING	F4		
ENLANGING	F5		

E04 ULTRASONIC FILES NITI alloy


E04 ULTRASONIC FILES NiTi alloy		
#15 🔾	#30 🔵]•
#20 😑	#35 🔵	
#25 🔴	#40 ●]

or use with ultrasonic scaler Excellent tenacity

ength: 33 mm 04 Ultrasonic Files Single Size 6 pcs/pack £5.95

free phone: 0800 009 8822

sales@premiumplusuk.com




H1SNL ROUND 1.500-2.000 actual size H1SNI RAXL opt. 31mm 0 31 31 31 Shank L (mm) 31 ISO Size1/10 mm 0.6 0.8 1.0 1.2 **RAXL** Order No. 006 008 010 012 50 5 pcs/pack £26 95 £26 94 £26 9/ £26 95

E12 GATES DRILLS stainless steel

- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

E12 GATES DRILLS stainless steel			
Length	Size	Diameter (mm)	
	#1	0.5	E12 Gates Drills
00	#2	0.7	Single or
28 mm or	#3	0.9	Assorted Sizes 6 pcs/pack
32 mm	#4	1.1	£7.95
	#5	1.3	
	#6	1.5	


EDENTA H1SEB ENDO CARBIDE BURS RAXL



The efficiently cutting bur blades enable pressureless, minimally invasive preparation. The long, slender neck guarantees good visibility to the access cavity. Endoburs with L34 are particularly suitable for preparing under a microscope to ensure an optimum view of deeper areas of the pulp chamber, and showing the anatomy of the cavity chamber floor. This facilitates minimally invasive opening of root canal orifices and exposure of obliterated canals.

premium plus

EDENTA H1SNL ENDO CARBIDE BURS RAXL



Buv 2

net FREE Efficiently cutting special endodontic bur used for detecting all root canals in the case of multirooted teeth. The H1SNL has a particularly high cutting efficiency and its long neck ensures a clear view in deeper regions of the cavity for opening the access cavity of the root canal system. Use in a contra-angle with micromotor at 1,500 - 2,000 rpm, without cooling, dry and apply only light pressure during preparation.

E15 PEESO REAMERS stainless steel

- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

E15 PEESO REAMERS stainless steel			
Length	Size	Diameter (mm)	
28 mm or 32 mm	#1	0.7	E15 Peeso Reamers Single or Assorted Sizes 6 pcs/pack £8.95
	#2	0.9	
	#3	1.1	
	#4	1.3	
	#5	1.5	
	#6	1.7	



HAHNENKRATT CONTEC ROOT POST SYSTEM

Contec is designed for roots with rather conical shape.

The shape is designed with two different tapers and follows the natural shape of the root canal

- Utmost bending strength HT-Glassfiber: 1.678MPa (Determined accordingly to EN ISO 178)
- Utmost fatigue and fracture resistance
- · Homogeneity due to dentin-like elasticity
- · Safe adhesion due to micro-retentive surface
- High radiopacity

Contec Drill Refills

42010 Preshaping Drill with Guiding Tip ... 43000 Preshaping Drill with Cutting Tip £5.95

4400D Calibration Drill No. D Red(1.10mm) ... £5.95 44001 Calibration Drill No. 1 White (1.30mm) ... £5.95 44002 Calibration Drill No. 2 Yellow (1.50mm) . £5.95 44003 Calibration Drill No. 3 Blue (1,75mm) £5.95 44004 Calibration Drill No. 4 Black (2.00mm) ... £5.95



44600 Contec Standard Kit

Contec Post Refills, 10 pcs/pack 4460D/5 Contec Posts No. D Red (1.10mm) £52.95 44601/5 Contec Posts No. 1 White (1.30mm) £52.95 44602/5 Contec Posts No. 2 Yellow (1.50mm) ... £52.95 44603/5 Contec Posts No. 3 Blue (1.75mm) £52.95 44604/5 Contec Posts No. 4 Black (2.00mm) £52.95



Contec Root Post System 44610 Trial Kit Size 2 Yellow (1.5mm).

44600 Standard Kit ..

10002 Contec

Steri-Box

with 2 x Preshaping Drills + 1 x Calibration Drill

with 2 x Preshaping Drills + 5 x Calibration Drills, 1 x Measurement Card and 20 x Contec Posts

(3 x Red, 5 x White, 5 x Yellow, 5 x Blue, 2 x Black)

10002 Contec Steri-Box + Organizer (empty) .. £58.95

HAHNENKRATT BLACKLINE ULTRA FS ENDO MIRRORS TITANIUM FRONT SURFACE BENDABLE

- Micro mirrors with bendable stem for a precise alignment of the mirror
- Can be also used for Periodontics especially for flap openings

each B5181 ULTRA FS Round 3 mm £00 05 B5182 ULTRA FS Round 5 mm £99.95 B5183 ULTRA FS Oval 3 x 6 mm £109.95 B5184 ULTRA FS Drop Shaped 3 x 6 mm£109.95 B442 Ergotouch Black Mirror Handle Stem£14.95



BLACKline Microflex Endo Mirrors Titanium Front Surface Bendable

free phone: 0800 009 8822

sales@premiumplusuk.com



£27.95

£115.95

· Effective, sharp cutting burs



A08 DENTAL APEX LOCATOR

- · Bright LCD screen with the trajectory of the file being clearly indicated by different colours
- · Foldable design with adjustable view angle, saves space and protects the screen
- . The unit is designed with a smooth seamless body and membrane buttons to enhance cold sterilization and help avoid cross contamination
- Advanced multiple frequency technology with automatic calibrating ensures accurate measurement
- Measurement results are not affected by tooth type. size of root canal or the internal environment of root canal
- Different beep tones indicate the position of the file in the root canal

A08

SPECIAL


£148.95

- Accessories autoclavable up to 134°C
- Weight: 300 gms (including battery)
- Rechargeable lithium battery
- **24 MONTH WARRANTY**
- Overall size: L122 mm x W118 mm
- x H25 mm Screen size: 110 mm x 70 mm



A08 Apex Locator £229.95 A08-1 Battery£34.95£34.95 A08-2 Spare Probe £8.95

A08-3 Spare Hook £8.95 A08-4 Spare Cord £11.95 A08-5 Spare Clip £11.95





ENDO RULER ALUMINIUM

- For both hand and engine instruments
- Gauges from 1 to 30 mm for right or left hand
- Autoclavable up to 134°

4898 Endo Ruler £7 95

AUTOCLAVABLE ALUMINIUM ENDO HOLDER




- · Specially designed for ultrasonic cleaning and autoclaving of root canal instruments Holds 18 hand or engine endo instrument up to size 110 all lengths
- Millimeter rule for rubber stop measurements for both right or left hand use
- Size: W 6.5 cm x D 3 cm x H 5.5 cm
- Autoclavable up to 134°C Colour: Blue
- 2800 E-II Endo Holder £29.95

ENDO RULER STAINLESS STEEL For both hand and engine instruments

Autoclavable

029 Endo Ruler £7 05

AUTOCLAVABLE ENDO DISPENSER



£17 95

- · Specially designed for cleaning and autoclaving of endo instruments
- Holds 18 hand or engine instruments up to size 120 (all lengths)
- Medical grade plastic, autoclavable up to 134°C
- Size: 85 mm x 52 mm x 14 mm
- Colours: Light Blue and Blue

ALUMINIUM ENDO MEASURING **BLOCK** 10005 Endo Measuring Block £78.95

- Durable aluminium
- construction
- Accurate settings
- Accurate settings
 Autoclavable up to 134°C
 Size: L150 mm x W24 mm x H33 mm
- · Colour: Blue

Buv 2 get FREE (same item)

ENDO MEASURING BLOCK PLASTIC

4888

· Easy to use Accurate settings

disposable sponge insert


- Durable construction
- Autoclavable up to 134°C
- Size: L100 mm x W24 mm x H32 mm
- Colour: Blue Endo Measuring Block £17.95



ROUND ENDO MEASURE STAINLESS STEEL

- Holds 8 instruments at preset measurement
- · Solid stainless construction, fully autoclavable
- With Endo Cushion holder
- Size: Dia 33 mm

032 Endo Measure £33.95 806 Cylindrical Endo Cushions 50 pcs/box£12.95



for oval and round endo stand size: 2¹/2" dia. x ³/8" thick (65mm dia. x 8mm)

Autoclavable

DISPOSABLE **ENDO SPONGES**

 Disposable blue polyurethane sponges

50 pcs/pack 811 Endo Sponges .. £12.95 812 Endo Sponges .. £13.95



TRIANGULAR ENDO RING AND CUSHIONS

4833 Endo Stand Large (dia. 45 mm) £10.95 812 Endo Sponges, 50 pcs/pack £13.95

- Disposable cushions
- Colour: Blue

(for 4833 Endo Stand)

Autoclavable up to 134°C

088 Autoclavable Cushion Holders with Large and Small Rings ... £12.95 803 Disposable Cushions. 50 pcs/box £16.95

ENDO HOLDER STAINLESS STEEL

DISPOSABLE PEEL-N-STICK ENDO CUSHIONS

· Holder for used files with disposable foam plastic cushions Built in endo file ruler Stainless steel construction

1180 Endo Holder Stainless Steel £13.95 801 Disposable Foam Cushions 50's .. £16.95



- · Hold, arrange and clean small instruments during endodontic or implant procedures
- · Ideal for files, screws, drills and pluggers etc Peel-and-stick back secures to patient napkins,
- tray covers or anywhere handy Pre-arranging saves set up time
- Dense blue polyurethane foam 3" (7.5 cm) long

802 Peel-N-Stick Endo Cushion 50 pcs/pack ... £18.95





Terms and Conditions

Terms and Conditions All prices shown are VAT exclusive. All prices, including delivery, special deals and products are subject to change without prior notice. Premium Plus reserves the right to correct errors and omissions in any of our advertising (paper or electronic). Catalogues (prices and specials) will be deemed to be superseded on the issue of the most recent catalogue/ flyer. Goods will not be accepted for return without prior authorisation. Customers must notify Premium Plus of a return within 7 days from the date of delivery. Returned goods received after this time or without prior authorisation may not be accepted. Costs incurred for the return of goods will be at the Customers expense, except in cases of incorrectly supplied or faulty goods. Returned goods must be in a re-saleable condition (inclusive of all original packaging, unopened and unused). Credit accounts are due strictly 30 days from the invoice date. In the event that the Customer fails to pay any monies by the due date, interest may be charged at the rate of 2% interest per month. The Customer is liable for all costs incurred by Premium Plus in the recovery of any debt, including legal fees and any other associated costs. Premium Plus reserves and will not be held liable or responsible if any timeframes cannot be met. Substitute goods may be supplied when those ordered are unavailable. Equipment warranties are as stated in catalogues/flyers or instructions and are considered void if not used as per instructions, or considered to be mistreated / incorrectly service or cared for.