

### CHAMELEON DUAL SHAPER

**Colourful Surface**

**Hardness + Resilience**

**Safe and Nontoxic**

**Biocompatibility**

**Anti-corrosion**

**THE NANO COATED CHAMELEON SURFACE  
HARDNESS IS INCREASED BY 168%  
IMPROVING SERVICE LIFE BY 3-10 TIMES**

### E18 DUAL SHAPER FILES CHAMELEON


**NiTi heat activation**

- A new root canal **NiTi** file system has been created using thermal activation, laser quenching and nano-coating
- Surface hardness of the file is increased by 168%
- Abrasion resistance increases greatly, improving the service life by 3~10 times




**3-17mm  
single-blade design**

Increases both cutting  
and chip removal ability



### unique cutting edge design **NiTi** files

- **High strength**  
Excellent corrosion and wear resistance, biocompatibility and high damping properties
- **Hyperelastic**  
Super elasticity, will still recover shape after countless bending
- **Easy to shape**  
Thermal activation of the **NiTi** wire, allows the file to be easily shaped so as to adapt to the natural form of the root canal



**SAFE ROUND  
END TIP**

Size		Taper	Tip	E18 Dual Shaper Files Chameleon	
OPENING	SX ●	3.5-19	0.19	SX	
GUIDE FILE	#016 ○	2-6	0.15	#016	
SHAPING	#20/04 ●	4	0.20	#20/04	
	#25/04 ●	4	0.25	#25/04	
	#25/06 ●	6	0.25	#25/06	

**E18 Dual Shaper Files Chameleon, 5 pcs/pack**  
**21 mm / 25 mm Single or Assorted Sizes ... £29.95**

**E17 Pro-Path Files Chameleon, 6 pcs/pack**  
**21 mm / 25 mm no.016 ... £29.95**

**Buy 2  
get  
1 FREE**  
(same number)

## E03 PRO-FLEXI FILES GOLD NiTi heat activation

## E28 PRO-FLEXI FILES CHAMELEON NiTi heat activation



- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- 2.0N.cm - 2.5N.cm
- 150-300 r.p.m.

	Size	Taper %	Tip	E28 Pro-Flexi Files Chameleon
OPENING	#01/09	9	0.19	#01/09
SHAPING	#20/04	4	0.20	#20/04
	#25/04	4	0.25	#25/04
	#30/04	4	0.30	#30/04
	#35/04	4	0.35	#35/04
	#25/06	6	0.25	#25/06

**NANO COATED CHAMELEON SURFACE**  
HARDNESS IS INCREASED BY 168%  
IMPROVING SERVICE LIFE BY 3-10 TIMES

- #25/04 Taper 4% for narrow and curved canals;
- #25/06 Taper 6% for the majority of clinical cases.

E03 Pro-Flexi Files Gold 21 mm / 25 mm  
Single or Assorted Sizes, 6 pcs/pack ... £26.95

E28 Pro-Flexi Files Chameleon 21 mm / 25 mm  
Single or Assorted Sizes, 6 pcs/pack ... £29.95

## E16 PRO-PATH FILES GOLD NiTi heat activation

## E17 PRO-PATH FILES CHAMELEON NiTi heat activation



- Unique flexibility
- Non-uniform taper (2%-6%)
- Pro-Path files #016 is all you need to manage all curves to the apex

Pro-Path Files #016  
6 pcs/pack, 21 mm / 25 mm  
E16 Gold ..... £26.95  
E17 Chameleon ... £29.95

**Buy 2  
get  
1 FREE**  
(same number)



## E05 ONE FILES BLUE NiTi heat activation

- Reciprocating system
- Only one instrument needed for a root canal preparation
- Efficient and time saving
- 3 sizes for different size root canals

E05 ONE FILES	Size	Taper %	Tip (mm)
	#R25	8	0.25
	#R40	6	0.40
	#R50	5	0.50

E05 One Files 21 mm / 25 mm  
Single or Assorted Sizes  
6 pcs/pack ... £26.95

## E14 PA-FILES NiTi alloy



- 2% taper, for building a glide path
- Efficient and time saving
- 1.5N.cm
- 150-300 r.p.m.

Size	No.
small	013
small-medium	016
medium	019

E14 PA-Files  
21 mm / 25 mm  
Single or Assorted Sizes  
6 pcs/pack ... £24.95

## E10 D-FILES retreatment files NiTi alloy




- For the removal of gutta percha and root filling material
- 2.5N.cm
- 150-300 r.p.m.

Length	No.	Size	Taper %
16 mm	D1	30	0.09
18 mm	D2	25	0.08
22 mm	D3	20	0.07
16-22 mm	D1-D3	assorted	

E10 D-Files  
16 mm / 18 mm / 21 mm  
Single or Assorted Sizes,  
6 pcs/pack ... £24.95

## E08 ROLL WAVE FILES GOLD NiTi heat activation




- Reciprocating system
- Evolving cross-section with optimized tip
- Increased flexibility for safety
- Efficient safe shaping

E08 Roll Wave Files Gold 21 mm / 25 mm  
Single or Assorted Sizes, 4 pcs/pack ... £26.95

Size	No.	Taper %	Matching Gutta Point
small	20	07	small
small-medium	25	07	primary
medium	35	06	medium
large	45	05	large

## E25 D-SHAPER FILES GOLD NiTi heat activation



PERFECT CUTTING  
ANGLE & THREAD

EXCELLENT  
CUTTING EFFICIENCY

Size	Taper %	Tip (mm)
R	10	0.20
016	2-6	0.15
S1	4	0.20
S2	4	0.25
S3	4	0.30
S4	6	0.25

### Operation process

- #10 K-File: probing the root canal
- "R" : opening the root canal
- "E16" : establishing a glide path
- "S" series: shaping and finishing


### Highlights:

"E16" pro-path file can be used instead of manual glide files.

"E16" pro-path file, perfect for root canal anatomy and can be adapted to most root canals. Is efficient in establishing a glide path and improves safety.

D25 D-Shaper Files Gold 21 mm / 25 mm  
Single or Assorted Sizes, 6 pcs/pack ... £26.95

E16 Pro-Path Files Gold #016 21 mm / 25 mm  
Single or Assorted Sizes, 6 pcs/pack ... £26.95



## E01 SUPER FILES GOLD NiTi heat activation

Size	Taper %	Tip (mm)
SX	3.5-9	0.19
S1	2-11	0.17
S2	4-11.5	0.20
F1	7	0.20
F2	8	0.25
F3	9	0.30
F4	6	0.40
F5	5	0.50


- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- 2.0N.cm - 2.5N.cm
- 150-300 r.p.m.

E01 Super Files Gold 21 mm / 25 mm  
Single or Assorted Sizes (SX-F3)  
6 pcs/pack ..... £24.95

### E01 RECOMMENDED OPERATION PROCESS

PROBE	#10
	#15
OPENING	SX
SHAPING	S1
	S2
FINISHING	F1
	F2
	F3
ENLARGING	F4
	F5

Buy 2  
get  
1 FREE  
(same number)



## E02 SUPER FILES BLUE NiTi heat activation

Size	Taper %	Tip (mm)
SX	3.5-9	0.19
S1	2-11	0.17
S2	4-11.5	0.20
F1	7	0.20
F2	8	0.25
F3	9	0.30
F4	6	0.40
F5	5	0.50

- Smart varied taper design
- High flexibility and pre-curved memory
- Safe tip, reduces the possibility of root canal deviation
- 2.0N.cm - 2.5N.cm
- 150-300 r.p.m.

E02 Super Files Blue 21 mm / 25 mm  
Single or Assorted Sizes (SX-F3)  
6 pcs/pack ..... £24.95

### E02 RECOMMENDED OPERATION PROCESS

PROBE	#10
	#15
OPENING	SX
SHAPING	S1
	S2
FINISHING	F1
	F2
	F3
ENLARGING	F4
	F5



### E48 C+ FILES stainless steel

- For calcified root canal, with 3 mm very rigid tip
- Recommended for single use only

E48 C+ Files  
Single or Assorted Sizes  
6 pcs/pack ... **£6.95**

E48 C+ FILES stainless steel	
Length	Size
21 mm or 25 mm	#06
	#08
	#10
	#12.5
	#15

### E38 BARBED BROACHES stainless steel



- Good flexibility
- Highly resistant to fracture

E38 Barbed Broaches  
Single or Assorted Sizes  
Stainless Steel  
10 pcs/pack  
**£3.95**

E38 BARBED BROACHES stainless steel	
Length	Size
21 mm	XXXXF (0)
	XXXF (1)
	XXF (2)
	XF (3)
	F (4)
	M (5)
	C (6)



### E30 K-FILES stainless steel

E30 K-FILES stainless steel						
#06	#08	#10				
#15	#20	#25	#30	#35	#40	
#45	#50	#55	#60	#70	#80	

E30 K-Files Stainless Steel  
21 or 25 mm, 6 pcs/pack

No.06-80 Single Size ... **£3.45**  
No.15-40, 45-80 Assorted Sizes ... **£3.45**



### E32 K-FILES NiTi alloy

E32 K-FILES NiTi alloy						
#08	#10					
#15	#20	#25	#30	#35	#40	
#45	#50	#55	#60	#70	#80	

E32 K-Files NiTi Alloy  
21 or 25 mm, 6 pcs/pack

No.08-80 Single Size ... **£4.95**  
No.15-40, 45-80 Assorted Sizes ... **£4.95**



### E34 H-FILES stainless steel

E34 H-FILES stainless steel						
#08	#10					
#15	#20	#25	#30	#35	#40	
#45	#50	#55	#60	#70	#80	

E34 H-Files Stainless Steel  
21 or 25 mm, 6 pcs/pack

No.08-80 Single Size ... **£3.45**  
No.15-40, 45-80 Assorted Sizes ... **£3.45**



### E36 H-FILES NiTi alloy

E36 H-FILES NiTi alloy						
	#10					
#15	#20	#25	#30	#35	#40	
#45	#50	#55	#60	#70	#80	

E36 H-Files NiTi Alloy  
21 or 25 mm, 6 pcs/pack

No.08-80 Single Size ... **£4.95**  
No.15-40, 45-80 Assorted Sizes ... **£4.95**



### FINGER SPREADERS stainless steel / NiTi alloy

E40 / E42 FINGER SPREADERS						
#15	#20	#25	#30	#35	#40	

E40 Spreaders Stainless Steel  
25 mm, 6 pcs/pack

No.15-40, Single or Assorted Sizes ... **£3.95**

E42 Spreaders NiTi Alloy  
25 mm, 6 pcs/pack

No.15-40, Single or Assorted Sizes ... **£4.95**



### FINGER PLUGGERS stainless steel / NiTi alloy

E44 / E46 FINGER PLUGGERS						
#15	#20	#25	#30	#35	#40	

E44 Pluggers Stainless Steel  
25 mm, 6 pcs/pack

No.15-40, Single or Assorted Sizes ... **£3.95**

E46 Pluggers NiTi Alloy  
25 mm, 6 pcs/pack

No.15-40, Single or Assorted Sizes ... **£4.95**



### E11 SPIRAL FILLERS stainless steel

E11 SPIRAL FILLERS stainless steel	
Length	Size
21 mm or 25 mm	#25
	#30
	#35
	#40

E11 Spiral Fillers  
Single or Assorted Sizes  
4 pcs/pack  
**£5.95**



### E04 ULTRASONIC FILES NiTi alloy

E04 ULTRASONIC FILES NiTi alloy	
#15	#30
#20	#35
#25	#40

- For use with ultrasonic scaler
- Excellent tenacity
- Length: 33 mm

E04 Ultrasonic Files  
Single Size  
6 pcs/pack  
**£5.95**

### E12 GATES DRILLS stainless steel

- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

E12 GATES DRILLS stainless steel		
Length	Size	Diameter (mm)
28 mm or 32 mm	#1	0.5
	#2	0.7
	#3	0.9
	#4	1.1
	#5	1.3
	#6	1.5

E12 Gates Drills  
Single or Assorted Sizes  
6 pcs/pack  
**£7.95**



Buy 2  
get  
1 FREE  
(same item)

### E15 PEESO REAMERS stainless steel

- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

E15 PEESO REAMERS stainless steel		
Length	Size	Diameter (mm)
28 mm or 32 mm	#1	0.7
	#2	0.9
	#3	1.1
	#4	1.3
	#5	1.5
	#6	1.7

E15 Peeso Reamers  
Single or Assorted Sizes  
6 pcs/pack  
**£8.95**






## HAHNENKRATT CONTEC ROOT POST SYSTEM

Contec is designed for roots with rather conical shape. The shape is designed with two different tapers and follows the natural shape of the root canal

- Utmost bending strength HT-Glassfiber: 1.678MPa  
(Determined accordingly to EN ISO 178)
- Utmost fatigue and fracture resistance
- Homogeneity due to dentin-like elasticity
- Safe adhesion due to micro-retentive surface
- Effective, sharp cutting burs
- High radiopacity



44600 Contec Standard Kit



10002  
Contec  
Steri-Box

### Contec Root Post System

44610 Trial Kit Size 2 Yellow (1.5mm) ..... £27.95  
with 2 x Preshaping Drills + 1 x Calibration Drill

44600 Standard Kit ..... £135.95  
with 2 x Preshaping Drills + 5 x Calibration Drills,  
1 x Measurement Card and 20 x Contec Posts  
(3 x Red, 5 x White, 5 x Yellow, 5 x Blue, 2 x Black)

10002 Contec Steri-Box + Organizer (empty) .. £68.95

### Contec Drill Refills

42010 Preshaping Drill with Guiding Tip ..... £6.95

43000 Preshaping Drill with Cutting Tip ..... £6.95

4400D11 Calibration Drill No. D Red (1.10mm) .. £6.95

44001 Calibration Drill No. 1 White (1.30mm) .... £6.95

44002 Calibration Drill No. 2 Yellow (1.50mm) ... £6.95

44003 Calibration Drill No. 3 Blue (1.75mm) ..... £6.95

44004 Calibration Drill No. 4 Black (2.00mm) ..... £6.95

### Contec Post Refills, 10 pcs/pack

4460D11 Contec Posts No. D Red (1.10mm) ... £54.95

44601 Contec Posts No. 1 White (1.30mm) .... £54.95

44602 Contec Posts No. 2 Yellow (1.50mm) .... £54.95

44603 Contec Posts No. 3 Blue (1.75mm) ..... £54.95

44604 Contec Posts No. 4 Black (2.00mm) ..... £54.95

## HAHNENKRATT BLACKLINE ULTRA FS ENDO MIRRORS TITANIUM FRONT SURFACE BENDABLE

- Micro mirrors with bendable stem for a precise alignment of the mirror
- Can be also used for Periodontics especially for flap openings

### BLACKline Microflex Endo Mirrors

#### Titanium Front Surface Bendable

B5181 ULTRA FS Round 3 mm ..... each £99.95

B5182 ULTRA FS Round 5 mm ..... each £99.95

B5183 ULTRA FS Oval 3 x 6 mm ..... each £109.95

B5184 ULTRA FS Drop Shaped 3 x 6 mm ..... each £109.95

B442 Ergotouch Black Mirror Handle Stem ..... each £19.95

Buy 2  
get  
1 FREE  
(same item)



### Molar Clamps (Without Dam-Engaging Projections)



### Molar Clamps (With Dam-Engaging Projections)



### Labial Clamps (With Dam-Engaging Projections)



### Cervical Clamp



### Bicuspid Clamps (Without Dam-Engaging Projections)



each £2.95

## RUBBER DAM CLAMPS STAINLESS STEEL

premiumplus™

## RUBBER DAM PUNCHES AND FORCEPS STAINLESS STEEL

### AUTOCCLAVABLE RUBBER DAM FRAME



- Proven design
- Better grip
- Enhance patient comfort

4866 Rubber  
Dam Frame  
£5.95

### RUBBER DAM HOLDER STAINLESS STEEL




- Fully autoclavable
- Sturdy design

58-165-002  
Rubber Dam Holder  
£5.45



## ENDO RULER ALUMINIUM



- For both hand and engine instruments
- Gauges from 1 to 30 mm for right or left hand
- Autoclavable up to 134°

4898 Endo Ruler  
£7.95

## ENDO RULER STAINLESS STEEL



- For both hand and engine instruments
- Autoclavable

029 Endo Ruler  
£7.95

## ENDO STOPS



- Round with tail
- Assorted Colours: White, Yellow, Red, Blue, Green and Black

329 Endo Stops, Assorted Colours  
100 pcs/pack ... £5.95

## AUTOCLAVABLE ALUMINIUM ENDO HOLDER



- Specially designed for ultrasonic cleaning and autoclaving of root canal instruments
- Holds 18 hand or engine endo instrument up to size 110 all lengths
- Millimeter rule for rubber stop measurements for both right or left hand use
- Size: W 6.5 cm x D 3 cm x H 5.5 cm
- Autoclavable up to 134°C
- Colour: Blue

2800 E-II Endo Holder £29.95

## AUTOCLAVABLE ENDO DISPENSER



- Specially designed for cleaning and autoclaving of endo instruments
- Holds 18 hand or engine instruments up to size 120 (all lengths)
- Medical grade plastic, autoclavable up to 134°C
- Size: 85 mm x 52 mm x 14 mm
- Colours: Light Blue and Blue

N055 Endo Dispenser  
£17.95


## ALUMINIUM ENDO MEASURING BLOCK



- Durable aluminium construction
- Accurate settings
- Autoclavable up to 134°C
- Size: L150 mm x W24 mm x H33 mm
- Colour: Blue

10005  
Endo Measuring Block  
£78.95

## ENDO MEASURING BLOCK PLASTIC



- Easy to use
- Accurate settings
- Durable construction
- Autoclavable up to 134°C
- Size: L100 mm x W24 mm x H32 mm
- Colour: Blue

4888  
Endo Measuring Block  
£17.95

Buy 2  
get  
1 FREE  
(same item)

## ROUND ENDO MEASURE STAINLESS STEEL



- Holds 8 instruments at preset measurement
- Solid stainless construction, fully autoclavable
- With Endo Cushion holder
- Size: Dia. 33 mm

032 Endo Measure .... £33.95  
806 Cylindrical Endo Cushions,  
50 pcs/box ..... £12.95

## AUTOCLAVABLE ENDO STAND



- Autoclavable plastic stand with disposable sponge insert
- Cleans and holds endo instruments
- Silicone ring base resists sliding

4833 Endo Stand Large (dia. 45 mm) .... £10.95  
812 Endo Sponges, 50 pcs/pack ..... £13.95  
(for 4833 Endo Stand)

## DISPOSABLE ENDO SPONGES



- Disposable blue polyurethane sponges

50 pcs/pack  
811 Endo Sponges .. £12.95  
812 Endo Sponges .. £13.95


## TRIANGULAR ENDO RING AND CUSHIONS



- Disposable cushions
- Colour: Blue
- Autoclavable up to 134°C

088 Autoclavable Cushion Holders  
with Large and Small Rings ... £12.95  
803 Disposable Cushions,  
50 pcs/box ..... £16.95


## ENDO HOLDER STAINLESS STEEL



- Holder for used files with disposable foam plastic cushions
- Built in endo file ruler
- Stainless steel construction
- Autoclavable

1180 Endo Holder Stainless Steel ..... £13.95  
801 Disposable Foam Cushions 50's .. £16.95

## DISPOSABLE PEEL-N-STICK ENDO CUSHIONS



- Hold, arrange and clean small instruments during endodontic or implant procedures
- Ideal for files, screws, drills and pluggers etc
- Peel-and-stick back secures to patient napkins, tray covers or anywhere handy
- Pre-arranging saves set up time
- Dense blue polyurethane foam 3" (7.5 cm) long

802 Peel-N-Stick Endo Cushion  
50 pcs/pack ... £18.95



# e98

## Smart, Accurate and Reliable APEX LOCATOR

### Fast measurement Precise positioning


- Imported AI High-Speed Chip
- Advanced Multi - Frequency Technology
- High Precision in Wet & Dry Canals
- Automatic Calibration



e-98 Apex Locator  
each £165.00

- Auto Start & Stop
- Apical Reverse
- Apical Slow Down

### Screen Display & Its Meaning




Didi alarm sound for a long time interval  
Value:12  
The corresponding scale value is 2, indicating the distance from the apex is about 2mm



Didi alarm sound interval becomes shorter  
Value:09  
It indicates that the distance from the apex is about 1.5mm



Uninterrupted long beep  
Value:00  
It indicates that the endo file has reached the apex



Very rapid Didi alarm sound  
Value:-3  
It indicates that the root canal file has exceeded the apex

**SPECIAL  
£119.95**



Integrate e88 Endomotor  
with e98 Apex Locator  
(Connect Function)

Model: e98

Dimensions: 20cm x 17.5cm x 7cm ±1cm (package)

Weight: 650g ± 10%

Display: 3.5" colour LCD

Degree of Protection: IPX 0

Power supply: Lithium ion battery: 3.7V, 1500mAh

Charger power supply: AC100-240V 5.5VA 50Hz/60Hz

Frequency: 50/60Hz, ±10%

Power Rating: 0.3 W

Electrical safety class: Class II

Relative humidity: <80%

Ambient temperature: 10°C / 40 °C

#### Large 3.5" LCD Display

- Visual display of file position

#### Volume Adjustable

- Meets different usage needs

#### File Clip with Large Arc

- Easier file installation

#### Biomimetic-silica-wrapped File Clip

- Can be autoclaved more than 1000 times, avoid cross-infection

#### 316L Stainless Steel Lip Hook

- Safer medical grade stainless steel

#### Powerful 1500 mAh lithium-ion battery


- Long-lasting battery life

#### Compact Size & Stable Design

- In line with clinical operating habits, more convenient to use

	H1SEB ROUND				
	H1SEB RAXL				actual size
Shank L (mm)	34	34	34	34	34
ISO Size 1/10 mm	0.4	0.6	0.8	1.0	1.2
RAXL Order No.	004	006	008	010	012
5 pcs/pack	£29.95	£29.95	£29.95	£29.95	£29.95



### EDENTA H1SEB ENDO CARBIDE BURS RAXL



The efficiently cutting bur blades enable pressureless, minimally invasive preparation. The long, slender neck guarantees good visibility to the access cavity. Endoburs with L34 are particularly suitable for preparing under a microscope to ensure an optimum view of deeper areas of the pulp chamber, and showing the anatomy of the cavity chamber floor. This facilitates minimally invasive opening of root canal orifices and exposure of obliterated canals.

	H1SNL ROUND			
	H1SNL RAXL			actual size
Shank L (mm)	31	31	31	31
ISO Size 1/10 mm	0.6	0.8	1.0	1.2
RAXL Order No.	006	008	010	012
5 pcs/pack	£26.95	£26.95	£26.95	£26.95

### EDENTA H1SNL ENDO CARBIDE BURS RAXL



Efficiently cutting special endodontic bur used for detecting all root canals in the case of multirooted teeth. The H1SNL has a particularly high cutting efficiency and its long neck ensures a clear view in deeper regions of the cavity for opening the access cavity of the root canal system. Use in a contra-angle with micromotor at 1,500 - 2,000 rpm, without cooling, dry and apply only light pressure during preparation.

# e88 Cordless Endomotor

## 5 Reciprocation Modes (M0)

- 134°C Autoclavable
- Miniature Head
- Detachable
- 360° Adjustable Contra Angle



Editable Memory Programs (M1 to M9)

## Forward Reciprocation-Four Modes Clockwise & Counterclockwise movement

Fwd 150°-Rev 30° | Fwd 180°-Rev 30°  
Fwd 210°-Rev 30° | Fwd 250°-Rev 30°  
For all continuous rotation files

## Reverse Reciprocation-One Mode Counterclockwise & Clockwise movement

Fwd 30°-Rev 150°  
For reciprocating files





e88 Endo Motor  
each £480.00

**SPECIAL  
£345.95**

- Forward Direction of Rotation
- Reverse Direction of Rotation
- Torque Auto Reverse
- Maximum Speed 1000 rpm
- 360° Clockwise Rotational Movement
- Editable Speed Setting
- Editable Torque setting

## e88 x e98 x E-PEX

### Integrate Endomotor with Apex Locator (Connect Function)



- Auto Start & Stop
- Apical Reverse
- Apical Slow Down

#### Unique Features of e-88 Endomotor

- Digital OLED Display
- Low Noise Motor
- Ambidextrous Display
- Torque Calibration
- Powerful 1500 mAh Lithium Battery
- Integration Option
- Screen Cast / Mirroring

\*User can rotate the Endomotor Screen towards left or right  
\*In connect function e88 Endomotor mirrors e98 Apex Locator's screen

## Terms and Conditions

All prices shown are VAT exclusive. All prices, including delivery, special deals and products are subject to change without prior notice. Premium Plus reserves the right to correct errors and omissions in any of our advertising (paper or electronic). Catalogues (prices and specials) will be deemed to be superseded on the issue of the most recent catalogue/ flyer. Goods will not be accepted for return without prior authorisation. Customers must notify Premium Plus of a return within 7 days from the date of delivery. Returned goods received after this time or without prior authorisation may not be accepted. Costs incurred for the return of goods will be at the Customers expense, except in cases of incorrectly supplied or faulty goods. Returned goods must be in a re-saleable condition (inclusive of all original packaging, unopened and unused). Credit accounts are due strictly 30 days from the invoice date. In the event that the Customer fails to pay any monies by the due date, interest may be charged at the rate of 2% interest per month. The Customer is liable for all costs incurred by Premium Plus in the recovery of any debt, including legal fees and any other associated costs. Premium Plus retains ownership of the goods until they are paid in full. Premium Plus shall endeavour to dispatch all orders received before 3pm for either next working day delivery or 1st Class Post dependant on order weight and value. However, delivery dates and times specified are approximate only. Premium Plus cannot guarantee delivery times and will not be held liable or responsible if any timeframes cannot be met. Substitute goods may be supplied when those ordered are unavailable. Equipment warranties are as stated in catalogues/flyers or instructions and are considered void if not used as per instructions, or considered to be mistreated / incorrectly serviced or cared for.

Terms and conditions will be provided prior to opening an account and will be deemed to be accepted once the account has been opened. To view our full Terms & Conditions, Privacy Policy, Delivery and Returns policies please visit our website at [www.premiumplusuk.com](http://www.premiumplusuk.com) or contact us by phone or email. If you no longer wish to receive this mail, please call us on 0800 009 88 22 or email us at [sales@premiumplusuk.com](mailto:sales@premiumplusuk.com).