

premium
plus™

dental products 2025

innovators, designers, manufacturers,
partners and much, much more...



INDEX

P.1-2 INTRODUCTION

Who are we
Why choose us
What do we make
Where are we

P.3-8 NEW PRODUCTS

Carbolite Curing Light
Basic Cure Curing Light
Model X Curing Lights
Reamers
Bur Block/Dispensers
Endo Dispensers
Low Speed Handpieces
Air Motor
Prophy Paste
Peel-n-Stick Sensor Holders
Applicator Tips
Photographic Mirrors
Sterilisation Rolls

P.9-13 CURING LIGHTS

Curing Lights

P.14-19 PROPHY

Prophy Angles
Prophy Paste
Prophy Brushes
Prophy Cups
Prophy Points

P.20-21 Green Line

Disposable Bamboo Cups
Disposable Micro Applicators
Disposable Micro Applicator Tips
Disposable Syringe Tips

P.22 SYRINGE TIPS

Disposable Syringe Tips

P.23 DISPOSABLE

Disposable Bibs
Disposable Face Masks
Disposable Napkin Holders
Disposable Tray Cover Papers

P.24-25 BARRIERS

Barrier Film
Bite Block Sleeves
Chair Sleeves
Curing Light Guide Sleeves
Curing Light Sleeves
Flowable Composite Sleeves
Handpiece & Pen Sleeves
Headrest Covers Non Woven
Headrest Sleeves
Impression Gun Sleeves
Instrument Tray Sleeves
Intraoral Camera Sleeves
Keyboard Sleeves
Mouth Mirror Sleeves
PC Mouse Sleeves
PSP Barrier Envelopes
Suction Tube Sleeves
Syringe Sleeves

T-Style Light Handle Sleeves
Tubing Sleeves
X-Ray Head Sleeves
X-Ray Sensor Sleeves

P.26 APPLICATORS

Brush Applicators
Brush Tips and Handle
Micro Applicators
Micro Applicator Dispensers
Micro Applicator Tips

P.27 EVACUATION

Aspirator Brushes
HVE Suction Tubes
Oral Evacuators
Saliva Ejectors
Suction Tube Adaptors
Surgical Aspirators

P.28-29 IMPRESSION

Alginate and Plaster Spatulas
Autoclavable Impression Trays
Autoclavable Mixing Bowls
Disposable 3-in-1 Trays
Disposable Impression Syringes
Disposable Impression Trays
Disposable Intraoral Syringe Tips
Disposable Mixing Tips

P.30 ENDO INSTRUMENTS

Aluminium Endo Holder
Endo Dispensers and Holders
Endo Measuring Blocks
Endo Rulers
Endo Sponges
Rubber Dam Frame

P.31-36 SUNDRIES

Acrylic Mixing Cups
Aluminium Bur Blocks
Applicator Tips
Articulating Mounting Plates
Autoclavable Bur/Endo Organisers
Autoclavable Cheek Retractors
Autoclavable Instrument Trays
Autoclavable Mouth Lippers
Autoclavable Napkin Holders
Autoclavable Prophy Rings
Brass Bur Brush
Bur Block/Dispenser
Dental Appliance Boxes
Dental Bib Holder and Clip
Dental Bibs and Cups
Disposable Bite Loops
Disposable Cheek Retractors
Disposable Composite Tips
Disposable Curved Tip Syringes
Disposable Dappen Dishes
Disposable Evacuation Traps
Disposable Eye Shields
Disposable Face Masks
Disposable Fluoride Trays
Disposable Healthy Teeth Bibs
Disposable Healthy Teeth Cups
Disposable Healthy Teeth Masks
Disposable Mixing Pads
Disposable Mixing Wells
Disposable Mouth Lippers

Disposable Mouth Mirrors
Disposable Plastic Wedges
Disposable Prophy Rings
Disposable Sterilisation Pouches
Disposable Sterilisation Rolls
Disposable Sticky Applicators
Fracture Detector
Glass Dappen Dishes
Glass Mixing Slab
Jumping Teeth
Interdental Brushes
Magnetic Bur Stands
Mask Extenders
Mouth Props
Needle Station
Patient Tongue Cleaners
Peel-n-stick Sensor Holders
Pen/Toothbrush Holder
Photographic Mirrors
Plastic Bur Dispensers
Retainer/Mouth Boxes/Denture Baths
Silicone Instrument Mat
Silicone Instrument Rings
Wire Brushes
X-Ray Bite Cushions
X-Ray Film Holders

P.37-38 PLASTIC PRODUCTS

Barrier Film Dispenser
Bib and C-Fold Towel Dispensers
Chain Dispenser
Composite Dispensers and Organisers
Composite Syringe Holders
Cotton Roll Dispenser
Cup Dispensers
Glove and Tissue Dispensers
Grinding Box
Impression Gun Holders
Light Protection Covers
Light Protection Hand Shield
Mask Dispenser
Micro Applicator Dispensers
Pouch Dispensers

P.39 ENDO EQUIPMENT

Apex Locator
Endomotor
Endo Dispensers
Gutta percha cutter

P.40-42 ENDO EQUIPMENT

NiTi Heat Activation Files
Reciprocating Files
One File Systems
Guide Files
Path Files
Barbed Broaches
Gates Drills
Peeso Reamers
Pluggers
Spiral Fillers
H and K Files
Reamers
Stainless Steel Files

P.43-46 PIEZO SCALERS

LED Scalers
Scaler Handpieces
Scaler Tips
Scaler Wrenches and Accessories

Who are we?



At **Premium Plus**, manufacturing dental products is what we do. Only for the past decade we've not just made dental products... we've made better dental products.

Through innovation, research, investment in manufacturing, technical know-how and over 40 years experience in the dental trade, we've learned how to control and improve every step of the manufacturing process... and that's a huge advantage to our customers.

With a global view of the dental industry and knowledge of the different geographical markets, we have learned to understand what you expect and are committed to far exceeding your requirements.



Our customers also benefit from our centrally located warehouse in Europe.



Why choose us?

Whether its under our own **Premium Plus** brand, private labels or OEM projects, our emphasis is on quality for not only the products, but also its presentation. We not only manufacture in-house - We innovate and develop products, research raw material selection, manufacture moulds, construct production lines, create and design artwork and packaging for our partners, warehouse goods and turn our customers' ideas and requests into reality... providing the complete package.

Our continual investment in purpose-built machinery, technical training and market research along with our flexible approach keeps us at the forefront of dental manufacturers.



What do we make?

Over the past decade our range has increased to cover small equipment and the majority of plastic and paper disposable dental products. This gives us, and more importantly you, the ability to offer a huge range that includes LED curing lights, apex locators, handpieces, disposable prophy cups and angles, micro applicators, syringe tips, barrier sleeves, saliva ejectors and suction tubes etc.




disposable oral evacuators

disposable saliva ejectors



LED curing lights



disposable syringe tips



disposable trays for implants



disposable 3-in-1 trays



disposable prophy angles




disposable prophy cups



disposable prophy brushes



disposable micro applicators




disposable PSP barrier envelopes

Where are we?

Premium Plus now supplies to over 90 countries and regions throughout the world and has distribution partners in the USA, Japan, Poland and the United Kingdom. The manufacturing site in China is constantly working on not only maintaining but exceeding standards set by ISO, CE and FDA. We are proud of the fact that we hold **ISO13485: 2016** certification for the **Quality Management System of Medical Devices** and have all of the class IIa products manufactured by us certified with the **CE₀₁₂₃** mark by **TUV SUD**. We know that with our experience, our integrated range of production processes and our ever-expanding range we have the ability to cover all our customers' requirements.

C01-X / C02-X LED CURING LIGHT



- **4 Curing Modes**
Turbo, Full, Ramp & Soft Cure
- **Dual Wavelength**
390–480 nm – cures all types of composites
- **360° Rotating Light Guide**
For optimal access in all areas
- **Preset Curing Times**
Fast, efficient and intuitive operation
- **Smooth, Hygienic Design**
Easy to clean and reduces risk of contamination
- **Smart Charging Base**
Inductive charging with built-in light meter
- **Available in 7 Vibrant Colors**
Pink, Light Lavender, Blue, Light Blue, Light Green, White, and Black
- **24-Month Warranty**
For peace of mind

| SPECIFICATIONS | | | |
|-------------------------|-------------------------------|--|--|
| MODEL | C01-X | C02-X | |
| LIGHT TIP | 11 mm (dia.) F.O. Light Guide | 10 mm (dia.) Direct Light Source | |
| LIGHT WAVELENGTH | 390–480 nm | | |
| APPLICATION | General / Ortho | | |
| MODE | TURBO | 2,000 mW/cm ² for 4 seconds±10% | 2,500 mW/cm ² for 4 seconds±10% |
| | FULL | 1,200 mW/cm ² for 10 seconds±10% | |
| | RAMP | 20 seconds: 0–5 seconds from 0–1,200 mW/cm ² ±10% 5–20 seconds 1,200 mW/cm ² ±10% | |
| | SOFT CURE | 20 seconds: 0–5 seconds from 0–900 mW/cm ² ±10% 5–20 seconds 900 mW/cm ² ±10% | |
| WEIGHT | 175 gms | 140 gms | |
| LENGTH | 265 mm | 255 mm | |

7 colours available:



C01-X set contents:

- curing light handpiece
- 11 mm fibre optic light guide
- charging base
- protective light shield
- 500pcs barrier sleeves
- power adaptor

Parts:

- C01-X Curing Light (F.O. Light Guide)
- C01-X-1 F.O. Light Guide 11 mm
- C01/2-X-LH Replacement Battery
- C01/2 USB - USB Type C cord & EU Plug
- 123M Curing Light Sleeves Medium (500 pcs)

C02-X set contents:

- curing light handpiece
- 10mm direct light source head
- charging base
- protective light shield
- 500pcs barrier sleeves
- power adaptor

Parts:

- C02-X Curing Light (F.O. Light Guide)
- C02-X-1 Direct Light Source Head 10 mm
- C01/2-X-LH Replacement Battery
- C01/2 USB - USB Type C cord & EU Plug
- 125 Curing Light Sleeves Medium (500 pcs)



C03-C Carbolite LED Curing Light
 C03-C-2 Protective Light Shield for C03-C
 C03-C-3 USB-C Power Adaptor
 C03-C-4 Replacement Battery
 C03-C-5a Endo Guide Lens
 C03-C-5b 3.0mm Microcure Ball Lens
 C03-C-5c 2.2mm Microcure Ball Lens
 C03-C-5d Microcure Lens
 228 Light Sleeves Mini (500 pcs/box)

C03-C contents: curing light handpiece, charging base with light intensity meter, 4x microcure lenses, microcure lens magnetic stand, protective light shield, 100pcs barrier sleeves, power adaptor

C03-C CARBOLITE LED CURING LIGHT

with direct light source

- **High Grade Aluminum Body**
Construction durability and provides unsurpassed heat dissipation
- **8 Modes**
Normal, High, Turbo, Ortho, Pulse, Ramp, Caries Detection, Soft
- **Caries Detection**
For detecting caries, calculus and cracked teeth
- **4 Micro Cure Lens**
A different micro cure lens to cover every need
- **Collimated Light Beam**
A 10 mm collimated light beam that produces a multi wave length 385 nm - 515 nm to cure most products on the market
- **Constant Circuit Intensity Output**
Automatic compensation circuit for constant power output and a fast charge base that includes a built-in light indicator

| C03-C SPECIFICATIONS | | |
|--------------------------|---------------|---|
| DIRECT LIGHT HEAD | | 10 mm (dia.) |
| LIGHT WAVELENGTH | | 385-515 nm |
| APPLICATION | | General / Ortho |
| MODE | NORMAL | 1,200 mW/cm ² for 5, 10, 15, 20 seconds ±10% |
| | HIGH | 2,000 mW/cm ² for 1, 3, 5 seconds ±10% |
| | TURBO | 3,000 mW/cm ² for 1, 3 seconds ±10% |
| | ORTHO | Ortho x 05 2,500 mW/cm ² for 5 x 3 seconds with 1s interval ±10% Ortho x 10 2,500 mW/cm ² for 10 x 3 seconds with 1s interval ±10% |
| | PULSE | 1,200 mW/cm ² for 5, 10, 15, 20 seconds with 0.2 seconds off ±10% |
| | RAMP | 1st five seconds from 0-1,200 mW/cm ² next 5, 10, 15 seconds 1,200 mW/cm ² |
| | CHECK | Purple light for 30 or 60 seconds |
| | SOFT | 900 mW/cm ² for 5, 10, 15, 20 seconds ±10% |
| WEIGHT | | 110 gms |
| LENGTH | | 224 mm |

| CURING LIGHT MODE APPLICATIONS | |
|--------------------------------|--|
| NORMAL | For general applications. |
| HIGH | For quick curing of resin and composites that are no more than 2mm thick. Also recommended for ceramic brackets, bonding veneers etc. |
| TURBO | For super fast curing of resin and composites that are no more than 2mm thick. Also recommended for ceramic brackets, bonding veneers etc. |
| ORTHO | For orthodontic applications. 3 second mesial + 3 second distal for metal brackets resin bonding (with 1 sec blink in-between). |
| PULSE | Pulse effectively reduces heat generation, efficiently dissipates heat shrinkage and ensure comfort during treatment. |
| RAMP | First 0-5 seconds are ramped for general applications. |
| CHECK | For detecting caries, calculus and cracked teeth. |
| SOFT | First 0-5 seconds are ramped for more gentle processing, designed for patients sensitive to heat. |

| LENS | APPLICATION |
|--|---|
| MICROCURE LENS | For curing small and medium sized restorations tacking of veneers |
| 2.2mm & 3.0mm MICROCURE BALL LENS | Holds matrix against contact while curing composite for Class II restorations |
| ENDO GUIDE LENS | For curing at the apex of the tooth and other limited areas |

12 MONTH WARRANTY

A different microcure accessory cap to cover every need.



a. Endo Guide Lens
The mini light guide is suitable for curing apex position of the tooth and other limited areas.



b. 3.0 mm Microcure Ball Lens
Facilitates the building of convex proximal contacts. The imprint is easily filled with composite in a second step, push the Microcure Ball Lens against the interproximal wall of the band, do not submerge in composite.



c. 2.2 mm Microcure Ball Lens
Facilitates the building of convex proximal contacts. The imprint is easily filled with composite in a second step, push the Microcure Ball Lens against the interproximal wall of the band, do not submerge in composite.



d. Microcure Lens
It provides pinpoint curing of small composites and is helpful for tack curing veneers.

Caries Detection

Purple light for 30 or 60 seconds for detecting caries, calculus and cracked teeth.

The carbolite helps detect caries by emitting specific wave lengths that induce different fluorescence in healthy and decayed dental tissue. This allows dentists to visually distinguish between healthy enamel and carious lesions.



High Grade Milled Aluminium Body

Ensures superior strength, durability, and effective heat dissipation. Its sleek, slim design and optimal weight make the handpiece practical, easy to handle and exceptionally comfortable to use.



10 mm Head

Our ergonomically designed 10mm head produces an output of up to 3000 mW/cm² and a dual wave length of 385-515 nm. Powerful enough to cure in seconds, the full range of the most popular light cured products on the dental market today.

Customized LED chip and filters produce a collimated output that maintains a consistent curing beam.



An inbuilt light indicator to keep track of the radiance of the curing light on an easy to read OLED screen.



C03-B BASIC CURE LED CURING LIGHT

with direct light source

DUAL WAVELENGTH
385-515 NM TO CURE
ALL COMPOSITES
ON THE MARKET

360° ROTATION

ON/OFF SWITCH

LED DISPLAY

MODE/TIME
SWITCH

AUTOMATIC
COMPENSATION
CIRCUIT FOR
CONSTANT
POWER OUTPUT



C03-B Complete Set

- **Unbeatable Value**
High-performance curing light with advanced features at a budget-friendly price.
- **Four Versatile Modes**
Tailored modes to meet every clinical need, from quick curing, orthodontics and general applications.
- **Dual Wavelength Technology**
Effectively cures all composite materials on the market.
- **Compact Low-Profile Head**
Easily reaches hard-to-access areas, ensuring precision and ease of use.
- **LED Display**
Provides clear, real-time information for seamless operation.
- **Convenient Charging Base**
Always charged and ready to use
- **Constant Power Output**
Automatic compensation circuit ensures consistent performance, even with a low battery.

C03-B SPECIFICATIONS

| C03-B SPECIFICATIONS | | |
|--------------------------|---------------|---|
| DIRECT LIGHT HEAD | | 10 mm (dia.) |
| LIGHT WAVELENGTH | | 385-515 nm |
| APPLICATION | | General / Ortho |
| MODE | NORMAL | 1,200 mW/cm ² for 5, 10, 15, 20 seconds ±10% |
| | HIGH | 2,500 mW/cm ² for 1, 3, 5 seconds ±10% |
| | ORTHO | Ortho x 05 2,500 mW/cm ² for 5 x 3 seconds with 1s interval ±10% Ortho x 10 2,500 mW/cm ² for 10 x 3 seconds with 1s interval ±10% |
| | RAMP | 1st five seconds from 0-1,200 mW/cm ² next 5, 10, 15, 20 seconds 1,200 mW/cm ² |
| WEIGHT | | 85 gms |
| LENGTH | | 230 mm |

CURING LIGHT MODE APPLICATIONS

| CURING LIGHT MODE APPLICATIONS | |
|--------------------------------|---|
| NORMAL | For general applications. |
| HIGH | For quick curing of resin and composites that are no more than 2mm thick. Also recommended for ceramic brackets, bonding veneers etc. |
| ORTHO | For orthodontic applications. 3 second mesial + 3 second distal for metal brackets resin bonding (with 1 sec blink in-between). |
| RAMP | First 0-5 seconds are ramped for general applications. |

C03-B set contents:

- curing light handpiece
- 10mm direct light source head
- charging base,
- protective light shield
- 100pcs barrier sleeves
- power adaptor

Parts:

- C03-B Basic Cure Curing Light
- C03-B-1 10mm Direct Light Source Head
- C03-B-3 Protective Light Shield
- C03-B-3 Power Adaptor
- 125SS Barrier Sleeves Small Short (500 pcs/box)

12 MONTH WARRANTY

E98 APEX LOCATOR WITH ENDOMOTOR INTEGRATION CAPABILITIES



- Large 9cm LCD display with visual display of file position
- Biomimetic-silica-wrapped file clip with large arc for easier file installation, can be autoclaved more than 1000 times
- Stainless steel lip hook
- Compact size & stable design
- Advanced multi-frequency technology with automatic calibration
- High precision in wet & dry canals
- Powerful 1500 mAh lithium-ion battery
- Volume adjustable
- Accessories autoclavable to 134°C
- Dimensions: 9.5 x 6.5 x 2.0cm

e98 kit contents: apex locator, measuring wire, two file clips, two lip hooks, apex locator tester, power adaptor
e9801 apex locator measuring wire
e9802 apex locator 2x lip hook
e9803 apex locator 2x file clips
e9804 apex locator tester
e8898 apex locator power adaptor

**12 MONTH WARRANTY
(excluding spare parts)**



E88 Endomotor integration with E98 Apex Locator

Integration of the 2 units allows the full range of functions of both devices to be used:

- Auto start and stop
- Apical reverse
- Apical slow down
- In connect function e88 Endomotor mirrors e98 Apex Locator's screen



E88 ENDOMOTOR WITH APEX LOCATOR INTEGRATION CAPABILITIES

- **5 reciprocation modes (M0)**
 Forward Reciprocation-Four Modes Clockwise & Counterclockwise movement
 Fwd 150° - Rev 30° | Fwd 180° - Rev 30° for continuous rotation files
 Fwd 210° - Rev 30° | Fwd 250° - Rev 30° for continuous rotation files
 Reverse Reciprocation-One Mode Counterclockwise & Clockwise movement
 Fwd 30° - Rev 150° for reciprocating files
- **9 editable memory programs (M1 to M9)**
 - Forward or reverse direction rotation
 - Torque auto reverse
 - Editable speed/rpm setting
 - Editable torque settings
 - Maximum speed 1000 rpm
 - 360° clockwise rotational movement
- Digital OLED with ambidextrous display
- Low noise motor
- Torque calibration
- Volume adjustable

e88 kit contents: motor handpiece, contra angle head, insulating sleeve, handpiece stand, spray nozzle, USB cable, power adaptor
e8801 endomotor contra angle head
e8802 endomotor contra angle sleeve
e8803 endomotor USB cable
e8804 endomotor spray nozzle
e8898 apex locator power adaptor

**12 MONTH WARRANTY
(excluding spare parts)**

E50 REAMERS stainless steel

| E50 REAMERS stainless steel | | | | | |
|-----------------------------|--------|-----|-----|-----|-----|
| #06 | #08 | #10 | | | |
| #15 | #20 | #25 | #30 | #35 | #40 |
| #45 | #50 | #55 | #60 | #70 | #80 |
| #15-40 | #45-80 | | | | |

E50 Reamers *Stainless Steel* 21, 25 or 31 mm, 6 pcs/pack
No.06-80 Single Size
No.15-40, 45-80 Assorted Sizes

E52 REAMERS NiTi alloy

| E52 REAMERS NiTi alloy | | | | | |
|------------------------|--------|-----|-----|-----|-----|
| #10 | | | | | |
| #15 | #20 | #25 | #30 | #35 | #40 |
| #45 | #50 | #55 | #60 | #70 | #80 |
| #15-40 | #45-80 | | | | |

E52 Reamers *NiTi Alloy* 21, 25 or 31 mm, 6 pcs/pack
No.10-80 Single Size
No.15-40, 45-80 Assorted Sizes

AUTOCLAVABLE PLASTIC BUR BLOCK



- Autoclavable up to 134°C
- Size: 36 mm x 29 mm x 10.5 mm
- Colours: Light Blue, Blue, Green or Grey

S019A
Autoclavable
Bur Dispenser
(5 FG)



- Autoclavable up to 134°C
- Size: 72 mm x 27 mm x 33 mm
- Colours: Light Blue, Blue, Green or Grey

S015D
Autoclavable
Bur Block
(20 FG + 10 RA)


AUTOCLAVABLE PLASTIC ENDO DISPENSERS

- Holds 8 hand or engine files up to size 80 (all lengths)
- Autoclavable up to 134°C
- Size: 75 mm x 51 mm x 10 mm
- Colours: Light Blue, Blue, Green or Grey



S008C Endo Dispenser with Ruler (8 Holes)

- Holds 10 hand or engine files up to size 80 (all lengths)
- Autoclavable up to 134°C
- Size: 59 mm x 22 mm x 49 mm
- Colours: Light Blue, Blue, Green or Grey



S030A Endo Dispenser with Counter (10 Holes)

AUTOCLAVABLE GUTTA PERCHA POINT TIP CUTTER



- Autoclavable up to 134°C
- Colour: Black
- Stainless steel knife head
- Size: 71 mm x 39 mm x 15 mm

S033F Tip Cutter

LOW SPEED HANDPIECES AND AIR MOTOR



L10-4PY
Proply
Attachment
4:1 Reduction



L20-1L
Latch
CA Handpiece
1:1 Standard



L10-1
Straight
Handpiece
1:1 Standard



L30
Air Motor
1:1 Standard
(4 holes)
20,000 r.p.m.

12 MONTH WARRANTY

Whilst stocks last – new prophy pastes coming soon



PROPHY PASTE

- Designed for polishing and plaque removal
- Fluoride-free
- Thixotropic
- 100 gram jar
- Available in grit:
P66 medium orange 100g

DISPOSABLE PEEL-N-STICK SENSOR HOLDERS

- Universal fitting



4001
Anterior Blue
100 pcs/pack



4003
Posterior Yellow
100 pcs/pack



4007
Endo Green
100 pcs/pack



4009
Bite Tab Red
50 pcs/pack



4005
Bitewing Red
100 pcs/pack

DISPOSABLE APPLICATOR TIPS universal luer lock fitting

- Ensure accurate delivery of dental materials. Ideal for endodontic use



YS1001
G.25 Tips Dark Blue
50 pcs/pack



YS1002
G.23 Tips Black
50 pcs/pack



YS1007
G.25 Semi-Transparent
50 pcs/pack



TIP CLOSE-UP

- Ideal for adhesives and sealants

YS1012
Tips with Brushes
50 pcs/pack

PHOTOGRAPHIC TITANIUM GLASS MIRRORS FRONT SURFACE DOUBLE SIDED

- Autoclavable up to 134°C
- Glass mirrors with hard surfaces



PM003
CHILD OCCLUSAL



PM004
ADULT OCCLUSAL



PM005
XL OCCLUSAL



PM001
BUCCAL



PM002
LINGUAL



DISPOSABLE STERILISATION ROLLS

- Designed for use with a suitable heat-sealing equipment or autoclave tape to seal each end of the roll after being cut to size.
- Manufactured from 70 gsm medical grade paper and 60 µm blue tinted film to help detect puncture holes.
- Triple adhesive seal to protect contents.
- Easy to read external steam indicators change from blue to dark grey to ensure sterile conditions have been met.
- Three universal sizes for all applications.
- Complies with ISO 11607-1 and EN 868-5.

Sterilisation Rolls, 200 m roll
6052 50 mm
6053 75 mm
6054 100 mm

C01 LED CURING LIGHTS with fibre optic light guides

| C01 SPECIFICATIONS | | | |
|--------------------|-----------------|---|--|
| Model | C01-C (classic) | C01-D (dual range) | |
| F.O. LIGHT GUIDE | 8 mm (dia.) | 11 mm (dia.) | |
| LIGHT WAVELENGTH | 440~480 nm | 390~430 nm 440~480 nm | |
| APPLICATION | General | General / Ortho | |
| MODE | TACK | N/A | |
| | TURBO | 1,500 mW/cm ² for 5 seconds ±10% | 2,000 mW/cm ² for 4 seconds ±10% |
| | 3' + 3' | N/A | 2,000 mW/cm ² for 3 + 3 seconds ±10% (with 1 second blink in between) |
| | 6' + 6' | N/A | 1,500 mW/cm ² for 6 + 6 seconds ±10% (with 1 second blink in between) |
| | FULL | 1,200 mW/cm ² for 5, 10, 15, 20 seconds ±10% | |
| | RAMP | 1 st five seconds from 0-1,200 mW/cm ² next 5, 10, 15, 20 seconds 1,200 mW/cm ² ±10% | |
| | SOFT CURE | 1 st five seconds from 0-900 mW/cm ² next 5, 10, 15, 20, 25 seconds 900 mW/cm ² ±10% | |
| WEIGHT | 205 gms | 200 gms | |
| LENGTH | 260 mm | 265 mm | |

| CURING LIGHT MODE APPLICATIONS | |
|--------------------------------|---|
| TACK | Tack cure, a very short initial curing for temporary processing before final cure. For example, veneer bonding or temporary cement for in-position and easy removal of excess material. |
| TURBO | Super fast curing for resin and composite under 2 mm thickness. Also recommended for ceramic brackets, veneer bonding etc. |
| 3' + 3' | 3 Seconds Mesial + 3 Seconds Distal for metal brackets resin bonding. (with 1 second blink in between) |
| 6' + 6' | 6 Seconds Mesial + 6 Seconds Distal for metal brackets with bonding resin requiring more curing time, and buccal tubes bonding. (with 1 second blink in between) |
| FULL | For general applications. |
| RAMP | With first 0-5 seconds ramping for general application. |
| SOFT CURE | With first 0-5 seconds ramping for more gentle processing, designed for the patients sensitive to the heat. |



AUTOCLAVABLE FIBRE OPTIC LIGHT GUIDE CAN BE ROTATED 360°

AUTOMATIC COMPENSATION CIRCUIT FOR CONSTANT POWER OUTPUT

ON/OFF SWITCH

DISPLAY SCREEN

TIME SWITCH

MODE INDICATORS

MODE SWITCH

FULLY COVERED MEMBRANE PANEL FOR EASY CLEANING AND INFECTION CONTROL

A FULL CHARGE OF BATTERY CAN BE USED MORE THAN 100 TIMES WHEN SET AT 10 SECOND TIME MODE

SIZE: L265 x Dia.27 (mm)

REPLACEABLE BATTERY OPENING

C01 Complete Set with Built-In Light Intensity Indicator



CHARGING STATION


LIGHT INTENSITY INDICATOR




063 Protective Hand Light Shield

C01-C Curing Light (Classic) with 8 mm Light Guide
 C01-D Curing Light (Dual Range) with 11 mm Light Guide
 C01-C-1 8 mm Fibre Optic Light Guide
 C01-D-1 11 mm Fibre Optic Light Guide
 C01-D-4 Tack Heat Protective Rings, 6 pcs/pack
 C01/2-1 Replacement Battery
 123S Light Sleeves Small (for C01-C) 500 pcs/box
 123L Light Sleeves Large (for C01-D) 500 pcs/box

24 MONTH WARRANTY



C01-C Light Wavelength



C01-D Light Wavelength

| C01-C / C01-D CURING LIGHT DEPTH OF CURE | | | | | | |
|--|-----------------------------|--------------------|------------------------------------|--------------------------------|--------------------|------------------------------------|
| MODEL | C01-C (classic) Curing Time | Depth Measurements | ISO 4049 Depth Measurements (-50%) | C01-D (dual range) Curing Time | Depth Measurements | ISO 4049 Depth Measurements (-50%) |
| TURBO | 5 seconds | 4.2 mm | 2.10 mm | 4 seconds | 4.3 mm | 2.15 mm |
| FULL | 10 seconds | 4.3 mm | 2.15 mm | 10 seconds | 4.4 mm | 2.20 mm |
| RAMP | 10 seconds | 4.1 mm | 2.05 mm | 10 seconds | 4.2 mm | 2.10 mm |
| SOFT CURE | 15 seconds | 4.6 mm | 2.30 mm | 15 seconds | 4.6 mm | 2.30 mm |

REMARKS: Above data is based on test results using an A2 shade composite. The light guide tip was placed above and pointed perpendicular to the composite. Tests were done as per ISO 4049 Standard. The samples were measured and the data was divided by two (50% of the total composite depth cured). ISO 4049 Standard requires that the results for class II restorative materials should be at least 1.5 mm for non-opaque shades and 1.0 mm for opaque shades. All resins and composites have different curing times. It is strongly recommended that you should test your composite and resin performance to determine the curing times required.

Data is only for reference, always follow the instructions from your resin and composite manufacturers.

- There are many variables (distance and angle between the light tip and composite, area, shade, thickness and type etc.) affecting composite curing times. It is recommended to place and cure a maximum of 2 mm for each composite placement.
- Using a barrier sleeve on the curing light will reduce 5-10% of light intensity.
- The light guide tip should be placed approximately 1-2 mm above the composite or resin and pointed perpendicular to the tooth surface.
- High intensity curing lights produce more heat. This is a direct indication of the power of the light being emitted. When using the device for more than 10 seconds, do not keep the light tip in one position. It is always recommended to use a dental syringe to blow a cold air flow on the area during long periods of curing. This will maintain a lower temperature for the composite and surrounding area, particularly when using rubber dam so as to avoid any rubber dam breakage due to heat built-up.
- Do not expose soft tissue to the light being emitted for more than 2 seconds or burns may occur.
- Avoid the light guide tip coming into contact with any soft tissue in the mouth.



10 colours available:



C02 LED CURING LIGHTS 90° right angle direct light source head


| C02 SPECIFICATIONS | | | |
|--------------------|-----------------|---|--|
| Model | C02-C (classic) | C02-D (dual range) | |
| DIRECT LIGHT HEAD | 10 mm (dia.) | | |
| LIGHT WAVELENGTH | 440~480 nm | 390~430 nm 440~480 nm | |
| APPLICATION | General | General / Ortho | |
| MODE | TACK | N/A | |
| | TURBO | 1,500 mW/cm ² for 5 seconds ±10% | 2,500 mW/cm ² for 3 seconds ±10% |
| | 3' + 3' | N/A | 2,000 mW/cm ² for 3 + 3 seconds ±10% (with 1 second blink in between) |
| | 6' + 6' | N/A | 1,500 mW/cm ² for 6 + 6 seconds ±10% (with 1 second blink in between) |
| | FULL | 1,200 mW/cm ² for 5, 10, 15, 20 seconds ±10% | |
| | RAMP | 1 st five seconds from 0-1,200 mW/cm ² next 5, 10, 15, 20 seconds 1,200 mW/cm ² ±10% | |
| | SOFT CURE | 1 st five seconds from 0-900 mW/cm ² next 5, 10, 15, 20, 25 seconds 900 mW/cm ² ±10% | |
| WEIGHT | 185 gms | 185 gms | |
| LENGTH | 255 mm | 255 mm | |

| CURING LIGHT MODE APPLICATIONS | |
|--------------------------------|---|
| TACK | Tack cure, a very short initial curing for temporary processing before final cure. For example, veneer bonding or temporary cement for in-position and easy removal of excess material. |
| TURBO | Super fast curing for resin and composite under 2 mm thickness. Also recommended for ceramic brackets, veneer bonding etc. |
| 3' + 3' | 3 Seconds Mesial + 3 Seconds Distal for metal brackets resin bonding, (with 1 second blink in between) |
| 6' + 6' | 6 Seconds Mesial + 6 Seconds Distal for metal brackets with bonding resin requiring more curing time, and buccal tubes bonding, (with 1 second blink in between) |
| FULL | For general applications. |
| RAMP | With first 0-5 seconds ramping for general application. |
| SOFT CURE | With first 0-5 seconds ramping for more gentle processing, designed for the patients sensitive to the heat. |




C02-C (Classic) Curing Light with 10 mm Light Head
 C02-D (Dual Range) Curing Light with 10 mm Light Head
 C02-C-1 (Classic) Direct Light Source Head
 C02-D-1 (Dual Range) Direct Light Source Head
 C01/2-1 Replacement Battery
 C02-3 Heat Protect Rings, 6 pcs/pack
 C02-4 Tack Heat Protective Rings, 6 pcs/pack
 125 Light Sleeves (for C02-C/D) 500 pcs/box

24 MONTH WARRANTY



C02-C Light Wavelength



C02-D Light Wavelength

| C02-C / C02-D CURING LIGHT DEPTH OF CURE | | | | | | |
|--|--------------------------------|--------------------|------------------------------------|-----------------------------------|--------------------|------------------------------------|
| MODEL | C02-C (classic) Curing Time | Depth Measurements | ISO 4049 Depth Measurements (-50%) | C02-D (dual range) Curing Time | Depth Measurements | ISO 4049 Depth Measurements (-50%) |
| TURBO | 5 seconds | 4.4 mm | 2.20 mm | 3 seconds | 4.5 mm | 2.25 mm |
| FULL | 10 seconds | 5.1 mm | 2.55 mm | 10 seconds | 5.2 mm | 2.60 mm |
| RAMP | 10 seconds | 4.8 mm | 2.40 mm | 10 seconds | 4.9 mm | 2.45 mm |
| SOFT CURE | 15 seconds | 5.0 mm | 2.50 mm | 15 seconds | 5.1 mm | 2.55 mm |

REMARKS: Above data is based on test results using an A2 shade composite. The light tip was placed above and pointed perpendicular to the composite. Tests were done as per ISO 4049 Standard. The samples were measured and the data was divided by two (50% of the total composite depth cured). ISO 4049 Standard requires that the results for class II restorative materials should be at least 1.5 mm for non-opaque shades and 1.0 mm for opaque shades. All resins and composites have different curing times. It is strongly recommended that you should test your composite and resin performance to determine the curing times required.

Data is only for reference, always follow the instructions from your resin and composite manufacturers.

- There are many variables (distance and angle between the light tip and composite, area, shade, thickness and type etc.) affecting composite curing times. It is recommended to place and cure a maximum of 2 mm for each composite placement.
- Using a barrier sleeve on the curing light will reduce 5-10% of light intensity.
- The light tip should be placed approximately 1-2 mm above the composite or resin and pointed perpendicular to the tooth surface.
- High intensity curing lights produce more heat. This is a direct indication of the power of the light being emitted. When using the device for more than 10 seconds, do not keep the light tip in one position. It is always recommended to use a dental syringe to blow a cold air flow on the area during long periods of curing. This will maintain a lower temperature for the composite and surrounding area, particularly when using rubber dam so as to avoid any rubber dam breakage due to heat built-up.
- Do not expose soft tissue to the light being emitted for more than 2 seconds or burns may occur.
- Avoid the light tip coming into contact with any soft tissue in the mouth. As an option, you may cover the entire curing light with a disposable sleeve and then place the Heat Protective Ring (included inside the packing box) onto the light tip covered with sleeve as shown below. Ensure the Heat Protective Ring is securely positioned on the curing light before starting the cure.

10 colours available:



C01-M / C02-M LED CURING LIGHTS MINI (with USB Charger)



- 360° Rotatable tips
- Automatic compensation circuit for constant power output
- Fully covered membrane panel for easy cleaning and infection control
- Light weight: approx. 85 gms
- Dual modes: FULL / SOFT
- 12 Operation times
- Fully charged battery provides over 100 x 10 second curing cycles

| C01-M / C02-M SPECIFICATIONS | | |
|------------------------------|--------------------------|---|
| Model | C01-M (F.O. Light Guide) | C02-M (Direct Light Source) |
| LIGHT TIP | 8 mm (dia.) | 11 mm (dia.) |
| LIGHT WAVELENGTH | 440~480 nm | 440~480 nm |
| MODE | FULL | 1,200 mW/cm ² for 5, 10, 15, 20, 25, 30 seconds±10% |
| | SOFT | 1 st five seconds from 0-900 mW/cm ² next 5, 10, 15, 20, 25, 30 seconds 900 mW/cm ² ±10% |
| WEIGHT | 86 gms | 84 gms |
| LENGTH | 230 mm | 220 mm |


| C01-M / C02-M CURING LIGHT DEPTH OF CURE | | | | | | |
|--|--------------------------------------|--------------------|------------------------------------|---|--------------------|------------------------------------|
| MODE \ MODEL | C01-M (F.O. Light Guide) Curing Time | Depth Measurements | ISO 4049 Depth Measurements (-50%) | C02-M (Direct Light Source) Curing Time | Depth Measurements | ISO 4049 Depth Measurements (-50%) |
| FULL | 10 seconds | 4.3 mm | 2.15 mm | 10 seconds | 5.1 mm | 2.55 mm |
| SOFT | 15 seconds | 4.6 mm | 2.30 mm | 15 seconds | 4.8 mm | 2.40 mm |

REMARKS: Above data is based on test results using an A2 shade composite. The light tip was placed above and pointed perpendicular to the composite. Tests were done as per ISO 4049 Standard. The samples were measured and the data was divided by two (50% of the total composite depth cured). ISO 4049 Standard requires that the results for class II restorative materials should be at least 1.5 mm for non-opaque shades and 1.0 mm for opaque shades. All resins and composites have different curing times. It is recommended that you should test your resins and composites performance to determine the curing times required.



24 MONTH WARRANTY

C01-M Curing Light (F.O. Light Guide)
 C02-M Curing Light (Direct Light Head)
 C01-M-1 F.O. Light Guide 8 mm
 C02-M-1 Direct Light Head 11 mm
 C01/2-M-1 Replacement Battery
 228 Light Sleeves Mini 500 pcs/box



DISPOSABLE 60° TURN RECIPROCATING LATEX FREE PROPHY ANGLES

NO SPLATTER - The centrifugal force generated by a normal 360° turn prophy angle results in splattering and mess. Our **NEW 60° turn reciprocating** prophy angles eliminates potential splattering of prophy paste, blood and saliva, keeping the prophy paste in the cup where it belongs.

NO HEAT - Our **NEW 60° turn reciprocating** prophy angles build up much less heat during use, assuring a smooth, cool treatment for your patient.

EFFECTIVE - Due to less heat generated during use, if necessary more pressure may be applied to remove stubborn stains.

FASTER - Thanks to our innovatively designed **NEW 60° turn reciprocating** prophy angles, the prophy cup or brush can be used continuously on the tooth surface, saving valuable chair time.

SAFER - The rotational motion of traditional prophy cups and brushes can cause laceration and bleeding of the gums. Our **NEW 60° turn reciprocating** prophy angles provide a much safer and pain-free prophylaxis treatment.

DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES STANDARD CUPS LATEX FREE TURBINE BLADES

100 pcs/box

REGULAR STANDARD CUPS TURBINE BLADES

SOFT STANDARD CUPS TURBINE BLADES

X-SOFT STANDARD CUPS TURBINE BLADES

| Regular Cup Colours | White | Light Blue | Lavender | Orange | Soft Cup Colours | Pink | Lime | Green | Dark Blue | X-Soft Cup Colours | Red | Yellow |
|------------------------------------|--|-------------|-------------|-------------|---------------------------------|--|-------------|-------------|-------------|-----------------------------------|--------------------------------------|-------------|
| Regular Single Colour Order No. | CT3399-60WT | CT3399-60LB | CT3399-60LV | CT3399-60OR | Soft Single Colour Order No. | CT3399-60PK | CT3399-60LM | CT3399-60GR | CT3399-60DB | X-Soft Single Colour Order No. | CT3399-60RD | CT3399-60YL |
| Regular Assorted Colours Order No. | CT3399-60RA Assorted: White, L.Blue, Lavender, Orange | | | | Soft Assorted Colours Order No. | CT3399-60SA Assorted: Pink, Lime, Green, D.Blue | | | | X-Soft Assorted Colours Order No. | CT3399-60XA Assorted: Red, Yellow | |

DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES SHORT CUPS LATEX FREE TURBINE BLADES

100 pcs/box

REGULAR SHORT CUPS TURBINE BLADES

SOFT SHORT CUPS TURBINE BLADES

X-SOFT SHORT CUPS TURBINE BLADES

| Regular Cup Colours | White | Light Blue | Lavender | Orange | Soft Cup Colours | Pink | Lime | Green | Dark Blue | X-Soft Cup Colours | Red | Yellow |
|------------------------------------|---|--------------|--------------|--------------|---------------------------------|---|--------------|--------------|--------------|-----------------------------------|---------------------------------------|--------------|
| Regular Single Colour Order No. | CTS3399-60WT | CTS3399-60LB | CTS3399-60LV | CTS3399-60OR | Soft Single Colour Order No. | CTS3399-60PK | CTS3399-60LM | CTS3399-60GR | CTS3399-60DB | X-Soft Single Colour Order No. | CTS3399-60RD | CTS3399-60YL |
| Regular Assorted Colours Order No. | CTS3399-60RA Assorted: White, L.Blue, Lavender, Orange | | | | Soft Assorted Colours Order No. | CTS3399-60SA Assorted: Pink, Lime, Green, D.Blue | | | | X-Soft Assorted Colours Order No. | CTS3399-60XA Assorted: Red, Yellow | |

DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES LATEX FREE BRUSHES REGULAR / SOFT / X-SOFT

100 pcs/box

REGULAR WHITE
(nylon brush dia 0.2 mm)

SOFT CLEAR
(nylon brush dia 0.15 mm)

X-SOFT YELLOW
(nylon brush dia 0.10 mm)

| Regular Type | Flat | Tapered | Mini Cup | Soft Type | Flat | Tapered | Mini Cup | X-Soft Type | Flat | Tapered | Mini Cup |
|------------------------------------|---|----------------|---------------|---------------------------------|---|----------------|---------------|-----------------------------------|---|----------------|---------------|
| Regular White Colour Order No. | C3399-60-R261F | C3399-60-R261T | C3399-60-R269 | Soft Clear Colour Order No. | C3399-60-S261F | C3399-60-S261T | C3399-60-S269 | X-Soft Yellow Colour Order No. | C3399-60-X261F | C3399-60-X261T | C3399-60-X269 |
| Regular Assorted Colours Order No. | C3399-60-R261FA C3399-60-R261TA C3399-60-R269A Assorted: White, L.Blue, Lavender, Orange | | | Soft Assorted Colours Order No. | C3399-60-S261FA C3399-60-S261TA C3399-60-S269A Assorted: Pink, Lime, Green, D.Blue | | | X-Soft Assorted Colours Order No. | C3399-60-X261FA C3399-60-X261TA C3399-60-X269A Assorted: Yellow, Red | | |

Prophy Angles

PROPHY ANGLE ATTACHMENT 4:1



L10-4PY Prophy Angle Attachment 4:1




PROPHY PASTE

- Designed for polishing and plaque removal
- Fluoride-free
- Thixotropic
- 100 gram jar
- Available in grit: P66 medium orange 100g

Whilst stocks last – new prophy pastes coming soon

DISPOSABLE PROPHY ANGLES STANDARD CUPS LATEX FREE RIBBED AND WEBBED

100 pcs/box



| Type | 90° Right Angle | | 105° Contra Angle | |
|-------------|------------------|------------|-------------------|------------|
| Cup Colours | Regular Lavender | Soft Green | Regular Lavender | Soft Green |
| Order No. | 3399-090RL | 3399-090SG | 3399-105RL | 3399-105SG |

DISPOSABLE PROPHY ANGLES BRUSHES LATEX FREE FLAT AND TAPERED

100 pcs/box



| Type | 90° Right Angle | | 105° Contra Angle | |
|-----------|-----------------|-----------------|-------------------|-----------------|
| Brushes | Regular Flat | Regular Tapered | Regular Flat | Regular Tapered |
| Order No. | 3399-090F | 3399-090T | 3399-105F | 3399-105T |

DISPOSABLE CLEAR PROPHY ANGLES STANDARD CUPS LATEX FREE RIBBED AND WEBBED

100 pcs/box




| Type | 90° Right Angle | | 90° Right Angle | |
|-------------|--------------------|------------------|-----------------|-------------|
| Cup Colours | Regular Light Blue | Regular Lavender | Soft Green | Soft Pink |
| Order No. | C3399-090RB | C3399-090RL | C3399-090SG | C3399-090SP |



| Type | 105° Contra Angle | | 105° Contra Angle | |
|-------------|--------------------|------------------|-------------------|-------------|
| Cup Colours | Regular Light Blue | Regular Lavender | Soft Green | Soft Pink |
| Order No. | C3399-105RB | C3399-105RL | C3399-105SG | C3399-105SP |

DISPOSABLE CLEAR PROPHY ANGLES SHORT CUPS LATEX FREE RIBBED AND WEBBED

100 pcs/box




| Type | 90° Right Angle | | 90° Right Angle | |
|-------------|--------------------|------------------|-----------------|--------------|
| Cup Colours | Regular Light Blue | Regular Lavender | Soft Green | Soft Pink |
| Order No. | CS3399-090RB | CS3399-090RL | CS3399-090SG | CS3399-090SP |



| Type | 105° Contra Angle | | 105° Contra Angle | |
|-------------|--------------------|------------------|-------------------|--------------|
| Cup Colours | Regular Light Blue | Regular Lavender | Soft Green | Soft Pink |
| Order No. | CS3399-105RB | CS3399-105RL | CS3399-105SG | CS3399-105SP |

DISPOSABLE CLEAR PROPHY ANGLES STANDARD CUPS LATEX FREE TURBINE BLADES

100 pcs/box



| Type | 90° Right Angle | | 90° Right Angle | |
|-------------|--------------------|------------------|-----------------|--------------|
| Cup Colours | Regular Light Blue | Regular Lavender | Soft Green | Soft Pink |
| Order No. | CT3399-090RB | CT3399-090RL | CT3399-090SG | CT3399-090SP |



| Type | 105° Contra Angle | | 105° Contra Angle | |
|-------------|--------------------|------------------|-------------------|--------------|
| Cup Colours | Regular Light Blue | Regular Lavender | Soft Green | Soft Pink |
| Order No. | CT3399-105RB | CT3399-105RL | CT3399-105SG | CT3399-105SP |

METAL SHANKS CUPS (8.5 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

REGULAR STANDARD CUPS
RIBBED AND WEBBED

| | | | | |
|------------------------------------|--|------------|----------|--------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | M222WT | M222LB | M222LV | M222OR |
| Regular Assorted Colours Order No. | M222RA Assorted: White, L.Blue, Lavender, Orange | | | |

METAL SHANKS CUPS (8.5 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

SOFT STANDARD CUPS
RIBBED AND WEBBED

| | | | | |
|---------------------------------|--|--------|--------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | M222PK | M222LM | M222GR | M222DB |
| Soft Assorted Colours Order No. | M222SA Assorted: Pink, Lime, Green, D.Blue | | | |

METAL SHANKS CUPS (8.5 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

X-SOFT STANDARD CUPS
RIBBED AND WEBBED

8.5mm
15mm

| | | |
|-----------------------------------|------------------------------|--------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | M222RD | M222YL |
| X-Soft Assorted Colours Order No. | M222XA Assorted: Red, Yellow | |

DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA METAL SHANKS RIBBED AND WEBBED
100 pcs/box

PLASTIC SHANKS CUPS (8.5 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

REGULAR STANDARD CUPS
RIBBED AND WEBBED

| | | | | |
|------------------------------------|--|------------|----------|--------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | P222WT | P222LB | P222LV | P222OR |
| Regular Assorted Colours Order No. | P222RA Assorted: White, L.Blue, Lavender, Orange | | | |

PLASTIC SHANKS CUPS (8.5 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

SOFT STANDARD CUPS
RIBBED AND WEBBED

| | | | | |
|---------------------------------|--|--------|--------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | P222PK | P222LM | P222GR | P222DB |
| Soft Assorted Colours Order No. | P222SA Assorted: Pink, Lime, Green, D.Blue | | | |

PLASTIC SHANKS CUPS (8.5 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

X-SOFT STANDARD CUPS
RIBBED AND WEBBED

8.5mm
15mm

| | | |
|-----------------------------------|------------------------------|--------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | P222RD | P222YL |
| X-Soft Assorted Colours Order No. | P222XA Assorted: Red, Yellow | |

DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA PLASTIC SHANKS RIBBED AND WEBBED
100 pcs/box

METAL SHANKS SHORT CUPS (7.0 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

REGULAR SHORT CUPS
RIBBED AND WEBBED

| | | | | |
|------------------------------------|--|------------|----------|--------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | S222WT | S222LB | S222LV | S222OR |
| Regular Assorted Colours Order No. | S222RA Assorted: White, L.Blue, Lavender, Orange | | | |

METAL SHANKS SHORT CUPS (7.0 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

SOFT SHORT CUPS
RIBBED AND WEBBED

| | | | | |
|---------------------------------|--|--------|--------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | S222PK | S222LM | S222GR | S222DB |
| Soft Assorted Colours Order No. | S222SA Assorted: Pink, Lime, Green, D.Blue | | | |

METAL SHANKS SHORT CUPS (7.0 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

X-SOFT SHORT CUPS
RIBBED AND WEBBED

7mm
15mm

| | | |
|-----------------------------------|------------------------------|--------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | S222RD | S222YL |
| X-Soft Assorted Colours Order No. | S222XA Assorted: Red, Yellow | |

DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS RIBBED AND WEBBED
100 pcs/box

SHORT SHANKS SHORT CUPS (7.0 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

REGULAR SHORT CUPS
RIBBED AND WEBBED

| | | | | |
|------------------------------------|--|------------|----------|----------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | SS-222WT | SS-222LB | SS-222LV | SS-222OR |
| Regular Assorted Colours Order No. | SS-222RA Assorted: White, L.Blue, Lavender, Orange | | | |

SHORT SHANKS SHORT CUPS (7.0 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

SOFT SHORT CUPS
RIBBED AND WEBBED

| | | | | |
|---------------------------------|--|----------|----------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | SS-222PK | SS-222LM | SS-222GR | SS-222DB |
| Soft Assorted Colours Order No. | SS-222SA Assorted: Pink, Lime, Green, D.Blue | | | |

SHORT SHANKS SHORT CUPS (7.0 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

X-SOFT SHORT CUPS
RIBBED AND WEBBED

7mm
SHORT SHANKS 12mm

| | | |
|-----------------------------------|--------------------------------|----------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | SS-222RD | SS-222YL |
| X-Soft Assorted Colours Order No. | SS-222XA Assorted: Red, Yellow | |

DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS SHORT SHANKS RIBBED AND WEBBED
100 pcs/box

[fit mini head CA handpieces only]

REGULAR POINTS
STANDARD SHANKS

1.500 - 3.000 r.p.m

| | | | | |
|------------------------------------|---|------------|----------|--------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | 225WT | 225LB | 225LV | 225OR |
| Regular Assorted Colours Order No. | 225RA Assorted: White, L.Blue, Lavender, Orange | | | |

SOFT POINTS
STANDARD SHANKS

1.500 - 3.000 r.p.m

| | | | | |
|---------------------------------|---|-------|-------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | 225PK | 225LM | 225GR | 225DB |
| Soft Assorted Colours Order No. | 225SA Assorted: Pink, Lime, Green, D.Blue | | | |

X-SOFT POINTS
STANDARD SHANKS

1.500 - 3.000 r.p.m

9.5mm
15mm

| | | |
|-----------------------------------|-----------------------------|--------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | 225RD | 225YL |
| X-Soft Assorted Colours Order No. | 225XA Assorted: Red, Yellow | |

DISPOSABLE LATEX FREE PROPHY POINTS CA METAL SHANKS
100 pcs/box

[for lingual and interproximal]

Prophy Cups and Points

METAL SHANKS CUPS (8.5 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

REGULAR STANDARD CUPS
TURBINE BLADES

| | | | | |
|---|--|------------|-----------|-----------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | T-M222 WT | T-M222 LB | T-M222 LV | T-M222 OR |
| Regular Assorted Colours Order No. | T-M222RA Assorted: White, L.Blue, Lavender, Orange | | | |

METAL SHANKS CUPS (8.5 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

SOFT STANDARD CUPS
TURBINE BLADES

| | | | | |
|--|--|-----------|-----------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | T-M222 PK | T-M222 LM | T-M222 GR | T-M222 DB |
| Soft Assorted Colours Order No. | T-M222SA Assorted: Pink, Lime, Green, D.Blue | | | |

METAL SHANKS CUPS (8.5 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

X-SOFT STANDARD CUPS
TURBINE BLADES

| | | |
|--|--------------------------------|-----------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | T-M222 RD | T-M222 YL |
| X-Soft Assorted Colours Order No. | T-M222XA Assorted: Red, Yellow | |

8.5mm
15mm

DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA METAL SHANKS TURBINE BLADES
100 pcs/box
White, Light Blue, Lime, Dark Blue, Yellow available in 100 pcs/box or 20 pcs/bag

PLASTIC SHANKS CUPS (8.5 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

REGULAR STANDARD CUPS
TURBINE BLADES

| | | | | |
|---|--|------------|-----------|-----------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | T-P222 WT | T-P222 LB | T-P222 LV | T-P222 OR |
| Regular Assorted Colours Order No. | T-P222RA Assorted: White, L.Blue, Lavender, Orange | | | |

PLASTIC SHANKS CUPS (8.5 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

SOFT STANDARD CUPS
TURBINE BLADES

| | | | | |
|--|--|-----------|-----------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | T-P222 PK | T-P222 LM | T-P222 GR | T-P222 DB |
| Soft Assorted Colours Order No. | T-P222SA Assorted: Pink, Lime, Green, D.Blue | | | |

PLASTIC SHANKS CUPS (8.5 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

X-SOFT STANDARD CUPS
TURBINE BLADES

| | | |
|--|--------------------------------|-----------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | T-P222 RD | T-P222 YL |
| X-Soft Assorted Colours Order No. | T-P222XA Assorted: Red, Yellow | |

8.5mm
15mm

DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA PLASTIC SHANKS TURBINE BLADES
100 pcs/box

METAL SHANKS SHORT CUPS (7.0 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

REGULAR SHORT CUPS
TURBINE BLADES

| | | | | |
|---|--|------------|-----------|-----------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | T-S222 WT | T-S222 LB | T-S222 LV | T-S222 OR |
| Regular Assorted Colours Order No. | T-S222RA Assorted: White, L.Blue, Lavender, Orange | | | |

METAL SHANKS SHORT CUPS (7.0 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

SOFT SHORT CUPS
TURBINE BLADES

| | | | | |
|--|--|-----------|-----------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | T-S222 PK | T-S222 LM | T-S222 GR | T-S222 DB |
| Soft Assorted Colours Order No. | T-S222SA Assorted: Pink, Lime, Green, D.Blue | | | |

METAL SHANKS SHORT CUPS (7.0 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

X-SOFT SHORT CUPS
TURBINE BLADES

| | | |
|--|--------------------------------|-----------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | T-S222 RD | T-S222 YL |
| X-Soft Assorted Colours Order No. | T-S222XA Assorted: Red, Yellow | |

7 mm
15mm

DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS TURBINE BLADES
100 pcs/box

SHORT SHANKS SHORT CUPS (7.0 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

REGULAR SHORT CUPS
SHORT SHANKS TURBINE BLADES

| | | | | |
|---|---|------------|-----------|-----------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | SS-T222WT | SS-T222LB | SS-T222LV | SS-T222OR |
| Regular Assorted Colours Order No. | SS-T222RA Assorted: White, L.Blue, Lavender, Orange | | | |

SHORT SHANKS SHORT CUPS (7.0 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

SOFT SHORT CUPS
SHORT SHANKS TURBINE BLADES

| | | | | |
|--|---|-----------|-----------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | SS-T222PK | SS-T222LM | SS-T222GR | SS-T222DB |
| Soft Assorted Colours Order No. | SS-T222SA Assorted: Pink, Lime, Green, D.Blue | | | |

SHORT SHANKS SHORT CUPS (7.0 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

X-SOFT SHORT CUPS
SHORT SHANKS TURBINE BLADES

| | | |
|--|---------------------------------|-----------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | SS-T222RD | SS-T222YL |
| X-Soft Assorted Colours Order No. | SS-T222XA Assorted: Red, Yellow | |

7 mm
SHORT SHANKS 12 mm

DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS SHORT SHANKS TURBINE BLADES
100 pcs/box
[fit mini head CA handpieces only]

REGULAR POINTS SCREW-IN

1.500 - 3.000 r.p.m

| | | | | |
|---|---|------------|----------|--------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | 226WT | 226LB | 226LV | 226OR |
| Regular Assorted Colours Order No. | 226RA Assorted: White, L.Blue, Lavender, Orange | | | |

SOFT POINTS SCREW-IN

1.500 - 3.000 r.p.m

| | | | | |
|--|---|-------|-------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | 226PK | 226LM | 226GR | 226DB |
| Soft Assorted Colours Order No. | 226SA Assorted: Pink, Lime, Green, D.Blue | | | |

X-SOFT POINTS SCREW-IN

1.500 - 3.000 r.p.m

| | | |
|--|-----------------------------|--------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | 226RD | 226YL |
| X-Soft Assorted Colours Order No. | 226XA Assorted: Red, Yellow | |

9.5mm

DISPOSABLE LATEX FREE PROPHY POINTS SCREW-IN
100 pcs/box
[for lingual & interproximal]

DISPOSABLE LATEX FREE PROPHY BRUSHES CA REGULAR / SOFT / X-SOFT

100 pcs/box

268, 269, 262 available in 100pcs/box or 20 pcs/bag



REGULAR WHITE
(nylon brush dia. 0.20 mm)

| Regular Type | Flat | Tapered | Micro | Junior Cup | Mini Cup |
|------------------------------------|---|---------|-------|------------|----------|
| Regular White Colour Order No. | R-262F | R-262T | R-265 | R-M268N | R-269N |
| Regular Assorted Colours Order No. | R-262FA R-262TA R-265A R-268A R-269A | | | | |
| | Assorted: White, L.Blue, Lavender, Orange | | | | |



SOFT CLEAR
(nylon brush dia. 0.15 mm)

| Soft Type | Flat | Tapered | Micro | Junior Cup | Mini Cup |
|---------------------------------|--------------------------------------|---------|-------|------------|----------|
| Soft Clear Colour Order No. | S-262F | S-262T | S-265 | S-268 | S-269 |
| Soft Assorted Colours Order No. | S-262FA S-262TA S-265A S-268A S-269A | | | | |
| | Assorted: Pink, Lime, Green, D.Blue | | | | |



X-SOFT YELLOW
(nylon brush dia. 0.10 mm)

| X-Soft Type | Flat | Tapered | Micro | Junior Cup | Mini Cup |
|-----------------------------------|--------------------------------------|---------|-------|------------|----------|
| X-Soft Yellow Colour Order No. | X-262F | X-262T | X-265 | X-268 | X-269 |
| X-Soft Assorted Colours Order No. | X-262FA X-262TA X-265A X-268A X-269A | | | | |
| | Assorted: Red, Yellow | | | | |

DISPOSABLE LATEX FREE SHORT SHANKS PROPHY BRUSHES CA [fit mini head CA handpieces only]

100 pcs/box



REGULAR WHITE (nylon brush dia. 0.20 mm)

| Regular Type | Flat | Tapered | Micro | Junior Cup | Mini Cup |
|------------------------------------|--|----------|---------|------------|----------|
| Regular White Colour Order No. | SS-R262F | SS-R262T | SS-R265 | SS-R268 | SS-R269 |
| Regular Assorted Colours Order No. | SS-R262FA SS-R262TA SS-R265A SS-R268A SS-R269A | | | | |
| | Assorted: White, L.Blue, Lavender, Orange | | | | |



SOFT CLEAR (nylon brush dia. 0.15 mm)

| Soft Type | Flat | Tapered | Micro | Junior Cup | Mini Cup |
|---------------------------------|--|----------|---------|------------|----------|
| Soft Clear Colour Order No. | SS-S262F | SS-S262T | SS-S265 | SS-S268 | SS-S269 |
| Soft Assorted Colours Order No. | SS-S262FA SS-S262TA SS-S265A SS-S268A SS-S269A | | | | |
| | Assorted: Pink, Lime, Green, D.Blue | | | | |



X-SOFT YELLOW (nylon brush dia. 0.10 mm)

| X-Soft Type | Flat | Tapered | Micro | Junior Cup | Mini Cup |
|-----------------------------------|--|----------|---------|------------|----------|
| X-Soft Yellow Colour Order No. | SS-X262F | SS-X262T | SS-X265 | SS-X268 | SS-X269 |
| X-Soft Assorted Colours Order No. | SS-X261FA SS-X261TA SS-X265A SS-X268A SS-X269A | | | | |
| | Assorted: Red, Yellow | | | | |



SNAP-ON CUPS (8.0 mm)



REGULAR CUPS
RIBBED AND WEBBED

| | | | | |
|------------------------------------|--|------------|----------|--------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | 220WT | 220LB | 220LV | 220OR |
| Regular Assorted Colours Order No. | 220RA Assorted: White, L.Blue, Lavender, Orange | | | |



SNAP-ON CUPS (8.0 mm)



SOFT CUPS
RIBBED AND WEBBED

| | | | | |
|---------------------------------|--|-------|-------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | 220PK | 220LM | 220GR | 220DB |
| Soft Assorted Colours Order No. | 220SA Assorted: Pink, Lime, Green, D.Blue | | | |



SNAP-ON CUPS (8.0 mm)



X-SOFT CUPS
RIBBED AND WEBBED

| | | |
|-----------------------------------|--------------------------------|--------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | 220RD | 220YL |
| X-Soft Assorted Colours Order No. | 220XA Assorted: Red, Yellow | |

DISPOSABLE LATEX FREE PROPHY CUPS SNAP-ON RIBBED AND WEBBED
100 pcs/box



SCREW-IN CUPS (8.5 mm)



REGULAR STANDARD CUPS
RIBBED AND WEBBED

| | | | | |
|------------------------------------|--|------------|----------|--------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | 221WT | 221LB | 221LV | 221OR |
| Regular Assorted Colours Order No. | 221RA Assorted: White, L.Blue, Lavender, Orange | | | |



SCREW-IN CUPS (8.5 mm)



SOFT STANDARD CUPS
RIBBED AND WEBBED

| | | | | |
|---------------------------------|--|-------|-------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | 221PK | 221LM | 221GR | 221DB |
| Soft Assorted Colours Order No. | 221SA Assorted: Pink, Lime, Green, D.Blue | | | |



SCREW-IN CUPS (8.5 mm)



X-SOFT STANDARD CUPS
RIBBED AND WEBBED

| | | |
|-----------------------------------|--------------------------------|--------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | 221RD | 221YL |
| X-Soft Assorted Colours Order No. | 221XA Assorted: Red, Yellow | |

DISPOSABLE LATEX FREE STANDARD PROPHY CUPS SCREW-IN RIBBED AND WEBBED
100 pcs/box



SCREW-IN SHORT CUPS (7.0 mm)



REGULAR SHORT CUPS
RIBBED AND WEBBED

| | | | | |
|------------------------------------|---|------------|----------|--------|
| Regular Cup Colours | White | Light Blue | Lavender | Orange |
| Regular Single Colour Order No. | S221WT | S221LB | S221LV | S221OR |
| Regular Assorted Colours Order No. | S221RA Assorted: White, L.Blue, Lavender, Orange | | | |



SCREW-IN SHORT CUPS (7.0 mm)



SOFT SHORT CUPS
RIBBED AND WEBBED

| | | | | |
|---------------------------------|---|--------|--------|-----------|
| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
| Soft Single Colour Order No. | S221PK | S221LM | S221GR | S221DB |
| Soft Assorted Colours Order No. | S221SA Assorted: Pink, Lime, Green, D.Blue | | | |



SCREW-IN SHORT CUPS (7.0 mm)



X-SOFT SHORT CUPS
RIBBED AND WEBBED

| | | |
|-----------------------------------|---------------------------------|--------|
| X-Soft Cup Colours | Red | Yellow |
| X-Soft Single Colour Order No. | S221RD | S221YL |
| X-Soft Assorted Colours Order No. | S221XA Assorted: Red, Yellow | |

DISPOSABLE LATEX FREE SHORT PROPHY CUPS SCREW-IN RIBBED AND WEBBED
100 pcs/box

Prophy Brushes and Cups

DISPOSABLE LATEX FREE PROPHY BRUSHES SNAP-ON REGULAR / SOFT / X-SOFT

100 pcs/box



REGULAR WHITE
(nylon brush dia. 0.20 mm)

1,500 - 3,000 r.p.m.



SOFT CLEAR
(nylon brush dia. 0.15 mm)

1,500 - 3,000 r.p.m.



X-SOFT YELLOW
(nylon brush dia. 0.10 mm)

1,500 - 3,000 r.p.m.

| Regular Type | Flat | Tapered |
|---------------------------------|--------|---------|
| Regular White Brushes Order No. | R-260F | R-260T |

| Soft Type | Flat | Tapered |
|------------------------------|--------|---------|
| Soft Clear Brushes Order No. | S-260F | S-260T |

| X-Soft Type | Flat | Tapered |
|---------------------------------|--------|---------|
| X-Soft Yellow Brushes Order No. | X-260F | X-260T |

DISPOSABLE LATEX FREE PROPHY BRUSHES SCREW-IN REGULAR / SOFT / X-SOFT

100 pcs/box



REGULAR WHITE (nylon brush dia. 0.20 mm)

1,500 - 3,000 r.p.m.



SOFT CLEAR (nylon brush dia. 0.15 mm)

1,500 - 3,000 r.p.m.



X-SOFT YELLOW (nylon brush dia. 0.10 mm)

1,500 - 3,000 r.p.m.

| Regular Type | Flat | Tapered | Micro | Junior Cup | Mini Cup |
|------------------------------------|---|---------|---------|------------|----------|
| Regular White Colour Order No. | R-261F | R-261T | R-265-1 | R-268-1 | R-269-1 |
| Regular Assorted Colours Order No. | R-261FA R-261TA R-265-1A R-268-1A R-269-1A Assorted: White, L.Blue, Lavender, Orange | | | | |

| Soft Type | Flat | Tapered | Micro | Junior Cup | Mini Cup |
|---------------------------------|---|---------|---------|------------|----------|
| Soft Clear Colour Order No. | S-261F | S-261T | S-265-1 | S-268-1 | S-269-1 |
| Soft Assorted Colours Order No. | S-261FA S-261TA S-265-1A S-268-1A S-269-1A Assorted: Pink, Lime, Green, D.Blue | | | | |

| X-Soft Type | Flat | Tapered | Micro | Junior Cup | Mini Cup |
|-----------------------------------|---|---------|---------|------------|----------|
| X-Soft Yellow Colour Order No. | X-261F | X-261T | X-265-1 | X-268-1 | X-269-1 |
| X-Soft Assorted Colours Order No. | X-261FA X-261TA X-265-1A X-268-1A X-269-1A Assorted: Red, Yellow | | | | |



REGULAR CUPS
TURBINE BLADES

1,500 - 3,000 r.p.m.

| Regular Cup Colours | White | Light Blue | Lavender | Orange |
|------------------------------------|--|------------|----------|---------|
| Regular Single Colour Order No. | T-220WT | T-220LB | T-220LV | T-220OR |
| Regular Assorted Colours Order No. | T-220RA Assorted: White, L.Blue, Lavender, Orange | | | |



SOFT CUPS
TURBINE BLADES

1,500 - 3,000 r.p.m.

| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
|---------------------------------|--|---------|---------|-----------|
| Soft Single Colour Order No. | T-220PK | T-220LM | T-220GR | T-220DB |
| Soft Assorted Colours Order No. | T-220SA Assorted: Pink, Lime, Green, D.Blue | | | |



X-SOFT CUPS
TURBINE BLADES

1,500 - 3,000 r.p.m.

| X-Soft Cup Colours | Red | Yellow |
|-----------------------------------|----------------------------------|---------|
| X-Soft Single Colour Order No. | T-220RD | T-220YL |
| X-Soft Assorted Colours Order No. | T-220XA Assorted: Red, Yellow | |

DISPOSABLE LATEX FREE PROPHY CUPS SNAP-ON TURBINE BLADES
100 pcs/box



REGULAR STANDARD CUPS
TURBINE BLADES

1,500 - 3,000 r.p.m.

| Regular Cup Colours | White | Light Blue | Lavender | Orange |
|------------------------------------|--|------------|----------|---------|
| Regular Single Colour Order No. | T-221WT | T-221LB | T-221LV | T-221OR |
| Regular Assorted Colours Order No. | T-221RA Assorted: White, L.Blue, Lavender, Orange | | | |



SOFT STANDARD CUPS
TURBINE BLADES

1,500 - 3,000 r.p.m.

| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
|---------------------------------|--|---------|---------|-----------|
| Soft Single Colour Order No. | T-221PK | T-221LM | T-221GR | T-221DB |
| Soft Assorted Colours Order No. | T-221SA Assorted: Pink, Lime, Green, D.Blue | | | |



X-SOFT STANDARD CUPS
TURBINE BLADES

1,500 - 3,000 r.p.m.

| X-Soft Cup Colours | Red | Yellow |
|-----------------------------------|----------------------------------|---------|
| X-Soft Single Colour Order No. | T-221RD | T-221YL |
| X-Soft Assorted Colours Order No. | T-221XA Assorted: Red, Yellow | |

DISPOSABLE LATEX FREE STANDARD PROPHY CUPS SCREW-IN TURBINE BLADES
100 pcs/box



REGULAR SHORT CUPS
TURBINE BLADES

1,500 - 3,000 r.p.m.

| Regular Cup Colours | White | Light Blue | Lavender | Orange |
|------------------------------------|---|------------|----------|----------|
| Regular Single Colour Order No. | T-S221WT | T-S221LB | T-S221LV | T-S221OR |
| Regular Assorted Colours Order No. | T-S221RA Assorted: White, L.Blue, Lavender, Orange | | | |



SOFT SHORT CUPS
TURBINE BLADES

1,500 - 3,000 r.p.m.

| Soft Cup Colours | Pink | Lime | Green | Dark Blue |
|---------------------------------|---|----------|----------|-----------|
| Soft Single Colour Order No. | T-S221PK | T-S221LM | T-S221GR | T-S221DB |
| Soft Assorted Colours Order No. | T-S221SA Assorted: Pink, Lime, Green, D.Blue | | | |




X-SOFT SHORT CUPS
TURBINE BLADES

1,500 - 3,000 r.p.m.

| X-Soft Cup Colours | Red | Yellow |
|-----------------------------------|-----------------------------------|----------|
| X-Soft Single Colour Order No. | T-S221RD | T-S221YL |
| X-Soft Assorted Colours Order No. | T-S221XA Assorted: Red, Yellow | |

DISPOSABLE LATEX FREE SHORT PROPHY CUPS SCREW-IN TURBINE BLADES
100 pcs/box



Greenline air-water syringe tips

Reusable products are a great idea. Unfortunately, trying to clean the inside of a reusable metal air-water syringe tip is just not possible and if you can't clean it, you can't guarantee the effectiveness of its sterilisation. This means that using a disposable plastic air-water syringe tip is the only way to guarantee avoiding cross contamination.

- Directly interchangeable with American type syringe tips (long), or European syringes which have been converted to use American type syringe tips (short)
- Made from 100% recycled plastic
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air
- Cardboard packaging which is easily recyclable

1 Our Greenline air-water syringe tips are made from 100% recycled plastic, using waste materials left over from our other manufacturing processes.

2 The Greenline air-water syringe tips are packaged in 100% recyclable cardboard boxes, instead of large plastic bags, helping to reduce the amount of plastic packaging in your surgery.

*Greenline Air-water Syringe Tips 200 pcs/box
G-018 (American Type)
G-028 (European Type)*



Greenline bamboo cups

- Leakproof construction, non-slip design
- Dispenses easily from cup dispenser due to their rolled lip
- Conveniently designed 170ml (6oz) size

Looking to cut down on plastic use? Switching to bamboo cups is a simple and easy change that can have a big impact on reducing plastic waste in your surgery. Here are some reasons to make the switch to using bamboo:

1 Bamboo is the world's quickest growing plant and provides a sustainable source of material. When bamboo is cut down to make paper, it is able to quickly recover to be harvested again.


2 Bamboo absorbs a large amount of CO₂ as it grows, which helps to offset human carbon emissions.

3 Our Greenline outer carton is 100% recyclable.

*Bamboo Cups 170 ml (6 oz), 1000 pcs/box
6800BB Blank
6800BH Healthy Teeth (4 assorted designs)*

HOLLOW HANDLE micro applicators

In an effort to limit the environmental effect of one of the most used items in a dental surgery we came up with some great ideas:




- Bends into any angle for the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

Hollow Handle Micro Applicators 100 pcs/box
 (Length 100 mm, dia 3 mm handles)
 HH-901 Regular (dia. 2.5 mm) Light Green
 HH-902 Fine (dia. 2 mm) Medium Green
 HH-903 Ultra Fine (dia. 1.5 mm) Dark Green

- 1 45% less plastic used in each hollow handle applicator than our standard micro applicator, due to the hollow design of the handle.
- 2 Instead of using new plastic, we use 100% recycled plastic for the brush tip and 50% recycled plastic for the hollow handle. This recycled plastic is made using waste materials left over from our other manufacturing processes.
- 3 No more plastic tube that can use up to a third of the amount of plastic as the actual product - just a 100% recyclable box.

mini micro applicators

In an effort to limit the environmental effect of one of the most used items in a dental surgery we came up with some great ideas:



- Bends into any angle for the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

Mini Micro Applicators 100 pcs/box
 (Length 85 mm, dia 2.5 mm handles)
 G-9901 Regular (dia. 2.5 mm) Light Green
 G-9902 Fine (dia. 2 mm) Medium Green
 G-9903 Ultra Fine (dia. 1.5 mm) Dark Green

- 1 We designed the handle to be a smaller, more practical size that reduces the amount of plastic used by 50% in comparison to our standard micro applicators.
- 2 Instead of new plastic, we used 100% recycled plastic. This recycled plastic is made using waste materials from our other manufacturing processes.
- 3 No more plastic tube that can use up to a third of the amount of plastic as the actual product - just a 100% recyclable box.

micro applicator tips

Our most environmentally friendly micro applicators:



- For the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

Greenline Micro Applicator Tips 100 pcs/box
 G-921 Regular (dia. 2.5 mm) Light Green
 G-922 Fine (dia. 2 mm) Medium Green
Autoclavable Micro Applicator Tip Handle
 7502W White
 7502T Transparent

- 1 By using a micro applicator tip with a reusable handle, you can reduce the amount the plastic that you would normally use by 80% when compared to a standard micro applicator.
- 2 Using an autoclavable handle saves plastic. Clean it, autoclave it and re-use it. Simple and effective.
- 3 Our micro applicator tips are packaged in a 100% recyclable cardboard box. Recycling can prevent pollution by reducing the need to collect new raw materials.
- 4 Instead of using new plastic for the micro applicator tips, we use 100% recycled plastic. The recycled plastic is made using waste materials from our other manufacturing processes.

DISPOSABLE AIR-WATER SYRINGE TIPS (SHORT) EURO TYPE



- Directly interchangeable with American type short syringe tips (syringes which have been converted to use American type short syringe tips)
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air

Syringe Tips Short, 250 pcs/pack
028S Syringe Tips **Short Spectrum**
028W Syringe Tips **Short White**

DISPOSABLE AIR-WATER SYRINGE TIPS WITHOUT CORE

ready to use, no converter required for American style syringe



- Directly interchangeable with most American style metal air/water syringe tips
- Economically designed without separate water core, in exchange for a split second of moisture when switching from water to air
- Rounded tip end provides maximum patient comfort

Disposable 'e' Air-Water Syringe Tips without core, 250 pcs/pack
0120S Opaque **Colour** Tips
012W Opaque **White** Tips

DISPOSABLE AIR-WATER SYRINGE TIPS ready to use, no converter required fo American style syringe



- Directly interchangeable with most American style metal air/water syringe tips
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air

Disposable 'a' Air-Water Syringe Tips, 250 pcs/pack
018S **Spectrum** Colour Tips/White Cores
018C **Clear** Tips/Colour Cores
0180S **Opaque Colour** Tips/White Cores
018W **Opaque White** Tips/White Cores




DISPOSABLE TRANSPARENT SYRINGE TIPS

- Directly interchangeable with *Sani-Tip® type transparent tip (syringes which have been converted to use transparent tip)
- Costs less than sterilizing metal tips
- Size: Long(American type) Short(European type)
- Colour: Clear Transparent

Clear Tips, 250 pcs/pack
011A Standard Length (**American Type Syringe**)
011E Short Length (**European Type Syringe**)

*Sani-Tip is a registered trademark of Dentsply Sirona

DISPOSABLE FACE MASKS EAR-LOOP WITH PATTERNS FLUID RESISTANT LATEX FREE



LEVEL 3 BARRIER
INTERNATIONAL STANDARD ASTM F2100
BFE ≥99% PFE ≥99%
PERFORMANCE TYPE IIR
EUROPEAN STANDARD EN14683

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Permits air to pass through mask to prevent glasses from fogging

2288 Face Masks Ear-Loop with Patterns, 50 pcs/box

DISPOSABLE IIR FACE MASKS FLUID RESISTANT LATEX FREE



PERFORMANCE TYPE IIR
EN14683
BFE ≥99% PFE ≥99%
LEVEL 3 BARRIER
ASTM F2100

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Permits air to pass through mask to prevent glasses from fogging
- Colours: Blue, Green, Pink, Lavender or Black (ear-loop only)

IIR Face Masks, 50 pcs/box
2288 Ear-Loop
2288T Tie-On

DISPOSABLE IIR FACE MASKS WITH SHIELDS EAR-LOOP FLUID RESISTANT LATEX FREE



PERFORMANCE TYPE IIR
EN14683
BFE ≥99% PFE ≥99%
LEVEL 3 BARRIER
ASTM F2100

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Anti-fog shields
- Permits air to pass through mask to prevent shield from fogging
- Colours: Blue, Green, Pink or Lavender

FS2288 IIR Face Masks with Shields Ear-Loop, 25 pcs/box


DISPOSABLE PROPHY BIBS EXTRA LONG FLUID RESISTANT



- Ideal for prophy
- Features contour neck design for additional coverage to shoulders and arm
- Two plies of facial quality tissue plus a layer of polyethylene
- Size: W45 cm x L60 cm
- Colour: Light Blue

2208 Prophy Bibs Extra Long
100 pcs/box + Bib Holder XS

DISPOSABLE FLUID RESISTANT TRAY COVER PAPERS



- Two plies of facial quality tissue plus a layer of polyethylene
- Colours: Blue and white barrier

2220 "B" Plastic Tray Covers 200'S (29.5 cm X 21.5 cm)
2221 "F" Plastic Tray Covers 200'S (20 cm X 13.5 cm)
2223 "ISO" Aluminium Tray Covers 200'S (27.5 cm X 17.5 cm)

DISPOSABLE NAPKIN HOLDERS



- Fully disposable
- Easy to apply
- Width: 15 mm
- Length: 44 cm extendable up to 60 cm

2209 Napkin Holders, 100 pcs/pack

DISPOSABLE PSP BARRIER ENVELOPES



- Quick tear-off opening
- Fits most phosphor plates
- Soft vinyl with rounded corners

DURR® TYPE

Mid-Opening Barrier Envelopes
 188-0 No. 0 (I.D. 37 mm x 24 mm) 100 pcs/box
 188-1 No. 1 (I.D. 42 mm x 26 mm) 100 pcs/box
 188-2 No. 2 (I.D. 43 mm x 33 mm) 100 pcs/box
 188-3 No. 3 (I.D. 56 mm x 29 mm) 50 pcs/box
 188-4 No. 4 (I.D. 78 mm x 59 mm) 50 pcs/box
Mid-Opening Barrier Envelopes Bulk
 188-2B No. 2 (I.D. 43 mm x 33 mm) 500 pcs/box
Top-Opening Barrier Envelopes
 198-0 No. 0 (I.D. 24 mm x 37 mm) 100 pcs/box
 198-1 No. 1 (I.D. 26 mm x 42 mm) 100 pcs/box
 198-2 No. 2 (I.D. 33 mm x 43 mm) 100 pcs/box
Top-Opening Barrier Envelopes Bulk
 198-2B No. 2 (I.D. 33 mm x 43 mm) 500 pcs/box

DIGORA® (SOREDEX®) TYPE

Top-Opening Barrier Envelopes
 189-0 No. 0 (I.D. 24 mm x 34 mm) 100 pcs/box
 189-1 No. 1 (I.D. 26 mm x 43 mm) 100 pcs/box
 189-2 No. 2 (I.D. 33 mm x 44 mm) 100 pcs/box

KODAK® (CARESTEAM®) TYPE

Top-Opening Barrier Envelopes
 199-0 No. 0 (I.D. 31 mm x 36 mm) 100 pcs/box
 199-1 No. 1 (I.D. 33 mm x 44 mm) 100 pcs/box
 199-2 No. 2 (I.D. 40 mm x 46 mm) 100 pcs/box

Protective Paper Covers

178-0 (2 x 23 mm x 36 mm) 100 pcs/box
 178-1 (2 x 24 mm x 42 mm) 100 pcs/box
 178-2 (2 x 30 mm x 42 mm) 100 pcs/box

DISPOSABLE PC MOUSE SLEEVES



- Universal size, fit both cordless and corded optical mouse
- Soft, pliable polypropylene sleeves
- Easy to apply

PC Mouse Sleeves, 500 pcs/box
 133S 15 cm x 8.5 cm
 133L 16 cm x 10 cm

DISPOSABLE X-RAY SLEEVES



- Full x-ray unit coverage
- Disposable yet economical
- Soft, pliable polypropylene sleeve holds position until removed
- Easy application and removal

X-Ray Head Sleeves, 250 pcs/box
 108 Small 20 cm x 17 cm x 60 cm
 109 Large 35 cm x 24 cm x 75 cm



DISPOSABLE HVE TUBE SLEEVES

135S
135L

- Pre-cut opening for easier application
- Made from very supple poly plastic for greater tactile feel

HVE Suction Tube Sleeves, 500 pcs/box
 135S Small (11 mm) 5.5 cm x 35 cm
 135L Large (16 mm) 6 cm x 38 cm



A. STANDARD

140XS
140S
140M
140L

A. Standard Sensor Sleeve, 500 pcs/box
 140XS X-Small 3.8 cm x 20 cm
 140S Small 4.2 cm x 20 cm
 140M Medium 4.5 cm x 20 cm
 140L Large 6 cm x 25 cm



B. TWO STEP

183-1
183-2

B. Two Step Sensor Sleeves, 500 pcs/box
 183-1 Size 1 3.4 cm / 5 cm x 22 cm
 183-2 Size 2 3.8 cm / 5.5 cm x 22 cm

DISPOSABLE X-RAY SENSOR SLEEVES

- Made from very supple poly plastic for greater tactile feel
- Easy to apply



DISPOSABLE INSTRUMENT TRAY SLEEVES

- Instruments are placed directly on top of the disposable plastic sleeve
- Reduces the possibility of cross-contamination, saves cleaning time

Tray Sleeves, 500 pcs/box
 101 Standard 'B' 27 cm x 36 cm
 102 Mini 'F' 19 cm x 28 cm



DISPOSABLE ISO INSTRUMENT TRAY SLEEVES

- Instruments are placed directly on top of the disposable plastic sleeve
- Reduces the possibility of cross-contamination, saves cleaning time

ISO Metal Tray Sleeves, 500 pcs/box
 190 Standard 31 cm x 21 cm



DISPOSABLE IMPRESSION GUN SLEEVES

- Plastic sleeve covers cartridge and handle
- Provides protection in case of cartridge failure or leakage

Impression Gun Sleeves, 500 pcs/pack
 107 Universal 25 cm x 21 cm




DISPOSABLE MOUTH MIRROR SLEEVES

- Made from very supple poly plastic for greater tactile feel

Mouth Mirror Sleeves, 500 pcs/box
 140XS X-Small 3.8 cm x 20 cm

DISPOSABLE BARRIER FILM



- With 5 mm non-adhesive edge for simple placement and removal
- Residue free
- Colours: Blue and Clear

Barrier Film, 1200 pcs/roll
 8008-C Clear 10 cm x 15 cm
 8008-B Blue 10 cm x 15 cm

DISPOSABLE T-STYLE LIGHT HANDLE SLEEVES



- Universal sizing to fit most T-style handles
- Full handle coverage
- Disposable yet economical
- Soft, pliable polypropylene sleeve holds position until removed
- Easy application and removal

T-Shape Light Handle Sleeves, 500 pcs/box
 106 Universal 15 cm x 8.5/10 cm



DISPOSABLE BITE BLOCK SLEEVES

- Polypropylene sleeves
- Easy application and removal
- Fully disposable

Bite Block Sleeves, 5 x 200 pcs/box
 145 Universal 2.6 cm x 5.5 cm



DISPOSABLE PEN TYPE CURING LIGHT SLEEVES

- Made from very supple poly plastic for greater tactile feel
- Easy to apply

Pen Type Curing Light Sleeves, 500 pcs/box
 228 Mini Short 3.8 cm x 25 cm
 123S Small 5 cm x 32 cm
 123SS Small Short 5 cm x 28 cm

123M Medium 5.8 cm x 32 cm
 123L Large 6.5 cm x 35 cm
 123XL X-Large 7.2 cm x 38 cm

DISPOSABLE INTRAORAL CAMERA /RA CURING LIGHT SLEEVES



- Made from very supple poly plastic for greater tactile feel
- Easy to apply

Intraoral Camera Sleeves / RA Curing Light Sleeves
 228 Mini Short 3.8 cm x 25 cm, 500 pcs/box
 125SS Short 4.9 cm x 28 cm, 500 pcs/box
 125 Standard 4.9 cm x 32 cm, 500 pcs/box



DISPOSABLE PEEL-N-STICK LIGHT GUIDE SLEEVES

- Soft, pliable polypropylene sleeve
- Easy to apply
- Economical

Light Guide Sleeves, 200 pcs/box
 128 Small (fits 7-8 mm Guide)
 129 Large (fits 9-11 mm Guide)



DISPOSABLE PEN AND HANDPIECE SLEEVES

- Disposable sleeves for pen, handpieces, and ultrasonic scalers
- Made from soft pliable poly plastic for greater tactile feel

500 pcs/box
 103 Pen Shape Instrument 2.4 cm x 22 cm
 104S Low Speed/Universal Slim 3.8 cm x 22 cm
 104L Low Speed/Universal Large 4 cm x 22 cm



DISPOSABLE SYRINGE/HVE SLEEVES

- Pre-cut opening for easier application
- Ideal for 3-way syringes, saliva ejectors and HVE valves etc

Syringe Sleeves, 500 pcs/box
 100C Clear 26 cm x 6.5 cm
 100B Blue 26 cm x 6.5 cm

DISPOSABLE TUBING SLEEVES



- For straight and coiled tubing
- Affordable protection from infectious aerosols and minimizes time spent on cleaning
- 1200 ft/roll (366 m)

118 Tubing Sleeve for straight tubing 2" (5 cm)
 119 Tubing Sleeve for coiled tubing 4" (10 cm)

DISPOSABLE FLOWABLE COMPOSITE SYRINGE SLEEVES



- Made from very supple poly plastic for greater tactile feel
- Easy to apply
- Economical

Flowable Composite Syringe Sleeves, 200 pcs/box
 138 Universal 12.5 cm x 5 cm



DISPOSABLE KEYBOARD SLEEVES

- Soft, pliable polypropylene sleeves

Keyboard Sleeves
 158S Standard 16 cm x 55 cm, 500 pcs/box
 158M Medium 21.5 cm x 55 cm, 250 pcs/box
 108 Large (20 cm + 17 cm) x 60 cm, 250 pcs/box




DISPOSABLE CHAIR SLEEVES

- Eliminates the need for separate headrest covers
- Avoids the need for harmful disinfectants and aerosols prolonging the life of dental chairs/stools

Chair Sleeves, 125 pcs/box
 111 Full Chair 180 cm x 72 cm
 112 Half Chair 100 cm x 65 cm

DISPOSABLE HEADREST SLEEVES



- Polypropylene sleeves
- Reduces possible cross-contamination from infectious aerosol spray

Headrest Sleeves, 500 pcs/box
 113 Small 27.5 cm x 26 cm
 114 Large 35 cm x 28 cm



DISPOSABLE NON-WOVEN HEADREST COVERS

- Breathable non-woven fabric
- Soft, provides maximum patient comfort
- Colours: Light Blue and White

Non Woven Headrest Covers, 500 pcs/box
 780S Small 26 cm x 28 cm
 780M Medium 35 cm x 28 cm



DISPOSABLE MICRO APPLICATORS

- Economical and disposable, saving up to 80% by the reduction of excess materials used
- Bends into any angle for the placement of small controlled amounts of material in limited access areas

TUBE PACK



Available in :
Standard Handles
 100 mm x dia. 3 mm
Mini Handles
 85 mm x dia. 2.5 mm

BULK PACK



Available in :
Standard Handles
 100 mm x dia. 3 mm
Mini Handles
 85 mm x dia. 2.5 mm

DISPENSER PACK



Available in :
Standard Handles
 100 mm x dia. 3 mm

Standard Handles
 Tube Pack 4x100 pcs/tube
 901T *Regular*
 902T *Fine*
 903T *Ultrafine*
 904T *Cylinder*

Mini Handles
 Tube Pack 4x100 pcs/tube
 9901T *Regular*
 9902T *Fine*
 9903T *Ultrafine*

Standard Handles
 Bulk Pack 1000 pieces
 901B *Regular*
 902B *Fine*
 903B *Ultrafine*
 904B *Cylinder*

Mini Handles
 Bulk Pack 1000 pieces
 9901B *Regular*
 9902B *Fine*
 9903B *Ultrafine*

Standard Handles
 Dispenser Pack 400 pieces
 901D *Regular*
 902D *Fine*
 903D *Ultrafine*
 904D *Cylinder*


INDIVIDUAL TUBES

Standard Handles
 100 tubes/case (100 pcs/tube)
 901T-100 *Regular Light Blue*
 902T-100 *Fine Light Green*
 903T-100 *Ultrafine Light Lavender*
 904T-100 *Cylinder White*



INDIVIDUAL TUBES CASE

DISPOSABLE MICRO APPLICATOR DISPENSERS



18-900 STANDARD

18-9900 MINI

- Small, sturdy, durable construction

Applicator Dispenser
 18-900 *Standard Handle*
 18-9900 *Mini Handle*

DISPOSABLE MICRO APPLICATOR TIPS



REGULAR dia. 2.5 mm

FINE dia. 2.0 mm

921 Regular

922 Fine


- Economical and disposable saving up to 80% by the reduction of excess materials used
- For the placement of small controlled amounts of material in limited access areas
- Can be used for etchants, bonding agents, cavity lining, fluoride varnishing, hemostatic and sealants etc

Micro Applicator Tips, 100 pcs/box
 (Blue, Green, Lavender or Yellow)
 921 *Regular*
 922 *Fine*

Micro Applicator Tips, 500 pcs/box
 (Blue, Green, Lavender or Yellow)
 B921 *Regular*
 B922 *Fine*

Brush Handle Autoclavable
 7502W - *White*
 7502T - *Transparent*

DISPOSABLE BRUSH TIPS AND HANDLES



REGULAR dia. 3.1 mm

MINI dia. 3.1 mm

11 mm

7 mm

- Perfect for placement of etchants, bonding agents, sealers and cements etc
- Available Colours: **Blue, Green, Lavender or Yellow**

7501 *Brush Tips Regular Standard Pack, 100 pcs/box*
 7511 *Brush Tips Mini Standard Pack, 100 pcs/box*
 7502W *Brush Handle Autoclavable White*
 7502T *Brush Handle Autoclavable Clear*

REGULAR dia. 1.8

9 mm

BENDABLE

MINI dia. 1.5


7 mm

DISPOSABLE BRUSH APPLICATORS

- Perfect for placement of etchants, bonding agents, sealers and cements etc
- Bendable to reach around corners and the tightest spaces
- Handles are colour coded to eliminate confusion between materials
- Disposable, eliminates cross-contamination
- Available colours: **Blue, Green, Lavender or Yellow**

Brush Applicator Single Colour, 100 pcs/pack
 7500 *Regular*
 7510 *Mini*

AUTOCLAVABLE HVE SUCCTION TUBES



- Fits European style 16 mm or standard 11 mm suction tubing
- Single use, autoclavable up to 134°C
- Special high quality plastic, sturdy enough for cheek retraction
- Fully polished internal surface and edge for quiet operation and patient comfort
- Assortment of bright, lively colours: Lavender, Light Blue, Light Green, Lime and Yellow

Assorted Colours, 10 pcs/pack
 335L Adult Large (16 mm)
 335M Adult Medium (16 mm)
 336P Pedo (16 mm)
 005L Adult Large (16 mm)
 005M Adult Medium (16 mm)
 006P Pedo (16 mm)
 205M Adult Medium (11 mm)
 206P Pedo (11 mm)



DISPOSABLE SOFT TOUCH™ ORAL EVACUATORS (SLOTTED) VENTED LATEX FREE

- Soft Touch edge eliminates the risk of lacerating the oral tissue
- Rigid tubing strong enough for cheek retraction
- Vented to reduce unnecessary tissue grab and increase evacuation cover area
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders
- Colour: White (Blue or Lavender Tip)

PATENT PENDING
 ST001 Soft Touch™ Oral Evacuators, 50 pcs/pack



DISPOSABLE VENTED (SLOTTED) ORAL EVACUATORS

- Vented to reduce unnecessary tissue grab
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders

Disposable Oral Evacuators, 100 pcs/pack
 001 White
 001A Single Colour



DISPOSABLE VENTED/NON-VENTED ORAL EVACUATORS 'S' CUT

- Vented and non-vented combination
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders


Disposable Oral Evacuators, 100 pcs/pack
 301 White
 301A Single Colour



DISPOSABLE VENTED ORAL EVACUATORS 'S' CUT

- Vented to reduce unnecessary tissue grab
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders
- Colours: Blue, Yellow, Green, Lime or Lavender

Disposable Oral Evacuators, 100 pcs/pack
 308 White
 308A Single Colour



AUTOCLAVABLE SURGICAL ASPIRATOR TIPS

- Non-sterile
- Autoclavable up to 134°C
- Fits 11 mm tubing
- Colours: Standard - White
Large orifice - Blue
- Single use



Autoclavable Surgical Tips
 25 pcs/pack
 007 Mini Tip
 009 Standard Non-Vented
 009V Standard Vented
 008 Large Orifice Non-Vented
 008V Large Orifice Vented



DISPOSABLE SALIVA EJECTORS

- Tip design that eliminates suction of tissue
- Smooth fixed tip for patient safety and comfort
- Phthalate free
- Made from non-toxic PVC

Saliva Ejectors, 100 pcs/pack
 300W White Tip/Clear Tube
 300B Blue Tip/Clear Tube
 300A White Tip/Coloured Tube



AUTOCLAVABLE ASPIRATOR BRUSHES

- Autoclavable up to 134°C
- Rigid bristles for effective cleaning

020 X-Fine dia. 5 mm, 6 pcs/pack
 021 Fine dia. 8 mm, 6 pcs/pack
 022 Medium dia. 14 mm, 6 pcs/pack
 023 Large dia. 20 mm, 6 pcs/pack



AUTOCLAVABLE SUCTION TUBE ADAPTORS

- Autoclavable up to 134°C



DISPOSABLE 3-IN-1 TRAYS

- Wide occlusal plane
- Strong and tough plastic
- Specially designed walls for extra retention
- Tear resistant quality mesh
- Colour: Blue

3-in-1 Trays
 18-N401 Posterior 36 pcs/box
 18-N402 Quadrant 36 pcs/box
 18-N403 Sideless 36 pcs/box
 18-N404 Anterior 36 pcs/pack
 18-N405 Full Arch 24 pcs/pack

DISPOSABLE 3-IN-1 TRAYS

Stainless Steel Wire Connectors



- Stainless steel wire connector for greater access in limited space
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh
- Colour: Blue

3-in-1 Trays
 18-S401 Posterior 36 pcs/box
 18-S402 Quadrant 36 pcs/box
 18-S403 Sideless 36 pcs/box

DISPOSABLE 3-IN-1 TRAYS

Rigid Bar Connectors




- Rigid Aluminium Bar Connector
- Strong and tough
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh
- Colour: Blue

3-in-1 Trays
 18-T401 Posterior 36 pcs/box
 18-T402 Quadrant 36 pcs/box
 18-T403 Sideless 36 pcs/box

DISPOSABLE IMPRESSION TRAYS WITH RIM LOCK

for Implant Post and General Impressions



base sections can be easily removed with a bar for implant posts



rim lock reduced thickness trim lines on labial wall for easy removal in inclination post cases

Disposable Impression Trays, 10 pcs/pack
 410 Intro (one size each)
 411-420 Single pack

- Save time and expensive laboratory charges
- Strong, rigid distortion free plastic construction
- Anatomically designed
- Smooth edges for patient comfort
- Excellent retention for impression materials whilst providing sufficient pressure for all details
- Colour: Blue



AUTOCLAVABLE IMPRESSION TRAYS WITH RIM LOCK

- Autoclavable up to 134°C (275°F)
- Strong, rigid distortion free plastic construction
- Anatomically designed
- Smooth edges for patient comfort
- Excellent retention for impression materials whilst providing sufficient pressure for all details
- Colour: Light Grey

Autoclavable Impression Trays
 430 Intro 10 pcs/pack (one size each)
 431-440 Single 5 pcs/pack



DISPOSABLE 3-IN-1 TRAYS

- Wide occlusal plane
- Strong and tough plastic
- Specially designed walls for extra retention
- Tear resistant quality mesh
- Individually wrapped

3-in-1 Trays

N401 Posterior 36 pcs/box
 N402 Quadrant 36 pcs/box
 N403 Sideless 36 pcs/box
 N404 Anterior 36 pcs/box
 N405 Full Arch 24 pcs/box

DISPOSABLE 3-IN-1 TRAYS

Wire Connectors Stainless Steel



- Stainless steel wire connector for greater access in limited space
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh

3-in-1 Trays

S401 Posterior 36 pcs/box
 S402 Quadrant 36 pcs/box
 S403 Sideless 36 pcs/box

DISPOSABLE 3-IN-1 TRAYS

Rigid Bar Connectors



- Rigid Aluminium Bar Connector
- Strong and tough
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh

3-in-1 Trays

T401 Posterior 36 pcs/box
 T402 Quadrant 36 pcs/box
 T403 Sideless 36 pcs/box

DISPOSABLE PLASTIC COATED METAL Pliable IMPRESSION TRAYS



- Disposable
- Pliable metal

AUTOCLAVABLE ALGinate/PLASTER CURVED SPATULA

- For alginate or plaster
- Light weight, 58 gms only
- Autoclavable up to 134°C
- Stainless steel blade
- Handle colour: Blue

MS455 Curved Spatula

DISPOSABLE IMPRESSION SYRINGES

- Pre-bent for easy application
- Disposable
- 5 ml capacity

089 Impression Syringes 50 pcs/pack


FLEXIBLE MIXING BOWLS



- For effective mixing of alginates and plasters
- Sizes: 7460 Small dia. 11 cm x H8 cm
- 7470 Medium dia. 12.5 cm x H10 cm
- Available in Transparent Red, Green, Blue, Purple, Yellow and solid Blue

7460 Flexible Mixing Bowl Small
 7470 Flexible Mixing Bowl Medium


AUTOCLAVABLE ALGinate AND PLASTER SPATULAS



- Autoclavable up to 134°C
- Fit all flexible mixing bowls
- Will not scratch the surface of bowls and clean up easily
- Flexible control in mixing with easy grip handle
- Size: Length: 190 mm

450R Regular Blue
 450XS Extra Stiff Grey

DISPOSABLE INTRAORAL SYRINGE TIPS



- Universal fitting
- Available in Yellow or White

Intraoral Tips, 100 pcs/pack

085 Yellow for Yellow mixing tips

086 Clear for Green and Pink mixing tips

DISPOSABLE DYNAMIC MIXING TIPS



- Fits Pentamix® type mixing machine
- Economically priced
- Colours: Red or White

7055 Dynamic Mixing Tips, 50 pcs/pack

¹Pentamix is a registered trademark of 3M or 3M ESPE AG.


AUTOCLAVABLE ENDO STAND



- Autoclavable plastic stand with disposable sponge insert
- Cleans and holds endo instruments
- Silicone ring base resists sliding
- Autoclavable up to 134°C
- Colour: Blue

4833 Endo Stand Large (dia. 45 mm)
For use with:
812 Endo Sponges, 50 pcs/pack

DISPOSABLE ENDO SPONGES




811
for round endo stand
size: 2" dia. x 3/8" thick
(50mm dia. x 8mm)

812
for oval and round endo stand
size: 2 1/2" dia. x 3/8" thick
(65mm dia. x 8mm)

- Disposable blue polyurethane sponges
- Colour: Blue

Endo Sponges, 50 pcs/pack
811 for Round Endo Stand
812 for Oval and Large Endo Stand

DISPOSABLE PEEL-AND-STICK ENDO CUSHIONS



802 Peel-and-Stick
Endo Cushions
50 pcs/box

- Hold, arrange and clean small instruments during endodontic or implant procedures
- Ideal for files, screws, drills and pluggers etc
- Peel-and-stick back secures to patient napkins, tray covers or anywhere handy
- Pre-arranging saves set up time
- Dense blue polyurethane foam 75 mm long

AUTOCLAVABLE ENDO CUSHION HOLDER



- Holder for used files with disposable foam cushions insert
- Built in endo file ruler
- Stainless steel construction
- Autoclavable up to 134°C
- Sizes: 50 mm x 50 mm x 25 mm

1180 Endo Cushion Holder
(without Cushion)
For use with:
801 Square Endo Cushions
50 pcs/pack

AUTOCLAVABLE TRIANGULAR ENDO RING AND CUSHIONS



- Disposable cushions
- Colour: Blue
- Autoclavable up to 134°C

088 Autoclavable Cushion Holders
with Large and Small Rings
For use with:
803 Disposable Cushions 50 pcs/box

AUTOCLAVABLE ENDO HOLDER ALUMINIUM



2800 Endo Holder

- Specially designed for ultrasonic cleaning and autoclaving of root canal instruments
- Holds 18 hand or engine endo instrument up to size 100 all lengths
- Millimeter rule for rubber stop measurements for both right or left hand use
- Adjustable cover with silicone stop usage counter for sterilization
- Size: W65 mm x D30 mm x H55 mm
- Autoclavable up to 134°C
- Colour: Blue

AUTOCLAVABLE RUBBER DAM FRAME



4866
Rubber
Dam Frame

- Proven design
- Better grip
- Enhance patient comfort
- Autoclavable up to 134°C




AUTOCLAVABLE ENDO DISPENSER PLASTIC

N055 Endo Dispenser

- Specially designed for cleaning and autoclaving of endo instruments
- Holds 18 hand or engine instruments up to size 100 (all lengths)
- Autoclavable up to 134°C
- Size: 85 mm x 52 mm x 14 mm
- Colour: Blue

AUTOCLAVABLE ENDO MEASURING BLOCK PLASTIC



4888
Endo Measuring Block

- Accurate settings
- Durable construction
- Autoclavable up to 134°C
- Size: L100 mm x D24 mm x H32 mm
- Colour: Blue



AUTOCLAVABLE ENDO RULER ALUMINIUM

- For both hand and engine instruments
- Autoclavable up to 134°C
- Gauges from 1 to 30 mm for right or left hand

4898 Endo Ruler

ENDO STOPS

- Round with tail
- Assorted Colours: White, Yellow, Red, Blue, Green and Black



329 Endo Stops
Assorted Colours
100 pcs/pack

AUTOCLAVABLE ENDO MEASURING BLOCK ALUMINIUM




10005
Endo Measuring Block

- Durable aluminium construction
- Accurate settings
- Autoclavable up to 134°C
- Size: L150 mm x W24 mm x H33 mm
- Colour: Blue

Welcome to our new Greenline. We believe that making simple changes to the everyday products you purchase is the easiest way to help our planet. This range is our first step towards offering you the choice of more environmentally friendly products.

After scratching our heads, we've created our interdental brushes with a few 'ez' changes:


ez interdental brushes



- ISO size (colour coded)
- Latex and BPA free
- Reusable
- Cardboard box
- Non-slip, easy grip design
- Small, compact and easy to carry

Interdental Brushes, ISO Size No. 1-6
Single or Assorted Sizes, 6 pcs/box

- 1 We have designed the shape of our handle to be small and practical in size, so that it uses up to 65% less plastic than other leading brands
- 2 Instead of using new plastic, we use 100% recycled plastic for the brush handle and 50% recycled plastic for the protective cap. This recycled plastic is made using waste materials left over from other manufacturing processes.
- 3 Unlike some other brands who package interdental brushes in unnecessarily large plastic boxes and bags, we use a cardboard box which is 100% plastic free and easily recyclable



| ISO Size | 1 | 2 | 3 | 4 | 5 | 6 |
|-----------------------|------------------------|---------|---------|-------------|---------|--------|
| Reference Size | XX Fine | X Fine | Fine | Fine-Medium | Medium | Large |
| Made to fit hole (mm) | <0.8 | 0.9-1.0 | 1.1-1.2 | 1.3-1.5 | 1.6-1.8 | >1.9 |
| Wire Dia. (mm) | 0.35 | 0.35 | 0.45 | 0.45 | 0.45 | 0.45 |
| Order Code | G800-1 | G800-2 | G800-3 | G800-4 | G800-5 | G800-6 |
| Assorted Order Code | G800-A No.1-6 Assorted | | | | | |



DISPOSABLE HEALTHY TEETH PAPER CUPS

- Leakproof construction, non-slip design
- Dispenses easily from cup dispenser due to their rolled lip
- Fun way to promote dental health to patients



6800HT Paper Cups 170 ml (6 oz), 1,000 pcs/box

AUTOCLAVABLE NEEDLE STATION STAINLESS STEEL




- Holds any dental needle sheath
- Solid stainless construction, autoclavable
- Silicone ring base resists sliding
- Size: Dia. D55 mm x H38 mm

031 Needle Station

PHOTOGRAPHIC TITANIUM GLASS MIRRORS FRONT SURFACE DOUBLE SIDED

- Autoclavable up to 134°C
- Glass mirrors with hard surfaces



PM003 CHILD OCCLUSAL PM004 ADULT OCCLUSAL PM005 XL OCCLUSAL PM001 BUCCAL PM002 LINGUAL



658 Standard Rack 659 Mini Rack

658 Tray Rack Standard 'B'
659 Tray Rack Mini 'F'

INSTRUMENT TRAY RACKS

- Sturdy, chromium plated steel construction
- Size:
Standard (8 trays) W37 cm x D24 cm x H37 cm
Mini (6 trays) W28 cm x D17 cm x H29 cm

AUTOCLAVABLE TRAYS PLASTIC




650 Standard Flat 651 Divided 652 Mini Flat

- Autoclavable up to 134°C

650 Standard Flat 'B' Tray 34 cm x 24 cm x 2 cm
651 Standard Divided 'B' Tray 34 cm x 24 cm x 2 cm
652 Mini Tray Flat 'F' Tray 24 cm x 16.5 cm x 2 cm

| STANDARD COLOURS |
|------------------|
| Blue |
| Light Blue |
| Green |
| Yellow |
| White |
| Light Beige |
| Lavender |

AUTOCLAVABLE STERILIZATION CASSETTES PLASTIC



- Sturdy, durable construction
- Autoclavable

3881 Small (5 instruments)
3882 Medium (8 instruments)

| STANDARD COLOURS | Blue | White | Light Blue | Green | Lavender |
|------------------|------|-------|------------|-------|----------|
|------------------|------|-------|------------|-------|----------|

AUTOCLAVABLE SILICONE INSTRUMENT CODE RINGS



- Autoclavable to 134°C
- Sizes: Small - for small instruments
Large - for pliers and forceps etc
- Available in single colors: Blue, Light Blue, Green, Yellow, Pink, Red, Orange, Lavender, Black and White

Silicone Instrument Rings
657S Small, 50 pcs/box
657L Large, 25 pcs/box

AUTOCLAVABLE BUR/ENDO ORGANIZERS



- Smart, flexible design for customize setups
- Autoclavable up to 134°C
- Colour: Blue

Endo Stand, W115 mm x D52 mm x H40 mm
4810 - 78 Holes
4811 - 48 Holes + 4 Endo Vials
4812 - 36 Holes + Endo Clean
4813 - 12 Endo Vials
Bur Stand, W115 mm x D52 mm x H40 mm
4818 - 78 FG Holes
4819 - 42 FG + 36 CA Holes

Stainless Steel Cover, W115 mm x D52 mm x H15 mm
4830 - Sterilization Cover

Bur/Endo Box, (box only)
4821 Organizer Box for 1 Stand W120 mm x D55 mm x H56 mm
4823 Organizer Box for 3 Stands W160 mm x D120 mm x H56 mm
4825 Organizer Box for 5 Stands W265 mm x D120 mm x H56 mm




JUMPING TEETH



- Cute design
- Economical giveaway for kids

8001
Jumping Teeth
24 pcs/box



090 Napkin Holder Adult (L47 cm)
090C Napkin Holder Child (L41 cm)
090XS Napkin Holder Extra Short (L37 cm)

AUTOCLAVABLE NAPKIN HOLDERS

- Autoclavable silicone up to 134°C
- Stainless steel alligator clips
- Non-slip design
- Bright, attractive colours
- Colours available
Adult: Light Blue, Blue, Green, Red, Yellow, White, Pink and Lavender
Child: Light Blue, Lavender, Blue and Pink
XS (for neck contour bibs): Blue only

PEN / TOOTHBRUSH HOLDER



- Cute design
- 2005 Pen / Toothbrush Holder



DENTAL BIB HOLDER AND CLIP

- Cold disinfection only
- Cute design

091 Clip
092 Bib Holder, White or Red

DISPOSABLE MOUTH MIRRORS



- Disposable plastic mouth mirrors for patients
- Anti-fog front surface fiber glass mirror
- Mirror size: dia. 23 mm

800 Disposable Mouth Mirrors, 10 pcs/box

RETAINER BOXES/MOUTH GUARD BOXES/DENTURE BATHS



600 Retainer Box
W75 mm x D61 mm x H28 mm



601 Mouth Guard Box
W77 mm x D64 mm x H40 mm



602 All Guard Box
W77 mm x D77 mm x H38 mm



603 Denture Bath
W83 mm x D68 mm x H52 mm

Colours: Blue, Green, Yellow, White, Lime, Light Blue, Lavender, Pink or Assorted

600 Retainer Boxes, 10 pcs/box
601 Mouth Guard Boxes, 10 pcs/box

602 All Guard Boxes, 10 pcs/box
603 Denture Baths, 10 pcs/box

DENTAL APPLIANCE BOXES WITH MIRRORS




| PASTEL COLOURS | |
|----------------|-----------|
| Vanilla | Sea Green |
| Sand | Lilac |
| Light Mauve | Baby Blue |
| White | Assorted |

612
Dental Appliance Boxes
10 pcs/box

- Sturdy strong plastic
- Size: W80 mm x D72 mm x H32 mm

INTRAORAL CHEEK RETRACTORS



- Holds mouth open, depresses tongue movement
- Anatomically designed
- Available in both autoclavable and disposable



Autoclavable Intraoral Cheek Retractor
2060A Adult Large, 1 pc/box
2060B Adult Small, 1 pc/box
2060C Child, 1 pc/box

Disposable Intraoral Cheek Retractors
2080A Adult Large, 10 pcs/box
2080B Adult Small, 10 pcs/box
2080C Child, 10 pcs/box

INTRAORAL MOUTH LIPPERS



- Expands the mouth vertically rather than horizontally
- Ideal to working in the gingival areas for anteriors, ortho procedures, bleaching etc...
- Available in both autoclavable and disposable



Autoclavable Intraoral Lippers, 2 pcs/box
2040A Adult, Semi-Transparent
2040C Child, Semi-Transparent
Disposable Intraoral Lippers, 10 pcs/box
2030A Adult, White
2030C Child, White

AUTOCLAVABLE CHEEK RETRACTORS



- Autoclavable up to 134°C

Mouth Retractor
2050C Child, 2 pcs/pack
2050A Adult, 2 pcs/pack
2055C Child, 2 pcs/pack
2055A Adult, 2 pcs/pack



AUTOCLAVABLE MOUTH PROPS LATEX FREE

2090A Mouth Prop Adult
2090P Mouth Prop Child

- Made of chemical resistant silicone
- Autoclavable up to 134°C
- Available in: - Adult (30 mm x 40 mm x 20 mm)
Child (30 mm x 25 mm x 20 mm)



DISPOSABLE MULTI-PURPOSE DAPPEN DISHES

004B Standard Pack Assorted Colours 1000 pcs/box

- Disposable to save time and prevent cross-contamination
- For prophy, etchant and bonding etc
- Colours: Lavender, White, Green, Light blue and Yellow



DISPOSABLE PROPHY RINGS

- Disposable to save time and prevent cross-contamination
- For prophy, endo etc
- Assorted colours: Lavender, White, Green, Light blue and Yellow

010 Disposable Propy Rings, 200 pcs/box



AUTOCLAVABLE PROPHY RINGS

- Autoclavable up to 134°C
- For prophy, endo etc
- Colour: Grey


A010 Autoclavable Propy Rings, 10 pcs/pack



GLASS DAPPEN DISH

- Colours: Light Blue, Green or Clear

040 Glass Dappen Dish



DISPOSABLE FLUORIDE TRAYS

DOUBLE ARCH

- LARGE blue
- MEDIUM yellow
- SMALL green


SINGLE ARCH

- LARGE blue
- MEDIUM yellow
- SMALL green

- Extremely comfortable, anatomically designed trays
- Economical price
- Colour coded

Double Arch, 50 pcs/box
 7800S Small (green)
 7800M Medium (yellow)
 7800L Large (blue)

Single Arch, 100 pcs/box
 7801S Small (green)
 7801M Medium (yellow)
 7801L Large (blue)



DISPOSABLE MIXING PADS

Mixing Pads, 3X100 pcs/pack
 3220 Small 35 mm X 45 mm
 3225 Large 70 mm X 80 mm



DISPOSABLE MIXING WELLS

- Sturdy design

906 Mixing Wells 4 Wells 200 pcs/box
907 Mixing Wells 2 Wells 500 pcs/box



DISPOSABLE FLOWABLE COMPOSITE AND ETCHING GEL TIPS

- Universal Luer-lock design
- Bendable
- Gauges: 080 G.20 (0.9 mm)
 081 G.23 (0.6 mm)
 082 G.18 (1.2 mm)


100 pcs/pack
 080 Flow-Tips Black G.20
 081 Etch-Tips Light Blue G.23
 082 Liner-Tips Pink G.18



DISPOSABLE VALUSTICK STICKY APPLICATORS

- Bends into any angle for placement of Veneers, Inlays, Onlays, Crowns etc
- Strong adhesive for multiple applications
- Disposable
- Length: 110 mm
- Colour: White

909 Valustick Sticky Applicators 50 pcs/box



DISPOSABLE PLASTIC WEDGES

- Anatomically designed
- Soft tough plastic

Disposable Plastic Wedges, 100 pcs/box
 7650X X-Large (17 mm) White
 7650L Large (15 mm) Yellow
 7650M Medium (13 mm) Green
 7650S Small (11 mm) Blue



TONGUE CLEANERS

- Effective in the treatment of halitosis
- Multiple cleaning ridges
- Assorted colours

9000 Tongue Cleaners 20 pcs/pack

DISPOSABLE APPLICATOR TIPS universal luer lock fitting

• Ensure accurate delivery of dental materials. Ideal for endodontic use



YS1001 G.25 Tips Dark Blue 50 pcs/pack

YS1002 G.23 Tips Black 50 pcs/pack


YS1007 G.25 Semi-Transparent 50 pcs/pack

YS1012 Tips with Brushes 50 pcs/pack

TIP CLOSE-UP

- Ideal for adhesives and sealants

AUTOCLAVABLE ALUMINIUM BUR BLOCKS



- Ideal for storage of dental burs
- Specially designed for ultrasonic cleaning and autoclaving of burs
- Sturdy construction, autoclavable up to 134°C
- Colours: Silver and Blue

Small Bur Block

038-FG 15 FG W58 mm x D25 mm x H31 mm
039-MIX 10 FG + 5 RA W58 mm x D25 mm x H31 mm
037-HP 6 HP W54 mm x D28 mm x H62 mm

Large Bur Block

2832-FG 32 FG W80 mm x D42 mm x H33 mm
2832-MIX 16 FG + 16 RA W80 mm x D42 mm x H33 mm
2880-FG 80 FG W100 mm x D75 mm x H33 mm
2880-MIX 40 FG + 40 RA W100 mm x D75 mm x H33 mm


AUTOCLAVABLE ACRYLIC MIXING CUPS



- Autoclavable up to 134°C

280 Mixing Cup Small dia. 25 mm
281 Mixing Cup Medium dia. 35 mm
282 Mixing Cup Large dia. 50 mm
283 Mixing Cup X-Large dia. 70 mm

AUTOCLAVABLE PLASTIC BUR DISPENSERS



- Specially designed for cleaning and autoclaving of burs
- Locks open or closed for processing
- Autoclavable up to 134°C
- Size: 75 mm x 35 mm x 10 mm

050-FG, Bur Dispenser 12 FG
050-MIX Bur Dispenser 6 FG + 6 RA

| COLOURS | | Yellow |
|------------|-------------|--------|
| Blue | White | |
| Light Blue | Light Beige | |
| Green | Lavender | |

AUTOCLAVABLE MAGNETIC BUR STANDS

- Stands autoclavable up to 134°C
- Fits both FG and RA burs
- Size:
Small Square 42 mm x 42 mm x 12 mm
Large Rectangular 80 mm x 42 mm x 12 mm



033 Bur Stand Square, 8 Holes
033A Bur Stand Cover Square
034 Bur Stand Rectangular, 14 Holes
034A Bur Stand Cover Rectangular

AUTOCLAVABLE PLASTIC BUR BLOCK/DISPENSER



- Size: 36 mm x 29 mm x 10.5 mm
- Colours: Light Blue, Blue, Green or Grey

S019A
Autoclavable
Bur Dispenser
(5 FG)



- Sterilization by cold disinfection only
- Size: 72 mm x 27 mm x 33 mm
- Colours: Light Blue, Blue, Green or Grey

S015D
Bur Block
(20 FG + 10 RA)

DISPOSABLE CURVED TIP SYRINGES



078 Curved Tip Syringes 50 pcs/box

- Made of polypropylene plastic
- Full 12 ml capacity
- Self sealing plunger
- Designed for perio irrigation, impression materials, post surgical home use, fluoride treatments etc

GLASS CEMENT MIXING SLAB



045 Glass Slab

- Polished glass mixing slab with bevelled edges
- Size: 65 mm x 135 mm x 15 mm

AUTOCLAVABLE BRASS BUR BRUSH



- Telescopic handle with brass wire bristles
- Length: 12 cm

1110
Brass Bur Brush

AUTOCLAVABLE FRACTURE DETECTOR

The instrument for locating cracks in teeth



025 Autoclavable
Fracture Detector Blue

- Autoclavable to 134°C
- Simple tool for practice
- Quick and precise to locate cracks
- Can be used for crown and bridge seating

BRASS / STAINLESS STEEL WIRE BRUSHES



- Autoclavable up to 134°C
- Brass / stainless steel wire brushes remove extra-stubborn stains from the tightest of spaces
- Non-slip handle

1115 Brass Wire Brush
1118 Stainless Steel Wire Brush




DISPOSABLE SELF-SEALING STERILISATION POUCHES

- With internal and external steam indicators
- Triple adhesive seal to ensure sterile storage
- Blue tinted plastic window helps detect puncture holes that may be caused by jagged instruments

Standard Pack, 200 pcs/box
 6000 57 mm x 90 mm (2 1/4" x 3 1/2")
 6001 57 mm x 130 mm (2 1/4" x 5")
 6003 90 mm x 145 mm (3 1/2" x 5 3/4")
 6005 70 mm x 230 mm (2 3/4" x 9")
 6007 90 mm x 230 mm (3 1/2" x 9")
 6009 135 mm x 260 mm (5 1/4" x 10")
 6011 190 mm x 330 mm (7 1/2" x 13")

Standard Pack, 100 pcs/box
 6015 250 mm x 380 mm (10" x 15")
 6017 300 mm x 430 mm (12" x 17")



MASK EXTENDERS

- Relieve ear fatigue and pain
- Adjustable buckle strip for earloop masks
- Autoclavable soft silicone
- Colours: Assorted

DISPOSABLE STERILISATION ROLLS

- Designed for use with a suitable heat-sealing equipment or autoclave tape to seal each end of the roll after being cut to size.
- Manufactured from 70 gsm medical grade paper and 60 µm blue tinted film to help detect puncture holes
- Triple adhesive seal to protect contents
- Easy to read external steam indicators change from blue to dark grey to ensure sterile conditions have been met
- Three universal sizes for all applications
- Complies with ISO 11607-1 and EN 868-5



Sterilisation Rolls, 200 m roll
 6052 50 mm
 6053 75 mm
 6054 100 mm

DISPOSABLE IIR FACE MASKS FLUID RESISTANT LATEX FREE



PERFORMANCE TYPE IIR
 EN14683
 BFE ≥99% PFE ≥99%
LEVEL 3 BARRIER
 ASTM F2100

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Permits air to pass through mask to prevent glasses from fogging
- Colours: Blue, Green, Pink, Lavender or Black (ear-loop only)

IIR Face Masks, 50 pcs/box
 2288 Ear-Loop
 2288T Tie-On

X-RAY BITE CUSHIONS

2018 X-Ray
 Bite Cushions
 200 pcs/box



- Peel and stick
- Comfortable polyethylene foam
- For both PSP envelopes or sensors with sleeves
- Latex free



DISPOSABLE IIR FACE MASKS WITH SHIELDS EAR-LOOP FLUID RESISTANT LATEX FREE



PERFORMANCE TYPE IIR
 EN14683
 BFE ≥99% PFE ≥99%
LEVEL 3 BARRIER
 ASTM F2100

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Anti-fog shields
- Permits air to pass through mask to prevent shield from fogging
- Colours: Blue, Green, Pink or Lavender

FS2288 IIR Face Masks with Shields Ear-Loop, 25 pcs/box



AUTOCLAVABLE PLASTIC X-RAY FILM HOLDER

- One end for anterior x-rays, the other end for posterior
- Both ends securely hold film without bending it
- Improves quality and accuracy of intraoral films
- Helps to standardize the bisecting angle technique
- Colours: Blue and Light Beige

1188 X-Ray Film Holder

DISPOSABLE EYE SHIELDS



- Available in tinted or clear lenses
- Light weight, optical plastic shields
- Assorted colours frames: Blue, Light Blue, Lavender, Green and White

Disposable Eye Shield
 20 Lenses + 20 Frames (Assorted Colours)

720T, Tinted
 720C, Clear


Replacement Eye Shield Lens Only, 50 pcs/pack

720T-R, Tinted
 720C-R, Clear

DISPOSABLE BITE WING LOOPS


- Convenient pop-open design ensures quick and easy use
- Manufactured from quality ten point paper stock
- Quick, simple and economical

Bite Wing Loops, 500 pcs/box
 A. 2011-1 Film Child
 B. 2011-2 Film Adult
 C. 2012-1 Sensor Size 1
 D. 2012-2 Sensor Size 2



DISPOSABLE PEEL-N-STICK SENSOR HOLDERS

- Universal fitting



4001 Anterior Blue
 100 pcs/pack

4003 Posterior Yellow
 100 pcs/pack

4007 Endo Green
 100 pcs/pack

4009 Bite Tab Red
 50 pcs/pack

4005 Bitewing Red
 100 pcs/pack



DELUXE ACRYLIC COMPOSITE ORGANISERS

- Smart, flexible design
- Sturdy, durable construction
- Clear material makes contents easy to see
- For storage of composites, adhesive, micro applicators etc.

Composite Organiser
 M060 Mini *W19.5 cm x H9.5 cm x D14.5 cm*
 S060 Standard *W29 cm x H9.5 cm x D14.5 cm*

COTTON ROLL DISPENSER




- Top flips back for easy loading, sliding drawer dispenses up to 4 rolls with a single pull
- Foam rubber strips inserted into base prevent slipping on table top or counter

1140 Roll Dispenser

| COLOURS | Blue | Light Blue | Green |
|---------|-------|-------------|----------|
| Yellow | White | Light Beige | Lavender |

DISPOSABLE MICRO APPLICATOR DISPENSERS



- Small, sturdy, durable construction

Applicator Dispenser
 18-900 *Standard Handle*
 18-9900 *Mini Handle*

ACRYLIC ORTHO CHAIN DISPENSER



- Long lasting dispenser that will fit the decor of any office
- Chain is dispensed easily with an interior roller
- Holds up to 15 spools

059 Chain Dispenser




ACRYLIC COMPOSITE DISPENSER

- Smart, durable construction
- Clear material makes contents easy to see
- For storage of 20 composite syringes, etch and bonding material etc.

H060 Composite Dispenser

ACRYLIC COMPOSITE SYRINGE HOLDERS



551 Syringe Holder *Small*
 552 Syringe Holder *Medium*

- Smart, durable construction
- Size: 551 Small (11 holes) *W10 cm x D12.5 cm x H12 cm*
 552 Medium (23 holes) *W20 cm x D12.5 cm x H12 cm*



LIGHT PROTECTION HAND SHIELD

- Hand held shield for curing light
- Cold disinfection only
- Size: *12.5 cm x 26 cm x 0.3 cm*

063 Light Protection Hand Shield



LIGHT PROTECTION COVERS

- Extends working time of composite materials
- Sturdy, durable construction
- Cold disinfection only
- Size: Small *W10 cm x D7.5 cm x H3 cm*
 Medium *W15 cm x D10 cm x H3 cm*

062-0 Light Protection Cover *Small*
 062-1 Light Protection Cover *Medium*



ACRYLIC IMPRESSION GUN HOLDERS

- For both loaded or empty guns
 - Store all guns in upright position
 - Include storage compartments
 - Sturdy, durable construction
 - Sizes:
 - 072 W145 mm x D140 mm x H150 mm
 - 074 W265 mm x D140 mm x H150 mm
 - 076 W395 mm x D140 mm x H150 mm
- 072 Gun Holder for 2 guns
074 Gun Holder for 4 guns
076 Gun Holder for 6 guns



ACRYLIC GRINDING BOX

- Ideal for grinding and sand blasting
 - Retains flying debris
 - Sturdy durable construction
 - Size: W30 cm x D20 cm x H18 cm
- 065 Grinding Box

ACRYLIC GLOVE AND TISSUE DISPENSERS



- Smart and attractive acrylic design
 - Sturdy, durable construction
 - Pre-drilled holes for wall mounting
 - Internal measurements:-
 - 064 Glove Dispenser **Standard** W25 cm x D14 cm x H9 cm
 - 068 Glove/Tissue Dispenser **Large** W24 cm x D12.5 cm x H10 cm
 - 069 Glove/Tissue Dispenser **Extra Large** W24 cm x D12.5 cm x H11 cm
- 064 Glove Dispenser **Standard**
068 Glove/Tissue Dispenser **Large**
069 Glove/Tissue Dispenser **Extra Large**




PLASTIC CUP DISPENSER


- Holds approx. 50 disposable cups from 150 ml to 200 ml (5 oz to 7 oz)
- Self adhesive
- Made of ABS plastic (acrylonitrile butadiene styrene)
- Size: dia. 100 mm x L280 mm

1280 Plastic Cup Dispenser

ACRYLIC BIB AND C-FOLD TOWEL DISPENSERS




- Sturdy, durable construction
 - Smart, attractive acrylic design
 - Sizes:
 - 057 W15 cm x D11 cm x H12 cm
 - 058 W23.5 cm x D10 cm x H13.5 cm
- 057 Bib Dispenser
058 C-Fold Towel Dispenser
057CV Bib Dispenser With Cover
058CV C-Fold Towel Dispenser With Cover



ACRYLIC MASK DISPENSER

095 Mask Dispenser

- Sturdy, durable construction
- Hinged lid for protection against debris
- Clear material makes contents easy to see
- Pre-drilled holes for wall mounting
- Size: W194 mm x D106 mm x H108 mm



ACRYLIC POUCH DISPENSERS

- Can be used on table top or wall mounted in either vertical or horizontal position
- Sizes:-
 - 061-0 (7.5 cm x 14.5 cm x 21 cm)
 - 061-1 (8.5 cm x 27.5 cm x 21 cm)
 - 061-2 (10 cm x 18.5 cm x 21 cm)
 - 061-3 (10 cm x 27.5 cm x 21 cm)
 - 061-4 (15 cm x 29.5 cm x 21 cm)

061-0 Pouch Dispenser for 5.7 cm x 10 cm Pouches
061-1 Pouch Dispenser for 7 cm x 23 cm Pouches
061-2 Pouch Dispenser for 9 cm x 13.5 cm Pouches
061-3 Pouch Dispenser for 9 cm x 23 cm Pouches
061-4 Pouch Dispenser for 13.5 cm x 26 cm Pouches

ACRYLIC BARRIER FILM DISPENSER



- Sturdy durable construction
- Clear material makes contents easy to see
- Size: dia. W14 cm x D23 cm x H19 cm

1155 Barrier Film Dispenser



E98 APEX LOCATOR WITH ENDOMOTOR INTEGRATION CAPABILITIES

- Large 9cm LCD display with visual display of file position
- Biomimetic-silica-wrapped file clip with large arc for easier file installation, can be autoclaved more than 1000 times
- Stainless steel lip hook
- Compact size & stable design
- Advanced multi-frequency technology with automatic calibration
- High precision in wet & dry canals
- Powerful 1500 mAh lithium-ion battery
- Volume adjustable
- Accessories autoclavable to 134°C
- Dimensions: 9.5 x 6.5 x 2.0cm

12 MONTH WARRANTY
(excluding spare parts)

e98 kit contents: apex locator, measuring wire, two file clips, two lip hooks, apex locator tester, power adaptor
e9801 apex locator measuring wire
e9802 apex locator 2x lip hook
e9803 apex locator 2x file clips
e9804 apex locator tester
e8898 apex locator power adaptor



E88 ENDOMOTOR WITH APEX LOCATOR INTEGRATION CAPABILITIES

- **5 reciprocation modes (M0)**
 Forward Reciprocation-Four Modes Clockwise & Counterclockwise movement
 Fwd 150° - Rev 30° | Fwd 180° - Rev 30° for continuous rotation files
 Fwd 210° - Rev 30° | Fwd 250° - Rev 30° for continuous rotation files
 Reverse Reciprocation-One Mode Counterclockwise & Clockwise movement
 Fwd 30° - Rev 150° for reciprocating files
- **9 editable memory programs (M1 to M9)**
 - Forward or reverse direction rotation
 - Torque auto reverse
 - Editable speed/rpm setting
 - Editable torque settings
 - Maximum speed 1000 rpm
 - 360° clockwise rotational movement
- Digital OLED with ambidextrous display
- Low noise motor
- Torque calibration
- Volume adjustable

e88 kit contents: motor handpiece, contra angle head, insulating sleeve, handpiece stand, spray nozzle, USB cable, power adaptor
e8801 endomotor contra angle head
e8802 endomotor contra angle sleeve
e8803 endomotor USB cable
e8804 endomotor spray nozzle
e8898 apex locator power adaptor

12 MONTH WARRANTY
(excluding spare parts)

E88 Endomotor integration with E98 Apex Locator

Integration of the 2 units allows the full range of functions of both devices to be used:

- Auto start and stop
- Apical reverse
- Apical slow down
- In connect function e88 Endomotor mirrors e98 Apex Locator's screen

AUTOCLAVABLE PLASTIC ENDO DISPENSERS

- Holds 8 hand or engine files up to size 80 (all lengths)
- Autoclavable up to 134°C
- Size: 75 mm x 51 mm x 10 mm
- Colours: Light Blue, Blue, Green or Grey

- Holds 10 hand or engine files up to size 80 (all lengths)
- Autoclavable up to 134°C
- Size: 59 mm x 22 mm x 49 mm
- Colours: Light Blue, Blue, Green or Grey



S008C Endo Dispenser with Ruler (8 Holes)



S030A Endo Dispenser with Counter (10 Holes)


AUTOCLAVABLE GUTTA PERCHA POINT TIP CUTTER



- Autoclavable up to 134°C
- Colour: Black
- Stainless steel knife head
- Size: 71 mm x 39 mm x 15 mm

S033F Tip Cutter

CROSS-SECTION



E01 SUPER FILES GOLD NiTi heat activation

- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.


| E01 SUPER FILES GOLD NiTi heat activation | | | |
|---|------|---------|----------|
| Length | Size | Taper % | Tip (mm) |
| 19 mm | SX | 3.5-9 | 0.19 |
| 21 mm, 25 mm or 31 mm | S1 | 2-11 | 0.17 |
| | S2 | 4-11.5 | 0.20 |
| | F1 | 7 | 0.20 |
| | F2 | 8 | 0.25 |
| | F3 | 9 | 0.30 |
| | F4 | 6 | 0.40 |
| | F5 | 5 | 0.50 |

E01 Super Files Gold
Single or Assorted (SX to F3) Sizes
6 pcs/pack

E01 RECOMMENDED OPERATION PROCESS

| | | |
|-----------|-----|--|
| PROBE | #10 | |
| | #15 | |
| OPENING | SX | |
| SHAPING | S1 | |
| | S2 | |
| FINISHING | F1 | |
| | F2 | |
| | F3 | |
| ENLARGING | F4 | |
| | F5 | |

CROSS-SECTION



E02 SUPER FILES BLUE NiTi heat activation

- Smart varied taper design
- High flexibility and pre-curved memory
- Safe tip, reduces the possibility of root canal deviation
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.


| E02 SUPER FILES BLUE NiTi heat activation | | | |
|---|------|---------|----------|
| Length | Size | Taper % | Tip (mm) |
| 19 mm | SX | 3.5-9 | 0.19 |
| 21 mm, 25 mm or 31 mm | S1 | 2-11 | 0.17 |
| | S2 | 4-11.5 | 0.20 |
| | F1 | 7 | 0.20 |
| | F2 | 8 | 0.25 |
| | F3 | 9 | 0.30 |
| | F4 | 6 | 0.40 |
| | F5 | 5 | 0.50 |

E02 Super Files Blue
Single or Assorted (SX to F3) Sizes
6 pcs/pack

E02 RECOMMENDED OPERATION PROCESS

| | | |
|-----------|-----|--|
| PROBE | #10 | |
| | #15 | |
| OPENING | SX | |
| SHAPING | S1 | |
| | S2 | |
| FINISHING | F1 | |
| | F2 | |
| | F3 | |
| ENLARGING | F4 | |
| | F5 | |

CROSS-SECTION



E03 PRO-FLEXI FILES BLUE NiTi heat activation E28 PRO-FLEXI FILES CHAMELEON NiTi heat activation

- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- Torque 2.0N.cm - 2.5N.cm
- Recommended speed 150-300 r.p.m.


| E03 & E28 PRO-FLEXI FILES | | | |
|---------------------------|--------|---------|----------|
| Length | Size | Taper % | Tip (mm) |
| 19 mm | #01/09 | 9 | 0.25 |
| 21 mm or 25 mm | #20/04 | 4 | 0.20 |
| | #25/04 | 4 | 0.25 |
| | #30/04 | 4 | 0.30 |
| | #35/04 | 4 | 0.35 |
| | #25/06 | 6 | 0.25 |

E03 Pro-Flexi Files
Single or Assorted Sizes, 6 pcs/pack
E28 Pro-Flexi Files Chameleon
Single or Assorted Sizes, 6 pcs/pack

E03 & E28 RECOMMENDED OPERATION PROCESS

| | | |
|---------|--------|--|
| OPENING | #01/09 | |
| SHAPING | #20/04 | |
| | #25/04 | |
| | #30/04 | |
| | #35/04 | |
| | #25/06 | |

CROSS-SECTION



E05 ONE FILES BLUE NiTi heat activation E06 ONE FILES SILVER NiTi alloy

- Reciprocating movement
- Use only one instrument for root canal preparation, efficient and time saving
- 3 sizes for different size root canals
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.

| E05 & E06 ONE FILES | | | | |
|----------------------|------|---------|----------|------|
| Length | Size | Taper % | Tip (mm) | |
| 21 mm or 25 mm | #R25 | | 8 | 0.25 |
| | #R40 | | 6 | 0.40 |
| | #R50 | | 5 | 0.50 |

E05 One Files Blue
Single or Assorted (2pcs R25, R40, R50) Sizes
6 pcs/pack
E06 One Files Silver
Single or Assorted (2pcs R25, R40, R50) Sizes
6 pcs/pack

E14 PA-FILES NiTi alloy

CROSS SECTION



- 2% taper, for building a glide path
- Efficient and time saving
- Torque **1.5N.cm**
- Recommended speed **150-300 r.p.m.**

| E14 PA-FILES NiTi alloy | | | |
|-------------------------|-----|--------------|---|
| Length | No. | Size | |
| 21 mm or 25 mm | 013 | small | ● |
| | 016 | small-medium | ○ |
| | 019 | medium | ● |

E14 PA-Files
Single or Assorted (2 pcs 013, 016, 019) Sizes
6 pcs/pack

E10 D-FILES retreatment files NiTi alloy

CROSS SECTION




- For the removal of gutta percha and root filling material
- Torque **2.5N.cm**
- Recommended speed **150-300 r.p.m.**

| E10 D-FILES retreatment files NiTi alloy | | | |
|--|-----|------|---------|
| Length | No. | Size | Taper % |
| 16 mm | D1 | 30 | 9 |
| 18 mm | D2 | 25 | 8 |
| 22 mm | D3 | 20 | 7 |

E10 D-Files
Single or Assorted (2 pcs D1, D2, D3) Sizes
6 pcs/pack

E08 FILES GOLD NiTi heat activation

CROSS SECTION



- Reciprocating system
- Evolving cross-section with optimized tip
- Increased flexibility for safety
- Efficient safe shaping

E08 Files Gold
Single or Assorted (20 to 45) Sizes
4 pcs/pack

| E08 FILES NiTi heat activation | | | | |
|--------------------------------|-----|--------------|---------|----------------------|
| Length | No. | Size | Taper % | Matching Gutta Point |
| 21 mm or 25 mm | 20 | small | 07 | small |
| | 25 | small-medium | 07 | primary |
| | 35 | medium | 06 | medium |
| | 45 | large | 05 | large |

E09 GC-FILES stainless steel



- Reverse hedstroem condensers
- **8,000 r.p.m.**

E09 GC-Files
Single Sizes
4 pcs/pack

| E09 GC-FILES stainless steel | | | | |
|------------------------------|-----|------|-----|------|
| Length | No. | Size | No. | Size |
| 21 mm or 25 mm | 25 | ● | 55 | ● |
| | 30 | ● | 60 | ● |
| | 35 | ● | 70 | ● |
| | 45 | ● | 80 | ● |
| | 50 | ● | | |

E16 PRO-PATH FILES GOLD NiTi heat activation

E17 PRO-PATH FILES CHAMELEON NiTi heat activation

CROSS SECTION




- Unique flexibility
- Non-uniform taper (2%-6%)
- Pro-Path files #016 is all you need to manage all curves to the apex

E16 and E17 Pro-Path Files #016
6 pcs/pack, 21 mm / 25 mm

E25 D-SHAPER FILES GOLD NiTi heat activation

CROSS SECTION



Safe Tip

PERFECT CUTTING ANGLE & THREAD

EXCELLENT CUTTING EFFICIENCY




| E25 D-SHAPER FILES GOLD NiTi heat activation | | | |
|--|------------|---------|----------|
| Length | Size | Taper % | Tip (mm) |
| 17 mm | R ● | 10 | 0.20 |
| 21 mm or 25 mm | (E16)016 ○ | 2-6 | 0.15 |
| | S1 ● | 4 | 0.20 |
| | S2 ● | 4 | 0.25 |
| | S3 ● | 4 | 0.30 |
| | S4 ● | 6 | 0.25 |

E25 D-Shaper Files Gold
Single or Assorted (R to S4) Sizes
6 pcs/pack

E18 DUAL SHAPER FILES CHAMELEON NiTi heat activation

CROSS-SECTION



Safe Tip

- A new root canal NiTi file system has been created using thermal activation, laser quenching and nano-coating
- Surface hardness of the file is increased by 168%
- Abrasion resistance increases greatly, improving the service life by 3-10 times

- High strength - excellent corrosion and wear resistance, biocompatibility and high damping properties
- Hyperelastic - super elasticity, will still recover shape after countless bending
- Easy to shape - thermal activation of the NiTi wire, allows the file to be easily shaped so as to adapt to the natural form of the root canal

| E18 DUAL SHAPER FILES NiTi heat activation | | | |
|--|-------------|---------|----------|
| Length | Size | Taper % | Tip (mm) |
| 19 mm | SX ● | 3.5-19 | 0.19 |
| 21 mm or 25 mm | (E17)#016 ○ | 2-6 | 0.15 |
| | #20/4 ● | 4 | 0.20 |
| | #25/04 ● | 4 | 0.25 |
| | #25/06 ● | 6 | 0.25 |

E18 Dual Shaper Files Chameleon
Single or Assorted (SX to #25/06) Sizes
5 pcs/pack

E18 RECOMMENDED OPERATION PROCESS

| | | |
|------------|--------|--|
| OPENING | SX | |
| GUIDE FILE | #016 | |
| SHAPING | #20/04 | |
| | #25/04 | |
| | #25/06 | |

E38 BARBED BROACHES stainless steel



- Good flexibility
- Highly resistant to fracture

E38 Barbed Broaches Single Size or Assorted (1pcs XXXXF, XXXF, M, C & 2pcs XXF, XF, F) Sizes Stainless Steel 10 pcs/pack

E38 BARBED BROACHES stainless steel

| Length | Size |
|--------|-----------|
| 21 mm | XXXXF (0) |
| | XXXXF (1) |
| | XXF (2) |
| | XF (3) |
| | F (4) |
| | M (5) |
| | C (6) |

E48 C+ FILES stainless steel

- For calcified root canal, with 3 mm very rigid tip
- Recommended for single use only

E48 C+ Files Single or Assorted (2pcs #06, #08, #10) Sizes 6 pcs/pack

E48 C+ FILES stainless steel

| Length | Size |
|----------------|-------|
| 21 mm or 25 mm | #06 |
| | #08 |
| | #10 |
| | #12.5 |
| | #15 |

E04 ULTRASONIC FILES NiTi alloy

- For use with ultrasonic scaler
- Excellent tenacity
- Length: 33 mm



E04 ULTRASONIC FILES NiTi alloy

| | |
|-----|-----|
| #15 | #30 |
| #20 | #35 |
| #25 | #40 |

E04 Ultrasonic Files Single Sizes 6 pcs/pack

E11 SPIRAL FILLERS stainless steel

E11 SPIRAL FILLERS stainless steel

| Length | Size |
|----------------|------|
| 21 mm or 25 mm | #25 |
| | #30 |
| | #35 |
| | #40 |

E11 Spiral Fillers Single or Assorted Sizes 4 pcs/pack

E12 GATES DRILLS stainless steel

- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.



E12 GATES DRILLS stainless steel

| Length | Size | Diameter (mm) |
|----------------|------|---------------|
| 28 mm or 32 mm | #1 | 0.5 |
| | #2 | 0.7 |
| | #3 | 0.9 |
| | #4 | 1.1 |
| | #5 | 1.3 |
| | #6 | 1.5 |

E12 Gates Drills Single or Assorted Sizes 6 pcs/pack

E15 PEESO REAMERS stainless steel

- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.



E15 PEESO REAMERS stainless steel

| Length | Size | Diameter (mm) |
|----------------|------|---------------|
| 28 mm or 32 mm | #1 | 0.7 |
| | #2 | 0.9 |
| | #3 | 1.1 |
| | #4 | 1.3 |
| | #5 | 1.5 |
| | #6 | 1.7 |

E15 Peeso Reamers Single or Assorted Sizes 6 pcs/pack

E30 K-FILES stainless steel

E30 K-FILES stainless steel

| | | | | | |
|-----|-----|-----|-----|-----|-----|
| #06 | #08 | #10 | | | |
| #15 | #20 | #25 | #30 | #35 | #40 |
| #45 | #50 | #55 | #60 | #70 | #80 |

E30 K-Files Stainless Steel 21 or 25 mm, 6 pcs/pack No.06-80 Single Size No.15-40, 45-80 Assorted Sizes

E32 K-FILES NiTi alloy

E32 K-FILES NiTi alloy

| | | | | | |
|-----|-----|-----|-----|-----|-----|
| #10 | | | | | |
| #15 | #20 | #25 | #30 | #35 | #40 |
| #45 | #50 | #55 | #60 | #70 | #80 |

E32 K-Files NiTi Alloy 21 or 25 mm, 6 pcs/pack No.10-80 Single Size No.15-40, 45-80 Assorted Sizes

E50 REAMERS stainless steel

E50 REAMERS stainless steel

| | | | | | |
|-----|-----|-----|-----|-----|-----|
| #06 | #08 | #10 | | | |
| #15 | #20 | #25 | #30 | #35 | #40 |
| #45 | #50 | #55 | #60 | #70 | #80 |

E50 Reamers Stainless Steel 21, 25 or 31 mm, 6 pcs/pack No.06-80 Single Size No.15-40, 45-80 Assorted Sizes

E52 REAMERS NiTi alloy

E52 REAMERS NiTi alloy

| | | | | | |
|-----|-----|-----|-----|-----|-----|
| #10 | | | | | |
| #15 | #20 | #25 | #30 | #35 | #40 |
| #45 | #50 | #55 | #60 | #70 | #80 |

E52 Reamers NiTi Alloy 21, 25 or 31 mm, 6 pcs/pack No.10-80 Single Size No.15-40, 45-80 Assorted Sizes

E34 H-FILES stainless steel

E34 H-FILES stainless steel

| | | | | | |
|-----|-----|-----|-----|-----|-----|
| #10 | | | | | |
| #15 | #20 | #25 | #30 | #35 | #40 |
| #45 | #50 | #55 | #60 | #70 | #80 |

E34 H-Files Stainless Steel 21 or 25 mm, 6 pcs/pack No.10-80 Single Size No.15-40, 45-80 Assorted Sizes

E36 H-FILES NiTi alloy

E36 H-FILES NiTi alloy

| | | | | | |
|-----|-----|-----|-----|-----|-----|
| #10 | | | | | |
| #15 | #20 | #25 | #30 | #35 | #40 |
| #45 | #50 | #55 | #60 | #70 | #80 |

E36 H-Files NiTi Alloy 21 or 25 mm, 6 pcs/pack No.10-80 Single Size No.15-40, 45-80 Assorted Sizes

E40 / E42 SPREADERS stainless steel / NiTi alloy

E40 SPREADERS stainless steel

| | | | | | |
|-----|-----|-----|-----|-----|-----|
| #15 | #20 | #25 | #30 | #35 | #40 |
|-----|-----|-----|-----|-----|-----|

E40 Spreaders Stainless Steel 21 or 25 mm, 6 pcs/pack No.15-40, Single or Assorted Sizes

E42 SPREADERS NiTi alloy

| | | | | | |
|-----|-----|-----|-----|-----|-----|
| #15 | #20 | #25 | #30 | #35 | #40 |
|-----|-----|-----|-----|-----|-----|

E42 Spreaders NiTi Alloy 21 or 25 mm, 6 pcs/pack No.15-40, Single or Assorted Sizes

E44 / E46 PLUGGERS stainless steel / NiTi alloy

E44 PLUGGERS stainless steel

| | | | | | |
|-----|-----|-----|-----|-----|-----|
| #15 | #20 | #25 | #30 | #35 | #40 |
|-----|-----|-----|-----|-----|-----|

E44 Pluggers Stainless Steel 21 or 25 mm, 6 pcs/pack No.15-40, Single or Assorted Sizes

E46 PLUGGERS NiTi alloy

| | | | | | |
|-----|-----|-----|-----|-----|-----|
| #15 | #20 | #25 | #30 | #35 | #40 |
|-----|-----|-----|-----|-----|-----|

E46 Pluggers NiTi Alloy 21 or 25 mm, 6 pcs/pack No.15-40, Single or Assorted Sizes


REFINE MaxPiezo 7+ / DS7+ PORTABLE LED SCALERS



- Automatic frequency tracking, real-time feedback
- Extra large, capacity 600 ml water tank for water, chlorhexidine, hydrogen peroxide, sodium hypochlorite etc...
- Power and water controlled by touch panel, easy to clean for infection control
- Detachable handpiece
- Frequency: 28 kHz \pm 3 kHz
- Contents: scaler unit, handpiece, torque wrench, endo wrench and 8 scaler tips
- Size: W180 mm x D180 mm x H150 mm
- Weight: 1.6 Kg (unit only)
- Colour: White

ONE YEAR WARRANTY
(except scaler tips)

MaxPiezo 7 (EMS¹, WOODPECKER⁷ Type) Portable **Non-LED** Scaler Set
 MaxPiezo 7+ (EMS¹, WOODPECKER⁷ Type) Portable **LED** Scaler Set
 MaxPiezo DS7 (SATELEC², DTE⁷ Type) Portable **Non-LED** Scaler Set
 MaxPiezo DS7+ (SATELEC², DTE⁷ Type) Portable **LED** Scaler Set



REFINE MaxPiezo 6+ / DS6+ LED SCALERS

- Automatic frequency tracking, real-time feedback
- Power and water controlled by touch panel, easy to clean for infection control
- Detachable handpiece
- Frequency: 28 kHz \pm 3 kHz
- Contents: scaler unit, handpiece, torque wrench, endo wrench and 6 scaler tips
- Size: W155 mm x D168 mm x H80 mm
- Weight: 0.6 Kg (unit only)
- Colour: White

ONE YEAR WARRANTY
(except scaler tips)

MaxPiezo 6 (EMS¹, WOODPECKER⁷ Type) **Non-LED** Scaler Set
 MaxPiezo 6+ (EMS¹, WOODPECKER⁷ Type) **LED** Scaler Set
 MaxPiezo DS6 (SATELEC², DTE⁷ Type) **Non-LED** Scaler Set
 MaxPiezo DS6+ (SATELEC², DTE⁷ Type) **LED** Scaler Set



REFINE N3000L / V3000L BUILT-IN LED SCALERS

- Automatic frequency tracking, real-time feedback
- Detachable handpiece
- Frequency: 28 KHz \pm 3 KHz
- Contents: scaler unit, handpiece, torque wrench, endo wrench and 6 scaler tips

ONE YEAR WARRANTY
(except scaler tips)

N3000 (EMS¹, WOODPECKER⁷ Type) Built-In **Non-LED** Scaler Set
 N3000L (EMS¹, WOODPECKER⁷ Type) Built-In **LED** Scaler Set
 V3000 (SATELEC², DTE⁷ Type) Built-In **Non-LED** Scaler Set
 V3000L (SATELEC², DTE⁷ Type) Built-In **LED** Scaler Set



PREMIUM PLUS AUTOCLAVABLE SCALER HANDPIECE KITS

- Complete with:
- 1x Handpiece 3H / 5L / 7H / 7L
- 3x Perio scaler tips P1 / PD1
- 1x Torque wrench TW-1L
- 1x Scaler tip holder No.1
- 1x Sterilization box

3H **Non-LED** Handpiece Kit (EMS¹, WOODPECKER⁷ Type)
 7H **Non-LED** Handpiece Kit (SATELEC², DTE⁷ Type)
 5L **LED** Handpiece Kit (EMS¹, WOODPECKER⁷ Type)
 7L **LED** Handpiece Kit (SATELEC², DTE⁷ Type)
 (for handpiece connections, please refer to Page 37)

ONE YEAR WARRANTY
(except scaler tips)



1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
 2. SATELEC is a registered trademark of Satelec/Acteon Group France
 7. WOODPECKER, DTE are registered trademarks of Guilin Woodpecker Medical Instrument Co. Ltd.

PREMIUM PLUS SCALER HANDPIECES



HP-3H Non-LED Scaler Handpiece (EMS¹, WOODPECKER⁷ Type)



HS-7H Non-LED Scaler Handpiece (SATELEC², DTE⁷, NSK³ Type)



HP-5L LED Scaler Handpiece (EMS¹, WOODPECKER⁷ Type)



HS-7L LED Scaler Handpiece (SATELEC², DTE⁷, NSK³ Type)

REFINE SCALER TORQUE WRENCHES



TW-1L
For EMS¹, WOODPECKER⁷
KAVO PiezoLED⁵, SATELEC²,
DTE⁷, NSK³
type scalers



TS-1L
For SIRONA⁴
type scaler



TK-1L
For KAVO⁵
SONICflex⁵
SONOsoft⁵
type scalers

REFINE SCALER HANDPIECE HOSES



3H Non-LED (EMS¹, WOODPECKER⁷ Type)
Handpiece Hose



7H Non-LED (SATELEC², DTE⁷, NSK³ Type)
Handpiece Hose



5L LED (EMS¹, WOODPECKER⁷ Type)
Handpiece Hose



7L LED (SATELEC², DTE⁷, NSK³ Type)
Handpiece Hose



E04 ULTRASONIC FILES NiTi alloy

- For use with ultrasonic scaler
- Excellent tenacity
- Length: 33 mm

| E04 ULTRASONIC FILES NiTi alloy | |
|---------------------------------|-------|
| #15 ○ | #30 ● |
| #20 ● | #35 ● |
| #25 ● | #40 ● |

E04 Ultrasonic Files
Single Sizes
6 pcs/pack

REFINE NO. 2 SCALER TIP HOLDER

REFEASTH2



REFINE TW-A ENDO WRENCH

Multi function wrench
for both endo chuck & bur

REFCTWA



REFINE FOOT SWITCH

REFGFS




1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
2. SATELEC is a registered trademark of Satelec/Acteon Group France
3. NSK is a registered trademark of Nakanishi Inc. Japan
4. SIRONA is a registered trademark of Sirona Dental System
5. KAVO, SONICflex, SONOsoft, PiezoLED are registered trademarks of Kavo Dental GmbH Germany
6. AMDENT is a registered trademark of Amdent AB Sweden
7. WOODPECKER, DTE are registered trademarks of Guilin Woodpecker Medical Instrument Co. Ltd.


PREMIUM PLUS SCALER TIPS STAINLESS STEEL

FOR EMS¹, WOODPECKER⁷, SATELEC², DTE⁷, NSK³ and SIRONA⁴ REFINE Type Scalers


SCALING




G1 (EMS¹, WOODPECKER⁷ Type)
GD1 (SATELEC², DTE⁷, NSK³ Type)
GS1 (SIRONA⁴ Type)
 Supragingival deposits in all quadrants




G2 (EMS¹, WOODPECKER⁷ Type)
GD2 (SATELEC², DTE⁷, NSK³ Type)
GS2 (SIRONA⁴ Type)
 Heavy supragingival deposits on anterior teeth




G3 (EMS¹, WOODPECKER⁷ Type)
GD3 (SATELEC², DTE⁷, NSK³ Type)
GS3 (SIRONA⁴ Type)
 Supragingival deposits in all quadrants, including the interproximal and sulcus areas



G4 (EMS¹, WOODPECKER⁷ Type)
GD4 (SATELEC², DTE⁷, NSK³ Type)
GS4 (SIRONA⁴ Type)
 Supragingival and interproximal deposits




G5 (EMS¹, WOODPECKER⁷ Type)
GD5 (SATELEC², DTE⁷, NSK³ Type)
GS5 (SIRONA⁴ Type)
 Supragingival deposits in all quadrants




G6 (EMS¹, WOODPECKER⁷ Type)
GD6 (SATELEC², DTE⁷, NSK³ Type)
GS6 (SIRONA⁴ Type)
 Voluminous supragingival deposits


ENDO




E1 (EMS¹, WOODPECKER⁷ Type)
ED1 (SATELEC², DTE⁷, NSK³ Type)
ES1 (SIRONA⁴ Type)
 120°file holder for anterior root canal irrigation




E2 (EMS¹, WOODPECKER⁷ Type)
ED2 (SATELEC², DTE⁷, NSK³ Type)
ES2 (SIRONA⁴ Type)
 95°file holder for molar teeth root canal irrigation



E4 (EMS¹, WOODPECKER⁷ Type)
ED4 (SATELEC², DTE⁷, NSK³ Type)
ES4 (SIRONA⁴ Type)
 Removing root filling obstructions during root canal retreatment



E3 (EMS¹, WOODPECKER⁷ Type)
ED3 (SATELEC², DTE⁷, NSK³ Type)
ES3 (SIRONA⁴ Type)
 Gutta-percha melting




E4D (EMS¹, WOODPECKER⁷ Type)
ED4D (SATELEC², DTE⁷, NSK³ Type)
ES4D (SIRONA⁴ Type)
 Removing calcification and filling material during root canal retreatment




E3D (EMS¹, WOODPECKER⁷ Type)
ED3D (SATELEC², DTE⁷, NSK³ Type)
ES3D (SIRONA⁴ Type)
 Diamond coated instrument for root canal enlarging



E5 (EMS¹, WOODPECKER⁷ Type)
ED5 (SATELEC², DTE⁷, NSK³ Type)
ES5 (SIRONA⁴ Type)
 Removing root filling obstructions during root canal retreatment



P4D (EMS¹, WOODPECKER⁷ Type)
PD4D (SATELEC², DTE⁷, NSK³ Type)
PS4D (SIRONA⁴ Type)
 Diamond coated instrument for root canal enlarging



E14 (EMS¹, WOODPECKER⁷ Type)
ED14 (SATELEC², DTE⁷, NSK³ Type)
ES14 (SIRONA⁴ Type)
 Removing root filling obstructions during root canal retreatments



E5D (EMS¹, WOODPECKER⁷ Type)
ED5D (SATELEC², DTE⁷, NSK³ Type)
ES5D (SIRONA⁴ Type)
 Removing calcification and filling material during canal retreatment




E15 (EMS¹, WOODPECKER⁷ Type)
ED15 (SATELEC², DTE⁷, NSK³ Type)
ES15 (SIRONA⁴ Type)
 Removing root filling obstructions during root canal retreatments

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
 2. SATELEC is a registered trademark of Satelec/Acteon Group France
 3. NSK is a registered trademark of Nakanishi Inc. Japan
 4. SIRONA is a registered trademark of Sirona Dental System
 7. WOODPECKER, DTE are registered trademarks of Guilin Woodpecker Medical Instrument Co. Ltd.

PREMIUM PLUS SCALER TIPS STAINLESS STEEL

FOR EMS¹, WOODPECKER⁷, SATELEC², DTE⁷, NSK³ and SIRONA⁴ Type Scalers



P1 (EMS¹, WOODPECKER⁷ Type) PERIO
PD1 (SATELEC², DTE⁷, NSK³ Type)
PS1 (SIRONA⁴ Type)
 Shallow pocket subgingival deposits




P2L (EMS¹, WOODPECKER⁷ Type)
PD2L (SATELEC², DTE⁷, NSK³ Type)
 Left angle instrument to remove calculus from very narrow inter-root space and furcation



P3 (EMS¹, WOODPECKER⁷ Type)
PD3 (SATELEC², DTE⁷, NSK³ Type)
PS3 (SIRONA⁴ Type)
 Deep pocket subgingival deposits



P2R (EMS¹, WOODPECKER⁷ Type)
PD2R (SATELEC², DTE⁷, NSK³ Type)
 Right angle instrument to remove calculus from very narrow inter-root space and furcation



P4 (EMS¹, WOODPECKER⁷ Type)
PD4 (SATELEC², DTE⁷, NSK³ Type)
PS4 (SIRONA⁴ Type)
 Shallow pocket subgingival deposits



P2LD (EMS¹, WOODPECKER⁷ Type)
PD2LD (SATELEC², DTE⁷, NSK³ Type)
 Removal of calculus from narrow inter-root spaces (diamond-coated)



P3D (EMS¹, WOODPECKER⁷ Type)
PD3D (SATELEC², DTE⁷, NSK³ Type)
PS3D (SIRONA⁴ Type)
 Diamond coated instrument for root planning after periodontal flap surgery



P2RD (EMS¹, WOODPECKER⁷ Type)
PD2RD (SATELEC², DTE⁷, NSK³ Type)
 Diamond coated instrument for root planning

FOR AMDENT⁶ Type Scalers



A1 (AMDENT⁶ Type)
 Supragingival scaling (#37)



A2 (AMDENT⁶ Type)
 Supragingival scaling (#39)

FOR KAVO SONICflex⁵ Type Scalers



GK1 (KAVO⁵ Type)
 Supragingival deposits in all quadrants



GK2 (KAVO⁵ Type)
 Supragingival heavy calculus and plaque



GK3 (KAVO⁵ Type)
 Supragingival interdental calculus and calculus at the neck of the tooth




GK4 (KAVO⁵ Type)
 Supragingival deposits, including the interproximal and sulcus areas



GK5 (KAVO⁵ Type)
 Subgingival calculus



GK6 (KAVO⁵ Type)
 Left angle instrument for removing subgingival calculus




GK7 (KAVO⁵ Type)
 Right angle instrument for removing subgingival calculus

FOR KAVO SONOsoft⁵ Type Scalers



GC1 (KAVO⁵ Type)
 Supragingival deposits in all quadrants



GC2 (KAVO⁵ Type)
 Supragingival interdental calculus and calculus at the neck of the tooth



PC1 (KAVO⁵ Type)
 Subgingival calculus, including the interproximal and sulcus areas

KAVO PiezoLED⁵ Type Scalers



201 (KAVO⁵ Type)
 Supragingival and interproximal deposits



202 (KAVO⁵ Type)
 Supragingival deposits in all quadrants, including the interproximal and sulcus areas



203 (KAVO⁵ Type)
 Deep pocket subgingival deposits

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
 2. SATELEC is a registered trademark of Satelec/Acteon Group France
 3. NSK is a registered trademark of Nakanishi Inc. Japan
 4. SIRONA is a registered trademark of Siroa Dental System
 5. KAVO, SONICflex, SONOsoft, PiezoLED are registered trademarks of Kavo Dental GmbH Germany
 6. AMDENT is a registered trademark of Amdent AB Sweden
 7. WOODPECKER, DTE are registered trademarks of Guilin Woodpecker Medical Instrument Co. Ltd.

European Office

Premium Plus Poland sp. z o. o.

Bukowska 27
62-081 Wysogotowo

Poland

+48 61 880 1094
info@premiumpluspl.com
www.premiumpluspoland.com

UK Office

Premium Plus UK Ltd.

2, Knighton Heath Industrial Estate
847 Ringwood Road, Bournemouth
Dorset BH11 8NE

U.K.

+44 1202 611 011
info@premiumplusuk.com
www.premiumplusuk.com

AUS Office

Premium Plus Australia Pty. Ltd.

98 Victoria Street,
Smithfield NSW 2164

Australia

+61 287 176 500
info@premiumplusau.com
www.premiumplusau.com

USA Office

Premium Plus Dental Supplies Inc.

155 Liberty Avenue
Brooklyn NY 11212

U.S.A.

+1 718 366 8686
sales@premiumplususa.com
www.premiumplususa.com

Japan Office

Premium Plus Japan Co., Ltd.

5th Floor, 1-1-31, Nishimidorigaoka,
Toyonakashi, Osaka 560-0005,

Japan

+81 6 6845 0066
premiumplus.info@premiumplus.jp
www.premiumplus.jp

Hong Kong Office

Premium Plus Medical Supplies Ltd.

1001, Yuen Long Trading Centre
No.33, Wang Yip Street West
Yuen Long, N.T.

Hong Kong

+852 2443 1219
hk@premiumplushk.com
www.premiumplushk.com

Manufacturing Facility

Premium Plus (Dongguan) Limited

Flat 101, No. 122, Tianqiao Road,
Changping, Dongguan,
Guangdong 523581

China

+86 769 83397277
info@premiumpluschina.com
www.premiumplushk.com