premium

freephone: 0800 009 8822 email: sales@premiumplusuk.com


shop on our website:www.premiumplusuk.com

ENDODONTIC AUTUMN 2025

MY ACCOUNT REF ...

FREE DELIVERY FOR ORDERS OVER £50

OTHERWISE £5.95 Royal Mail or £7.95 COURIER CHARGES APPLY FOR MAINLAND DELIVERY. CHARGES FOR OTHER ZONES APPLY PLEASE SEE WEBSITE FOR DETAILS.




E18 DUAL SHAPER FILES CHAMELEON NiTi heat activation

- A new root canal NiTi file system has been created using thermal activation, laser quenching and nano-coating
- · Surface hardness of the file is increased bv 168%
- · Abrasion resistance increases greatly, improving the service life by 3~10 times



SAFE ROUND



unique cutting edge design NiTi files

High strength

Excellent corrosion and wear resistance, biocompatibility and high damping properties

Hyperelastic


Super elasticity, will still recover shape after countless bending

Easy to shape

Thermal activation of the NiTi wire, allows the file to be easily shaped so as to adapt to the natural form of the root canal

- 2.0 N.cm 2.5 N.cm
- 👉 150-350 r.p.m.

| Siz | Size | | Taper | Tip | E18 Dual Shaper Files Chameleon |
|------------------------------|--------|-------------|--------|------|---------------------------------|
| OPENING | SX 🛑 | 19 mm | 3.5-19 | 0.19 | SX 📜 |
| GUIDE FILE (E17 Pro-Path) | #016 🔾 | | 2-6 | 0.15 | #016 |
| | #20/04 | 21 mm or | 4 | 0.20 | #20/04 |
| SHAPING | #25/04 | 25mm | 4 | 0.25 | #25/04 |
| | #25/06 | | 6 | 0.25 | #25/06 |



E17 Pro-Path Files Chameleon, 6 pcs/pack 21 / 25 mm no.016£29.95

FREE

PLASTIC ENDO DISPENSERS AUTOCLAVABLE Light Blue, Blue, Green, Grey



S008C Endo Dispenser with Ruler (8 Holes) 75 mm x 51 mm x 10 mm ... £4.95



S030A Endo Dispenser with Counter (10 Holes) 59 mm x 22 mm x 49 mm ... £6.95



GUTTA PERCHA POINT TIP CUTTER

- Autoclabable
- · Colour: Black
- Stainless steel knife head
- Size: 71 mm x 39 mm x 15 mm

S033F Tip Cutter each £19.95



EO3 PRO-FLEXI FILES BLUE NITI heat activation **E28 PRO-FLEXI FILES CHAMELEON NITI heat activation**

- Smart varied taper design
- High cutting efficiency
- · Good flexibility and fracture resistance
- 40 2.0N.cm 2.5N.cm
- 👉 150-300 r.p.m.

| Size | | Length | Taper % | Tip | E28 Pro-Flexi Files Chameleon |
|---------|--------|---------------------|---------|------|-------------------------------|
| OPENING | #01/09 | 19 mm | 9 | 0.19 | #01/09 |
| | #20/04 | | 4 | 0.20 | #20/04 |
| | #25/04 | 21 mm or 25mm | 4 | 0.25 | #25/04 |
| SHAPING | #30/04 | | 4 | 0.30 | #30/04 |
| | #35/04 | | 4 | 0.35 | #35/04 |
| | #25/06 | | 6 | 0.25 | #25/06 |

NANO COATED CHAMELEON SURFACE **HARDNESS IS INCREASED BY 168% IMPROVING SERVICE LIFE BY 3-10 TIMES**

CROSS

SECTION

- #25/04 Taper 4% for narrow and curved canals;
- #25/06 Taper 6% for the majority of clinical cases.

E03 Pro-Flexi Files Blue 19 / 21 / 25 mm Single or Assorted Sizes, 6 pcs/pack ... £26.95

E28 Pro-Flexi Files Chameleon 19 / 21 / 25 mm Single or Assorted Sizes, 6 pcs/pack ... £29.95

E16 PRO-PATH FILES GOLD NiTi heat activation E17 PRO-PATH FILES CHAMELEON NITI heat activation



CROSS SECTION

Ralance between Cutting Efficiency

and Flexibility

- Unique flexibility
- Non-uniform taper (2%-6%)
- · Pro-Path files #016 is all you need to manage all curves to the apex

Pro-Path Files #016 6 pcs/pack, 21 / 25 mm E16 Gold£26.95 E17 Chameleon ... £29.95



E05 ONE FILES BLUE NITI heat activation **E06 ONE FILES SILVER NITI allov**

- Reciprocating system 🧖
- Only one instrument needed for a root canal preparation
- Efficient and time saving
- Reciprocating · 3 sizes for different size root canals

| | S | Size | Length | Taper % | Tip (mm) |
|-----|--------|--------|--------|---------|----------|
| | | #R25 🛑 | 21 mm | 8 | 0.25 |
| | 05/ | #R40 | or | 6 | 0.40 |
| m 6 | #R50 🛑 | 25 mm | 5 | 0.50 | |

E05 One Files 21 / 25 mm Single or Assorted Sizes 6 pcs/pack ... £26.95

E06 One Files 21 / 25 mm Single or Assorted Sizes 6 pcs/pack ... £23.95

E14 PA-FILES NITI allow



- Length Size No. 013 small 21 mm ○ small-medium 016 or 25 mm 019 medium
- 2% taper, for building a glide path
- Efficient and time saving
- 1.5N.cm
- (150-300 r.p.m.

E14 PA-Files Single or Assorted Sizes 6 pcs/pack ... £24.95

E10 D-FILES retreatment files NiTi alloy



- · For the removal of gutta percha and root filling material
- **△** 2.5N.cm • (150-300 r.p.m.

| No. | Length | Size | Taper % |
|-------|----------|----------|---------|
| D1 | 16 mm | 30 | 0.09 |
| D2 | 18 mm | 25 | 0.08 |
| D3 | 22 mm | 20 | 0.07 |
| D1-D3 | 16-22 mm | assorted | |

E10 D-Files 16 / 18 / 22 mm Single or Assorted Sizes, 6 pcs/pack ... £24.95

E08 FILES GOLD NiTi heat activation




- Reciprocating system (
- Evolving cross-section with optimized tip
- · Increased flexibility for safety
- Efficient safe shaping

E08 Files Gold 21 / 25 mm Single or Assorted Sizes, 4 pcs/pack ... £26.95

| No. | Size | Length | Taper % | Matching Gutta Point |
|-----|--------------|-------------|---------|----------------------|
| 20 | small | | 07 | small |
| 25 | small-medium | 21 mm | 07 | primary |
| 35 | medium | or 25 mm | 06 | medium |
| 45 | ○ large | | 05 | large |



E25 D-SHAPER FILES GOLD NiTi heat activation





| Size | Length | Taper % | Tip (mm) |
|--------------|--------|---------|----------|
| R 🔵 | 17 mm | 10 | 0.20 |
| 016 (E16) | 21 mm | 2-6 | 0.15 |
| S1 🛑 | | 4 | 0.20 |
| S2 🛑 | or | 4 | 0.25 |
| S3 🔵 | 25mm | 4 | 0.30 |
| S4 🔵 | | 6 | 0.25 |

Operation process

- #10 K-File: probing the root canal
- "R": opening the root canal
- "E16": establishing a glide path
- "S" series: shaping and finishing


Highlights:

"E16" pro-path file can be used instead of manual glide files.

"E16" pro-path file, perfect for root canal anatomy and can be adapted to most root canals. Is efficient in establishing a glide path and improves safety.

E25 D-Shaper Files Gold 17 / 21 / 25 mm Single or Assorted Sizes, 6 pcs/pack ... £26.95

E16 Pro-Path Files Gold #016 21 / 25 mm Single or Assorted Sizes, 6 pcs/pack ... £26.95




E01 SUPER FILES GOLD NITI heat activation

| Size | Length | Taper % | Tip (mm) |
|------------|---------------------|---------|----------|
| SX 🛑 | 19 mm | 3.5-9 | 0.19 |
| S1 | | 2-11 | 0.17 |
| S2 🔾 | 21 mm or 25mm | 4-11.5 | 0.20 |
| F1 🛑 | | 7 | 0.20 |
| F2 🛑 | | 8 | 0.25 |
| F3 🔵 | | 9 | 0.30 |
| F4 • | | 6 | 0.40 |
| F5 🛑 | | 5 | 0.50 |


- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- 2.0N.cm 2.5N.cm
- ◆ 150-300 r.p.m.

E01 Super Files Gold 19 / 21 / 25 mm Single or Assorted Sizes (SX-F3) 6 pcs/pack £24.95









| Siz | е | Length | Taper % | Tip (mm) |
|------|---|---------------------|---------|----------|
| SX | | 19 mm | 3.5-9 | 0.19 |
| S1 (| | | 2-11 | 0.17 |
| S2 (|) | 21 mm or 25mm | 4-11.5 | 0.20 |
| F1 (| | | 7 | 0.20 |
| F2 (| | | 8 | 0.25 |
| F3 (| | | 9 | 0.30 |
| F4 (| | | 6 | 0.40 |
| F5 (| | | 5 | 0.50 |

- Smart varied taper design
- · High flexibility and pre-curved memory
- Safe tip, reduces the possibility of root canal deviation
- 2.0N.cm 2.5N.cm
- 👉 150-300 r.p.m.

E02 Super Files Blue 19 / 21 / 25 mm Single or Assorted Sizes (SX-F3) 6 pcs/pack £24,95

| E02 RECOMMENDED OPERATION PROCESS | | | | | |
|-----------------------------------|--|--|--|--|--|
| PROBE | #10 | | | | |
| THODE | #15 | | | | |
| OPENING | sx (= | | | | |
| SHAPING | S1 (= | | | | |
| SHAFING | ○ S2 - | | | | |
| | F1 (==================================== | | | | |
| FINISHING | ● F2 | | | | |
| | F3 ==================================== | | | | |
| ENLARGING | ● F4 (| | | | |
| ENLARGING | ● F5 ★ | | | | |

E48 C+ FILES stainless steel

- For calcified root canal, with 3 mm very rigid tip
- Recommended for single use only

E48 C+ Files 21 / 25 mm Single or Assorted Sizes 6 pcs/pack ... £6.95

| E48 C+ FILES stainless steel | | | | | | |
|---------------------------------|-------|---|--|--|--|--|
| Length Size | | | | | | |
| 21 mm | #06 | | | | | |
| | #08 | | | | | |
| or | #10 | | | | | |
| 25 mm | #12.5 | | | | | |
| | #15 | 0 | | | | |

E38 BARBED BROACHES



| E38 BARBED BROACHES stainless steel | | | | | |
|-------------------------------------|-----------|--|--|--|--|
| Length Size | | | | | |
| | XXXXF (0) | | | | |
| | XXXF (1) | | | | |
| | XXF (2) | | | | |
| 21 mm | XF (3) | | | | |
| 21111111 | F (4) | | | | |
| | M (5) | | | | |
| | C (6) | | | | |



E30 K-FILES stainless steel

| Length | E30 K-FILES stainless steel | | | | | | | | |
|--------|-----------------------------|-------|-------|-------|-----|-----|--|--|--|
| 21mm | #06 | #08 | #10 | | | | | | |
| or | | #20 🛑 | | | | | | | |
| 25 mm | #45 🔾 | #50 🛑 | #55 🛑 | #60 🔵 | #70 | #80 | | | |

E34 H-FILES stainless steel

#30

#60

#35

#70

#40

#80

E30 K-Files Stainless Steel 21 / 25 mm, 6 pcs/pack

Length

21mm

or

25 mm

No.06-80 Single Size

E34 H-FILES stainless steel

#10

#20

#50

No.15-40, 45-80 Assorted Sizes ... £3.45

#08

#15(

#45

E34 H-Files Stainless Steel

21 / 25 mm, 6 pcs/pack

No.08-80 Single Size

No.15-40, 45-80 Assorted Sizes ... £3.45



E32 K-FILES NITI alloy

| Length | E32 K-FILES NiTi alloy | | | | | |
|--------|------------------------|-------|-------|-----|-----|-------|
| 21mm | #08 | #10 | | | | |
| or | #15 🔾 | #20 🛑 | #25 🛑 | #30 | #35 | #40 🌑 |
| 25 mm | #45 🔾 | #50 🛑 | #55 🛑 | #60 | #70 | #80 |

E32 K-Files NiTi Allov

21 / 25 mm, 6 pcs/pack

No.08-80 Single Size No.15-40, 45-80 Assorted Sizes ... £4.95



E36 H-FILES NITI alloy

| Length | E36 H-FILES NiTi alloy | | | | | |
|-------------|------------------------|-------|-------|-----|-----|-----|
| 21mm | | #10 | | | | |
| or 25 mm | #15 🔾 | #20 🛑 | #25 🛑 | #30 | #35 | #40 |
| | #45 🔾 | #50 🛑 | #55 | #60 | #70 | #80 |

E36 H-Files NiTi Allov

21 / 25 mm, 6 pcs/pack

No.08-80 Single Size No.15-40. 45-80 Assorted Sizes ... £4.95



FINGER SPREADERS stainless steel / NiTi allov

#25

#55

.....£3,45

| Length | E40 / E42 FINGER SPREADERS | | | | | |
|--------|----------------------------|-----|-----|-----|-----|-----|
| 25 mm | #15 🔾 | #20 | #25 | #30 | #35 | #40 |

E40 Spreaders Stainless Steel

25 mm, 6 pcs/pack

No.15-40, Single or Assorted Sizes ... £3.95

E42 Spreaders NiTi Alloy

25 mm, 6 pcs/pack No.15-40, Single or Assorted Sizes ... £4.95



FINGER PLUGGERS stainless steel / NiTi alloy

| Length | E44 / E46 FINGER PLUGGERS | | | | | |
|--------|---------------------------|-------|-----|-----|-----|-----|
| 25 mm | #15 🔾 | #20 🛑 | #25 | #30 | #35 | #40 |

E44 Pluggers Stainless Steel

25 mm, 6 pcs/pack

No.15-40, Single or Assorted Sizes ... £3.95

E46 Pluggers NiTi Alloy

25 mm, 6 pcs/pack No.15-40, Single or Assorted Sizes ... £4.95



| E11 SPIRAL FILLERS stainless steel | | | |
|------------------------------------|-------|--|--|
| Length | Size | | |
| 21 mm or 25 mm | #25 🛑 | | |
| | #30 | | |
| | #35 🔵 | | |
| | #40 ● | | |

E11 Spiral Fillers 21 / 25 mm Single or Assorted Size 4 pcs/pack £5.95



E04 ULTRASONIC FILES NITI alloy

| E04 ULTRASONIC FILES NiTi alloy | | | | |
|---------------------------------|-------|-----|--|--|
| Length | #15 🔾 | #30 | | |
| 33 mm | #20 🛑 | #35 | | |
| | #25 | #40 | | |

- For use with
- ultrasonic scaler **Excellent tenacity**

E04 Ultrasonic Files 33 mm Single Size 6 pcs/pack

E12 GATES DRILLS stainless steel

- High cutting efficiency
 Recommended speed 800-1,200 r.p.m.

| E12 GATES DRILLS stainless steel | | | | |
|----------------------------------|------|---------------|--|--|
| Length | Size | Diameter (mm) | | |
| | #1 | 0.5 | | |
| 00 | #2 | 0.7 | | |
| 28 mm | #3 | 0.9 | | |
| or 32 mm | #4 | 1.1 | | |
| | #5 | 1.3 | | |
| | #6 | 1.5 | | |

E12 Gates Drills 28 / 32 mm Single or Assorted Sizes 6 pcs/pack £7.95

Buy 2 aet 1 FREE (same item)

E15 PEESO REAMERS stainless steel

- High cutting efficiency
 Recommended speed 800-1,200 r.p.m.

| E15 PEESO REAMERS stainless steel | | | | |
|-----------------------------------|------|---------------|--|--|
| Length | Size | Diameter (mm) | | |
| | #1 | 0.7 | | |
| 00 | #2 | 0.9 | | |
| 28 mm or | #3 | 1.1 | | |
| 32 mm | #4 | 1.3 | | |
| | #5 | 1.5 | | |
| | #6 | 1.7 | | |

E15 Peeso Reamers 28 / 32 mm Single or Assorted Sizes 6 pcs/pack

actual size naping Drill Prest No. 1 No. 3

HAHNENKRATT CONTEC ROOT POST SYSTEM

Contec is designed for roots with rather conical shape. The shape is designed with two different tapers and follows the natural shape of the root canal

- Utmost bending strength HT-Glassfiber: 1.678MPa (Determined accordingly to EN ISO)178
- · Utmost fatigue and fracture resistance
- · Homogeneity due to dentin-like elasticity
- Safe adhesion due to micro-retentive surface
- · Effective, sharp cutting burs
- High radiopacity



44600 Contec Standard Kit

10002 Contec Steri-Box

Contec Root Post System 44610 Trial Kit Size 2 Yellow (1.5mm) with 2 x Preshaping Drills + 1 x Calibration Drill 44600 Standard Kit

with 2 x Preshaping Drills + 5 x Calibration Drills, 1 x Measurement Card and 20 x Contec Posts (3 x Red, 5 x White, 5 x Yellow, 5 x Blue, 2 x Black) 10002 Contec Steri-Box + Organizer (empty) .. £69.95

| 4400D11 Calibration Drill No. D Red (1.10mm) £7.45 |
|---|
| 44001 Calibration Drill No. 1 White (1.30mm) £7.45 |
| 44002 Calibration Drill No. 2 Yellow (1.50mm) £7.45 |
| 44003 Calibration Drill No. 3 Blue (1.75mm) £7.45 |
| 44004 Calibration Drill No. 4 Black (2.00mm) £7.45 |

Contec Post Refills, 10 pcs/pack 4460D11 Contec Posts No. D Red (1.10mm) ... £56.95 44601 Contec Posts No. 1 White (1.30mm) ... £56.95 44602 Contec Posts No. 2 Yellow (1.50mm) ... £56.95 44603 Contec Posts No. 3 Blue (1.75mm) £56.95 44604 Contec Posts No. 4 Black (2.00mm) £56.95



HAHNENKRATT BLACKLINE ULTRA FS ENDO MIRRORS TITANIUM FRONT SURFACE BENDABLE

- · Micro mirrors with bendable stem for a precise alignment of the mirror
- · Can be also used for Periodontics especially for flap openings

| BLACKline Microflex Endo Mirrors | |
|---|---------|
| Titanium Front Surface Bendable | each |
| B5181 ULTRA FS Round 3 mm | £99.95 |
| B5182 ULTRA FS Round 5 mm | £99.95 |
| B5183 ULTRA FS Oval 3 x 6 mm | £109.95 |
| B5184 ULTRA FS Drop Shaped 3 x 6 mm | £109.95 |
| B442 Ergotouch Black Mirror Handle Stem | £19.95 |



Molar Clamps (Without Dam-Engaging Projections)

RUBBER DAM CLAMPS STAINLESS STEEL























premium plus plus

Molar Clamps (With Dam-Engaging Projections)



58-170-201













58-170-031 Bicuspid Clamps (With Dam-Engaging Projections)

58-170-206

Bicuspid Clamps (Without Dam-Engaging Projections)



58-170-207





Labial Clamps (With Dam-Engaging Projections)





Cervical Clamp



#22 58-170-022

#27 58-170-027



actual #29

each £3.95

RUBBER DAM PUNCHES AND FORCEPS STAINLESS STEEL



AUTOCLAVABLE RUBBER DAM FRAME



- Proven design Better grip
- Enhance patient comfort

4866 Rubber Dam Frame

RUBBER DAM HOLDER STAINLESS STEEL

Fully autoclavable Sturdy design

58-165-002 Rubber Dam Holder £5.45

premium blus

ENDO RULER ALUMINIUM



- For both hand and engine instruments
- Gauges from 1 to 30 mm for right or left hand
- Autoclavable up to 134°

4898 Endo Rulei £7 95

ENDO RULER STAINLESS STEEL



- For both hand and engine instruments
- Autoclavable

029 Endo Ruler



ENDO STOPS

 Round with tail Assorted Colours: White, Yellow, Red, Blue, Green and Black

329 Endo Stops, Assorted Colours 100 pcs/pack ... £5.95

AUTOCLAVABLE ALUMINIUM ENDO HOLDER



- Specially designed for ultrasonic cleaning and autoclaving of root canal instruments
- Holds 18 hand or engine endo instrument up to size 110 all lengths
- Millimeter rule for rubber stop measurements for both right or left hand use
- Size: W 6.5 cm x D 3 cm x H 5.5 cm
- Autoclavable up to 134°C
- · Colour: Blue

2800 E-II Endo Holder £29.95

AUTOCLAVABLE ENDO DISPENSER



N055 Endo Dispenser

- Specially designed for cleaning and autoclaving of endo instruments
- Holds 18 hand or engine instruments up to size 120 (all lengths)
- Medical grade plastic, autoclavable up to 134°C
- Size: 85 mm x 52 mm x 14 mm
- Colours: Light Blue and Blue



- Durable aluminium construction
- Accurate settings
- Autoclavable up to 134°C
- Size: L150 mm x W24 mm x H33 mm
- Colour: Blue

Buv 2 aet

ENDO MEASURING BLOCK PLASTIC



- Accurate settings
- Durable construction
- Autoclavable up to 134°C
- Size: L100 mm x W24 mm x H32 mm
- Colour: Blue

4888 Endo Measuring Block £19 9F



ROUND ENDO MEASURE STAINLESS STEEL

- Holds 8 instruments at preset measurement
- Solid stainless construction, fully autoclavable
- With Endo Cushion holder
- Size: Dia, 33 mm

032 Endo Measure £33.95 806 Cylindrical Endo Cushions 50 pcs/box£12.95



AUTOCLAVABLE ENDO STAND

- Autoclavable plastic stand with disposable sponge insert
- Cleans and holds endo instruments
- Silicone ring base resists sliding

4833 Endo Stand Large (dia. 45 mm) £10.95 812 Endo Sponges, 50 pcs/pack £14.95



al and round endo stand e: 2½" dia. x ¾" thick 65mm dia. x 8mm)

DISPOSABLE ENDO SPONGES

 Disposable blue polyurethane sponges

811 Endo Sponges .. £13.95 812 Endo Sponges .. £14.95



TRIANGULAR ENDO RING AND CUSHIONS

- Disposable cushions
- Colour: Blue
- Autoclavable up to 134°C

088 Autoclavable Cushion Holders with Large and Small Rings ... £12.95 803 Disposable Cushions, 50 pcs/box

ENDO HOLDER STAINLESS STEEL



- · Holder for used files with disposable foam plastic cushions
- Built in endo file ruler
- Stainless steel construction
- Autoclavable

1180 Endo Holder Stainless Steel £13.95 801 Disposable Foam Cushions 50's .. £16.95

DISPOSABLE PEEL-N-STICK ENDO CUSHIONS



- Hold, arrange and clean small instruments during endodontic or implant procedures
- Ideal for files, screws, drills and pluggers etc
- Peel-and-stick back secures to patient napkins, tray covers or anywhere handy
- · Pre-arranging saves set up time
- Dense blue polyurethane foam 3" (7.5 cm) long

802 Peel-N-Stick Endo Cushion 50 pcs/pack ... £19.95



e98 Smart, Accurate and Reliable APEX LOCATOR

Fast measurement 🔨 Precise positioning

- Imported AI High-Speed Chip
- Advanced Multi Frequency Technology
- High Precision in Wet & Dry Canals
- Automatic Calibration

Screen Display & Its Meaning



Very rapid Didi alarm



e-98 Apex Locator each £165.00

Auto Start & Stop

Apical Reverse

Apical Slow Down



Didi alarm sound for a long time interval Value:12 The corresponding scale value is 2, indicating the distance from the apex is

about 2mm



Didi alarm sound interval becomes shorter Value:09 It indicates that the about 1.5mm



Uninterrupted long beep Value:00

sound Value:-3 It indicates that the endo It indicates that the root distance from the apex is file has reached the apex canal file has exceeded the apex



Large 3.5" LCD Display · Visual display of file position

Volume Adjustable

· Meets different usage needs

File Clip with Large Arc

• Easier file installation

Biomimetic-silica-wrapped File Clip

· Can be autoclaved more than 1000 times, avoid cross-infection

316L Stainless Steel Lip Hook

· Safer medical grade stainless steel

Powerful 1500 mAh lithium-ion battery

· Long-lasting battery life

Compact Size & Stable Design

· In line with clinical operating habits, more convenient to use



with e98 Apex Locator (Connect Function)

Model: e98

Dimensions: 20cm x 17.5cm x7cm ±1cm (package)


Weight: 650g ± 10% Display: 3.5" colour LCD Degree of Protection: IPX 0

Power supply: Lithium ion battery: 3.7V, 1500mAh Charger power supply: AC100-240V 5.5VA 50Hz/60Hz

Frequency: 50/60Hz, ±10% Power Rating: 0.3 W

Electrical safety class: Class II

Relative humidity: <80% Ambient temperature: 10°C / 40°C



EDENTA H1SEB ENDO CARBIDE BURS RAXL

The efficiently cutting bur blades enable pressureless, minimally invasive preparation. The long, slender neck guarantees good visibility to the access cavity. Endoburs with L34 are particularly suitable for preparing under a microscope to ensure an optimum view of deeper areas of the pulp chamber, and showing the anatomy of the cavity chamber floor. This facilitates minimally invasive opening of root canal orifices and exposure of obliterated canals.



EDENTA HISNL ENDO CARBIDE BURS RAXL



Efficiently cutting special endodontic bur used for detecting all root canals in the case of multirooted teeth. The H1SNL has a particularly high cutting efficiency and its long neck ensures a clear view in deeper regions of the cavity for opening the access cavity of the root canal system. Use in a contra-angle with micromotor at 1,500 - 2,000 rpm, without cooling, dry and apply only light pressure during preparation.



e88 Cordless Endomotor

Reciprocation Modes (M0)



Autoclavable



Miniature Head



Detachable

360° Adjustable



Contra Angle Editable





Memory **Programs**

*In connect function e88 Endomotor

mirrors e98 Apex Locator's screen

(M1 to M9)

Forward Reciprocation-Four Modes Clockwise & Counterclockwise movement



Fwd 150°-Rev 30°IFwd 180°-Rev 30° Fwd 210°-Rev 30°|Fwd 250°-Rev 30° For all continuous rotation files

Reverse Reciprocation-One Mode Counterclockwise & Clockwise movement



Fwd 30°-Rev 150° For reciprocating files




e88 Endo Motor



- Forward Direction of Rotation
- Reverse Direction of Rotation
- 🎵 Torque Auto Reverse
- Maximum Speed 1000 rpm
- 360° Clockwise Rotational Movement
- Editable Speed Setting
- 🔇 Editable Torque setting

e88 x e98 x F-PFX

Integrate Endomotor with Apex Locator (Connect Function)









Auto Start & Stop



Apical Reverse



Apical Slow Down





Digital OLED Display



Low Noise Motor





Ambidextrous Display



Torque Calibration



Powerful 1500 mAh Lithium Battery



Integration Option



Screen Cast / Mirroring

Terms and Conditions

All prices shown are VAT exclusive. All prices, including delivery, special deals and products are subject to change without prior notice. Premium Plus reserves the right to correct errors and omissions in any of our advertising (paper or electronic). Catalogues (prices and specials) will be deemed to be superseded on the issue of the most recent catalogue/ flyer. Goods will not be accepted for return without prior authorisation. Customers must notify Premium Plus of a return within 7 days from the date of delivery. Returned goods received after this time or without prior authorisation may not be accepted. Costs incurred for the return of goods will be at the Customers expense, except in cases of incorrectly supplied or faulty goods. Returned goods must be in a re-saleable condition (inclusive of all original packaging, unopened and unused). Credit accounts are due strictly 30 days from the invoice date. In the event that the Customer fails to pay any monies by the due date, interest may be charged at the rate of 2% interest per month. The Customer is liable for all costs incurred by Premium Plus in the recovery of any debt, including legal fees and any other associated costs. Premium Plus retains ownership of the goods until they are paid in full. Premium Plus shall endeavour to dispatch all orders received before 3pm for either next working day delivery or 1st Class Post dependant on order weight and value. However, delivery dates and times specified are approximate only. Premium Plus cannot guarantee delivery times and will not be held liable or responsible if any timeframes cannot be met. Substitute goods may be supplied when those ordered are unavailable. Equipment warranties are as stated in catalogues/flyers or instructions and are considered void if not used as per instructions, or considered to be mistreated / incorrectly serviced or cared for.

Terms and conditions will be provided prior to opening an account and will be deemed to be accepted once the account has been opened. To view our full Terms & Conditions, Privacy Policy, Delivery and Returns policies please visit our website at www.premiumplusuk.com or contact us by phone or email. If you no longer wish to receive this mail, please call us on 0800 009 88 22 or email us at sales@premiumplusuk.com.