

premium  
plus™

# dental products 2026

innovators, designers, manufacturers,  
partners and much, much more...



EU CATALOGUE 2026



# INDEX

## P.1-2 INTRODUCTION

Who are we  
Why choose us  
What do we make  
Where are we

## P.3-6 NEW PRODUCTS

Gutta Percha Points  
Paper points  
Sterilisation Pouches  
Bibs  
Prophy Paste  
Mirrors  
C01/2-X LED Curing Light

## P.7-10 CURING LIGHTS

C03-C Carbolite Curing Light  
C01/2-M Mini Curing Light  
C03-B Basic Cure Curing Light

## P.11-16 ENDODONTICS

Apex Locator  
Endomotor  
NiTi Heat Activation Files  
Reciprocating Files  
One File Systems  
Guide Files  
Path Files  
Barbed Broaches  
Gates Drills  
Peeso Reamers  
Pluggers  
Spiral Fillers  
H and K Files  
Reamers  
Stainless Steel Files  
Luer Lock Application tips  
Endo Dispensers  
GP Tip Cutter  
Endo Stands/ Holders  
Endo Cushions/ Sponges  
Endo Rulers  
Endo Blocks  
Rubber Dam Frame

## P.16 HANDPIECES

Prophy Angle Attachment  
Straight Low Speed  
Contra Angle Low Speed  
Air Motors

## P.17-22 PROPHY

Prophy Angles  
Prophy Paste  
Prophy Brushes  
Prophy Cups  
Prophy Points

## P.23 EVACUATION

Aspirator Brushes  
HVE Suction Tubes  
Oral Evacuators  
Saliva Ejectors  
Suction Tube Adaptors  
Surgical Aspirators

## P.24 SYRINGE TIPS

Air-Water Syringe Tips

## P.25-27 Green Line

Bamboo Cups  
Paper Cups  
Air-Water Syringe Tips  
Interdental brushes  
Micro Applicators  
Micro Applicator Tips

## P.28 APPLICATORS

Brush Applicators  
Brush Tips and Handle  
Micro Applicators  
Micro Applicator Dispensers  
Micro Applicator Tips  
Sitzky Applicators

## P.29 FACE MASKS & PAPER PRODUCTS

Prophy Bibs  
Disposable Tray Paper  
Face Masks  
Napkin Holders  
Tray Cover Papers

## P.30 X-RAY

X-Ray Barrier Envelopes  
Peel-n-Stick Sensor Holders  
X-Ray Bite Cushions  
Film Holders  
Bite Wing Loops

## P.31-32 BARRIERS

Barrier Film  
Bite Block Sleeves  
Chair Sleeves  
Curing Light Guide Sleeves  
Curing Light Sleeves  
Flowable Composite Sleeves  
Handpiece & Pen Sleeves  
Headrest Covers Non Woven  
Headrest Sleeves  
Impression Gun Sleeves  
Instrument Tray Sleeves  
Intraoral Camera Sleeves  
Keyboard Sleeves  
Mouth Mirror Sleeves  
PC Mouse Sleeves  
PSP Barrier Envelopes  
Suction Tube Sleeves  
Syringe Sleeves  
T-Style Light Handle Sleeves  
Tubing Sleeves  
X-Ray Head Sleeves  
X-Ray Sensor Sleeves

## P.33-34 IMPRESSION

Alginate and Plaster Spatulas  
Impression Trays  
Mixing Bowls  
3-in-1 Trays  
Impression Syringes  
Impression Trays  
Intraoral Syringe Tips  
Mixing Tips

## P.35-38 SUNDRIES

Acrylic Mixing Cups  
Aluminium Bur Blocks  
Applicator Tips Luer Lock  
Articulating Mounting Plates  
Bur/Endo Organisers  
Cheek Retractors  
Instrument Trays + Racks  
Mouth Lippers  
Napkin Holders  
Autoclavable Sterilisation Cassettes  
Brass Bur Brush  
Bur Block/Dispenser  
Dental Appliance Boxes  
Dental Bib Holder and Clip  
Curved Tip Syringes  
Dappen Dishes  
Evacuation Traps  
Eye Shields  
Fluoride Trays  
Mixing Pads  
Mixing Wells  
Mouth Lippers  
Mouth Mirrors  
Plastic Wedges  
Prophy Rings  
Sterilisation Pouches  
Sterilisation Rolls  
Fracture Detector  
Fluoride Trays  
Glass Dappen Dishes  
Glass Mixing Slab  
Jumping Teeth  
Magnetic Bur Stands  
Mouth Props  
Needle Station  
Patient Tongue Cleaners  
Pen/Toothbrush Holder  
Photographic Mirrors  
Plastic Bur Dispensers  
Retainer/Mouth Boxes/Denture Baths  
Silicone Instrument Rings  
Wire Brushes

## P.39-40 DISPENSERS

Barrier Film Dispenser  
Bib and C-Fold Towel Dispensers  
Chain Dispenser  
Composite Dispensers and Organisers  
Composite Syringe Holders  
Cotton Roll Dispenser  
Cup Dispensers  
Glove and Tissue Dispensers  
Grinding Box  
Impression Gun Holders  
Light Protection Covers  
Light Protection Hand Shield  
Mask Dispenser  
Micro Applicator Dispensers  
Sterilisation Pouch Dispenser

## P.41-44 PIEZO SCALERS

LED Scaler Units  
Scaler Handpieces  
Scaler Tips  
Scaler Wrenches and Accessories

## Who are we?



At **Premium Plus**, we specialise in the design and manufacture of high quality dental products. Our mission is to turn dental into a positive joyful experience for patients, practises and distributors and we are driven by our unwavering belief that a bright, healthy smile has the ability to uplift your entire day.

Through continuous innovation, research and investment in advanced manufacturing, combined with over 40 years of experience in the dental industry, we have learned how to refine and improve every step of the manufacturing process. This end to end control gives our customers a clear advantage: consistent quality, dependable performance and reliable supply they can trust.

With a global perspective on the dental market and a deep understanding of regional requirements, we are able to consistently exceed customer expectations. This is in part due to our centrally located European warehouse, in the city of Poznań, Poland - that ensures efficient distribution and responsive service across international markets.




## Why choose us?

Whether supplying our own Premium Plus brand, private label or OEM solutions, we deliver quality without compromise.


By combining development, manufacturing, regulatory management, artwork, packaging and warehousing under one partner, we simplify the process, reduce compliance risk and speed up time to market - giving our clients confidence from concept to launch.

Beyond production, we provide marketing ready support. From compliant artwork and packaging to product positioning and launch assistance, we help ensure products are not only approved but built to sell.



# What do we make?

Over the past decade our range has increased to cover small equipment and the majority of plastic and paper disposable dental products. This gives us, and more importantly you, the ability to offer a huge range that includes LED curing lights, apex locators, handpieces, disposable prophy cups and angles, micro applicators, syringe tips, barrier sleeves, saliva ejectors and suction tubes etc.



disposable oral evacuators

disposable saliva ejectors



LED curing lights



disposable syringe tips



disposable trays for implants



disposable 3-in-1 trays



disposable prophy angles



disposable prophy cups



disposable prophy brushes



disposable micro applicators



disposable PSP barrier envelopes

# Where are we?

Premium Plus now supplies to over 90 countries and regions throughout the world and has distribution partners in Poland, United Kingdom, Australia, USA, Japan and Hong Kong. The manufacturing site in Dongguan, China is constantly working on not only maintaining but exceeding the standards set by ISO, CE and FDA. We are proud of the fact that we hold **ISO 13485:2016** certification for the **Quality Management System of Medical Devices** and have all of the class IIa products manufactured by us certified with the **CE0123** mark by **TUV SUD**. We know that with our experience, our integrated range of production processes and our ever-expanding range we have the ability to cover all our customers' requirements.

## GP POINTS



- Hand-rolled, cadmium-free, latex-free, radiopaque
- ISO colour-coded, consistent taper
- Suitable for warm and cold obturation
- Pre-measured depth markings

GP GUTTA PERCHA POINTS					
#15 ○	#20 ●	#25 ●	#30 ●	#35 ●	#40 ●
#45 ○	#50 ●	#55 ●	#60 ●	#70 ●	#80 ●

**GP Gutta Percha Points 28 mm, Standard ISO 2%, 120 pcs/pack**  
 No.15-80 Single Sizes  
 No.15-40, 45-80 Assorted Sizes

## PP POINTS



- ISO colour-coded sizes for easy identification
- High absorbency for efficient canal drying
- Pre-measured depth markings

PP PAPER POINTS					
#15 ○	#20 ●	#25 ●	#30 ●	#35 ●	#40 ●
#45 ○	#50 ●	#55 ●	#60 ●	#70 ●	#80 ●

**PP Paper Points 28 mm, Standard ISO 2%, 200 pcs/pack**  
 No.15-80 Single Sizes  
 No.15-40, 45-80 Assorted Sizes

## GP ONE POINTS

MATCHING FILES E05/E06 see page 12




- Gutta percha with matched taper for reciprocating file system preparations.
- **E05/E06 One Files system see page 12.**
- Hand-rolled, cadmium-free, latex-free, radiopaque
- ISO colour-coded
- Suitable for warm and cold obturation
- Pre-measured depth markings

GP ONE GUTTA PERCHA POINTS		
#R25 ●	#R40 ●	#R50 ●

**GP ONE Gutta Percha Points 28 mm, 60 pcs/pack**  
 No.R25-R50 Single Sizes  
 No.R25-R50 Assorted Sizes

## PP ONE POINTS

MATCHING FILES E05/E06 see page 12




- Paper points with matched taper for reciprocating file system preparations.
- **E05/E06 One Files system see page 12.**
- ISO colour-coded sizes for easy identification
- High absorbency for efficient canal drying
- Pre-measured depth markings

PP ONE PAPER POINTS		
#R25 ●	#R40 ●	#R50 ●

**PP ONE Paper Points 28 mm, 2%, 100 pcs/pack**  
 No.R25-R50 Single Sizes  
 No.R25-R50 Assorted Sizes

## GP SUPER POINTS

MATCHING FILES E01/E02 see page 12




- Gutta percha with matched taper for varied taper file system preparations.
- **E01/E02 Super Files system see page 12.**
- Hand-rolled, cadmium-free, latex-free, radiopaque
- ISO colour-coded
- Suitable for warm and cold obturation
- Pre-measured depth markings

GP SUPER GUTTA PERCHA POINTS				
F1 ●	F2 ●	F3 ●	F4 ●	F5 ●

**GP SUPER Gutta Percha Points 28 mm, 60 pcs/pack**  
 No. F1-F5 Single Sizes  
 No. F1-F3 Assorted Sizes

## PP SUPER POINTS

MATCHING FILES E01/E02 see page 12



- Paper points with matched taper for varied taper file system preparations.
- **E01/E02 Super Files system see page 12.**
- ISO colour-coded sizes for easy identification
- High absorbency for efficient canal drying
- Pre-measured depth markings

PP SUPER PAPER POINTS				
F1 ●	F2 ●	F3 ●	F4 ●	F5 ●

**PP SUPER Paper Points 28 mm, 100 pcs/pack**  
 No. F1-F5 Single Sizes  
 No. F1-F3 Assorted Sizes

## SELF-SEALING STERILISATION POUCHES



- With internal and external indicators
- Triple adhesive seal to ensure sterile storage
- Blue tinted plastic window helps detect puncture holes that may be caused by jagged instruments
- Easy to read colour steam indicator assures that sterile conditions have been achieved

6000 2 1/4" x 3 1/4" ( 57 mm x 90 mm ) 200 pcs/box  
 6001 2 1/4" x 5" ( 57 mm x 130 mm ) 200 pcs/box  
 6003 3 1/2" x 5 3/4" ( 90 mm x 145 mm ) 200 pcs/box  
 6005 2 3/4" x 9" ( 70 mm x 230 mm ) 200 pcs/box  
 6007 3 1/2" x 9" ( 90 mm x 230 mm ) 200 pcs/box  
 6009 5 1/4" x 10" ( 135 mm x 260 mm ) 200 pcs/box  
 6011 7 1/2" x 13" ( 190 mm x 330 mm ) 200 pcs/box  
 6015 10" x 15" ( 250mm x 380mm ) 100 pcs/box  
 6017 12" x 17" ( 300 mm x 430 mm ) 100 pcs/box



## 3-PLY PATIENT BIBS (50pcs)



- 3 ply embossed patient bibs: two absorbent paper layers and one waterproof layer for maximum protection and comfort
- Size: 45x33cm
- Colours: dark blue, blue, jade green, light green, lime, yellow, orange, pink, purple, burgundy, black, white, fairy teeth pattern, animal pattern

2202 Patient Bibs 50pcs/ pack (10packs/carton)



## PROPHY PASTE



- Thixotropic
- Fluoride free
- Made in UK
- Available in:  
P17 Medium-**Strawberry**  
P19 Coarse-**Spearmint**

Prophy Paste 200gm/jar

## INDIVIDUALLY PACKAGED DISPOSABLE MOUTH MIRRORS



- For examination of the oral cavity
- Light weight disposable mouth mirrors
- Anti-fog glass mirror
- Individually wrapped for convenience

850 mouth mirrors 10pcs/box



## C01-X LED CURING LIGHT

- 4 Curing Modes  
Turbo, Full, Ramp & Soft Cure
- Dual Wavelength  
390–480 nm – cures all types of composites
- 360° Rotating Light Guide  
For optimal access in all areas
- Preset Curing Times  
Fast, efficient and intuitive operation
- Smooth, Hygienic Design  
Easy to clean and reduces risk of contamination
- Smart Charging Base  
Inductive charging with built-in light meter
- Available in 7 Vibrant Colors  
Pink, Light Lavender, Blue, Light Blue, Light Green, White, and Black
- 24-Month Warranty  
For peace of mind

SPECIFICATIONS		
MODEL	C01-X	
LIGHT TIP	11 mm (dia.) F.O. Light Guide	
LIGHT WAVELENGTH	390–480 nm	
APPLICATION	General / Ortho	
MODE	TURBO	2,000 mW/cm <sup>2</sup> for 4 seconds±10%
	FULL	1,200 mW/cm <sup>2</sup> for 10 seconds±10%
	RAMP	20 seconds: 0–5 seconds from 0–1,200 mW/cm <sup>2</sup> ±10% 5–20 seconds 1,200 mW/cm <sup>2</sup> ±10%
	SOFT CURE	20 seconds: 0–5 seconds from 0–900 mW/cm <sup>2</sup> ±10% 5–20 seconds 900 mW/cm <sup>2</sup> ±10%
WEIGHT	175 gms	
LENGTH	265 mm	

CURING LIGHT MODE APPLICATIONS	
TURBO	Super fast curing for resin and composite under 2 mm thickness. Also recommended for ceramic brackets, veneer bonding etc.
FULL	For general applications.
RAMP	With first 0–5 seconds ramping for general application.
SOFT CURE	With first 0–5 seconds ramping for more gentle processing, designed for the patients sensitive to the heat.



C01-X Complete Set with Built-In Light Intensity Indicator



7 colours available:



- C01-X set contents:**
- curing light handpiece
  - 11 mm fibre optic light guide
  - charging base
  - protective light shield
  - 500pcs barrier sleeves
  - power adaptor

- Parts:**
- C01-X Curing Light (F.O. Light Guide)
  - C01-X-1 F.O. Light Guide 11 mm
  - C01/2-X-LH Replacement Battery
  - C01/2 USB - USB Type C cord & EU Plug
  - 123M Curing Light Sleeves Medium (500 pcs)

**24 MONTH WARRANTY**

## C02-X LED CURING LIGHT

- 4 Curing Modes  
Turbo, Full, Ramp & Soft Cure
- Dual Wavelength  
390–480 nm – cures all types of composites
- 360° Rotating Light Guide  
For optimal access in all areas
- Preset Curing Times  
Fast, efficient and intuitive operation
- Smooth, Hygienic Design  
Easy to clean and reduces risk of contamination
- Smart Charging Base  
Inductive charging with built-in light meter
- Available in 7 Vibrant Colors  
Pink, Light Lavender, Blue, Light Blue, Light Green, White, and Black
- 24-Month Warranty  
For peace of mind



SPECIFICATIONS		
MODEL	C02-X	
LIGHT TIP	10 mm (dia.) Direct Light Source	
LIGHT WAVELENGTH	390–480 nm	
APPLICATION	General / Ortho	
MODE	TURBO	2,500 mW/cm <sup>2</sup> for 4 seconds±10%
	FULL	1,200 mW/cm <sup>2</sup> for 10 seconds±10%
	RAMP	20 seconds: 0–5 seconds from 0–1,200 mW/cm <sup>2</sup> ±10% 5–20 seconds 1,200 mW/cm <sup>2</sup> ±10%
	SOFT CURE	20 seconds: 0–5 seconds from 0–900 mW/cm <sup>2</sup> ±10% 5–20 seconds 900 mW/cm <sup>2</sup> ±10%
WEIGHT	140 gms	
LENGTH	255 mm	

CURING LIGHT MODE APPLICATIONS	
TURBO	Super fast curing for resin and composite under 2 mm thickness. Also recommended for ceramic brackets, veneer bonding etc.
FULL	For general applications.
RAMP	With first 0–5 seconds ramping for general application.
SOFT CURE	With first 0–5 seconds ramping for more gentle processing, designed for the patients sensitive to the heat.

7 colours available:



- C02-X set contents:**
- curing light handpiece
  - 10mm direct light source head
  - charging base
  - protective light shield
  - 500pcs barrier sleeves
  - power adaptor

- Parts:**
- C02-X Curing Light (F.O. Light Guide)
  - C02-X-1 Direct Light Source Head 10 mm
  - C01/2-X-LH Replacement Battery
  - C01/2 USB - USB Type C cord & EU Plug
  - 125 Curing Light Sleeves Medium (500 pcs)



063  
Light Protective  
Hand Shield



C02-X Complete Set  
with Built-In  
Light Intensity  
Indicator

**24 MONTH WARRANTY**


# C03-C Carbolite Curing Light

## C03-C CARBOLITE LED CURING LIGHT

with direct light source



- **High Grade Aluminum Body**  
Construction durability and provides unsurpassed heat dissipation
- **8 Modes**  
Normal, High, Turbo, Ortho, Pulse, Ramp, Caries Detection, Soft
- **Caries Detection**  
For detecting caries, calculus and cracked teeth
- **4 Micro Cure Lens**  
A different micro cure lens to cover every need
- **Collimated Light Beam**  
A 10 mm collimated light beam that produces a multi wave length 385 nm - 515 nm to cure most products on the market
- **Constant Circuit Intensity Output**  
Automatic compensation circuit for constant power output and a fast charge base that includes a built-in light indicator



C03-C CARBOLITE SPECIFICATIONS	
<b>DIRECT LIGHT SOURCE</b>	10 mm ( dia. )
<b>LIGHT WAVELENGTH</b>	385-515 nm
<b>WEIGHT</b>	110 gms
<b>DIMENSIONS</b>	224 mm ( length ) x 23 mm ( dia. )

MODE	APPLICATION	SPECIFICATION
<b>NORMAL</b>	For general applications.	1,200 mW/cm <sup>2</sup> for 5, 10, 15, 20 seconds ±10%
<b>HIGH</b>	For quick curing of resin and composites that are no more than 2 mm thick. Also recommended for ceramic brackets, bonding veneers etc.	2,000 mW/cm <sup>2</sup> for 1, 3, 5 seconds ±10%
<b>TURBO</b>	For super fast curing of resin and composites that are no more than 2 mm thick. Also recommended for ceramic brackets, bonding veneers etc.	3,000 mW/cm <sup>2</sup> for 1, 3 seconds ±10%
<b>ORTHO</b>	For orthodontic applications. 3 second mesial + 3 second distal for metal brackets resin bonding (with 1 sec blink in-between).	Ortho x 05 2,500 mW/ cm <sup>2</sup> for 5 x 3 seconds with 1s interval ±10% Ortho x 10 2,500 mW/ cm <sup>2</sup> for 10 x 3 seconds with 1s interval ±10%
<b>PULSE</b>	Pulse effectively reduces heat generation, efficiently dissipates heat shrinkage and ensure comfort during treatment.	1,200 mW/cm <sup>2</sup> for 5, 10, 15, 20 seconds with 0.2 seconds off ±10%
<b>RAMP</b>	First 0-5 seconds are ramped for general applications	1st 5 seconds from 0-1,200 mW/cm <sup>2</sup> next 5, 10, 15 seconds 1,200 mW/cm <sup>2</sup>
<b>CHECK</b>	For detecting caries, calculus and cracked teeth.	Purple light for 30 or 60 seconds
<b>SOFT</b>	First 0-5 seconds are ramped for more gentle processing, designed for patients sensitive to heat.	900 mW/cm <sup>2</sup> for 5, 10, 15, 20 seconds ±10%

C03-C Carbolite LED Curing Light

Spare parts:

C03-C-2 Protective Light Shield for C03-C

C03-C-3 USB-C Power Adaptor

C03-C-4 Replacement Battery

C03-C-5a Endo Guide Lens

C03-C-5b 3.0mm Microcure Ball Lens

C03-C-5c 2.2mm Microcure Ball Lens

C03-C-5d Microcure Lens

228 Light Sleeves Mini (500 pcs/box)

C03-C set contents:

- curing light with charging station and built-in light intensity indicator
- protective light shield
- disposable curing light sleeves
- USB-C power adaptor 100 - 240 V
- 3.0mm microcure ball lens
- 2.2mm microcure ball lens
- microcure lens
- endo guide lens
- lens stand

**12 MONTH WARRANTY**

A different microcure accessory cap to cover every need.



**a. Endo Guide Lens**  
The mini light guide is suitable for curing apex position of the tooth and other limited areas.



**b. 3.0 mm Microcure Ball Lens**  
Facilitates the building of convex proximal contacts. The imprint is easily filled with composite in a second step, push the Microcure Ball Lens against the interproximal wall of the band, do not submerge in composite.



**c. 2.2 mm Microcure Ball Lens**  
Facilitates the building of convex proximal contacts. The imprint is easily filled with composite in a second step, push the Microcure Ball Lens against the interproximal wall of the band, do not submerge in composite.



**d. Microcure Lens**  
It provides pinpoint curing of small composites and is helpful for tack curing veneers.

## Caries Detection

Purple light for 30 or 60 seconds for detecting caries, calculus and cracked teeth.

The carbolite helps detect caries by emitting specific wave lengths that induce different fluorescence in healthy and decayed dental tissue. This allows dentists to visually distinguish between healthy enamel and carious lesions.



## High Grade Milled Aluminium Body

Ensures superior strength, durability, and effective heat dissipation. Its sleek, slim design and optimal weight make the handpiece practical, easy to handle and exceptionally comfortable to use.



## 10 mm Head

Our ergonomically designed 10mm head produces an output of up to 3000 mW/cm<sup>2</sup> and a dual wave length of 385-515 nm. Powerful enough to cure in seconds, the full range of the most popular light cured products on the dental market today.

Customized LED chip and filters produce a collimated output that maintains a consistent curing beam.



An inbuilt light indicator to keep track of the radiance of the curing light on an easy to read OLED screen.



# C01-M / C02-M Mini Curing Lights

## C01-M / C02-M LED CURING LIGHTS MINI (with USB Charger)



- 360° Rotatable tips
- Automatic compensation circuit for constant power output
- Fully covered membrane panel for easy cleaning and infection control
- Light weight: approx. 85 gms
- Dual modes: FULL / SOFT
- 12 Operation times
- Fully charged battery provides over 100 x 10 second curing cycles

C01-M / C02-M SPECIFICATIONS		
Model	C01-M (F.O. Light Guide)	C02-M (Direct Light Source)
LIGHT TIP	8 mm ( dia. )	11 mm ( dia. )
LIGHT WAVELENGTH	440~480 nm	440~480 nm
MODE	FULL	1,200 mW/cm <sup>2</sup> for 5, 10, 15, 20, 25, 30 seconds±10%
	SOFT	1 <sup>st</sup> five seconds from 0-900 mW/cm <sup>2</sup> next 5, 10, 15, 20, 25, 30 seconds 900 mW/cm <sup>2</sup> ±10%
WEIGHT	86 gms	84 gms
LENGTH	230 mm	220 mm

C01-M / C02-M CURING LIGHT DEPTH OF CURE							
MODE	MODEL	C01-M (F.O. Light Guide) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)	C02-M (Direct Light Source) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)
FULL		10 seconds	4.3 mm	2.15 mm	10 seconds	5.1 mm	2.55 mm
SOFT		15 seconds	4.6 mm	2.30 mm	15 seconds	4.8 mm	2.40 mm

**REMARKS:** Above data is based on test results using an A2 shade composite. The light tip was placed above and pointed perpendicular to the composite. Tests were done as per ISO 4049 Standard. The samples were measured and the data was divided by two ( 50% of the total composite depth cured ). ISO 4049 Standard requires that the results for class II restorative materials should be at least 1.5 mm for non-opaque shades and 1.0 mm for opaque shades. All resins and composites have different curing times. It is recommended that you should test your resins and composites performance to determine the curing times required.




C01-M Curing Light ( F.O. Light Guide )  
 C02-M Curing Light ( Direct Light Head )  
 C01-M-1 F.O. Light Guide 8 mm  
 C02-M-1 Direct Light Head 11 mm  
 C01/2-M-1 Replacement Battery  
 228 Light Sleeves Mini 500 pcs/box



**24 MONTH WARRANTY**



## C03-B BASIC CURE LED CURING LIGHT

with direct light source



- Unbeatable Value**  
 High-performance curing light with advanced features at a budget-friendly price.
- Four Versatile Modes**  
 Tailored modes to meet every clinical need, from quick curing, orthodontics and general applications.
- Dual Wavelength Technology**  
 Effectively cures all composite materials on the market.

- Compact Low-Profile Head**  
 Easily reaches hard-to-access areas, ensuring precision and ease of use.
- LED Display**  
 Provides clear, real-time information for seamless operation.
- Convenient Charging Base**  
 Always charged and ready to use
- Constant Power Output**  
 Automatic compensation circuit ensures consistent performance, even with a low battery.



C03-B BASIC CURE SPECIFICATIONS	
DIRECT LIGHT SOURCE	10 mm ( dia. )
LIGHT WAVELENGTH	385~515 nm
WEIGHT	85 gms
DIMENSIONS	230 mm ( length ) x 24 mm ( dia. )

MODE	APPLICATION	SPECIFICATION
NORMAL	For general applications.	1,200 mW/cm <sup>2</sup> for 5, 10, 15, 20 seconds ±10%
HIGH	For quick curing of resin and composites that are no more than 2 mm thick. Also recommended for ceramic brackets, bonding veneers etc.	2,500 mW/cm <sup>2</sup> for 1, 3, 5 seconds ±10%
ORTHO	For orthodontic applications. 3 second mesial + 3 second distal for metal brackets resin bonding (with 1 sec blink in-between).	Ortho x 05 2,500 mW/ cm <sup>2</sup> for 5 x 3 seconds with 1s interval ±10% Ortho x 10 2,500 mW/ cm <sup>2</sup> for 10 x 3 seconds with 1s interval ±10%
RAMP	First 0-5 seconds are ramped for general applications	1st 5 seconds from 0-1,200 mW/cm <sup>2</sup> next 5, 10, 15 seconds 1,200 mW/cm <sup>2</sup>

**Parts:**  
 C03-B Basic Cure Curing Light  
**Spare Parts:**  
 C03-B-1 10mm Direct Light Source Head  
 C03-B-3 Protective Light Shield  
 C03-B-3 Power Adaptor  
 125SS Barrier Sleeves Small Short (500 pcs/box)

**C03-B set contents:**  
 • curing light handpiece  
 • 10mm direct light source head  
 • charging base,  
 • protective light shield  
 • 100pcs barrier sleeves  
 • power adaptor



**12 MONTH WARRANTY**

## E98 APEX LOCATOR WITH ENDOMOTOR INTEGRATION CAPABILITIES



- Large 9cm LCD display with visual display of file position
- Biomimetic-silica-wrapped file clip with large arc for easier file installation, can be autoclaved more than 1000 times
- Stainless steel lip hook
- Compact size & stable design
- Advanced multi-frequency technology with automatic calibration
- High precision in wet & dry canals
- Powerful 1500 mAh lithium-ion battery
- Volume adjustable
- Accessories autoclavable to 134°C
- Dimensions: 9.5 x 6.5 x 2.0cm

*e98 kit contents: apex locator, measuring wire, two file clips, two lip hooks, apex locator tester, power adaptor  
e9801 apex locator measuring wire  
e9802 apex locator 2x lip hook  
e9803 apex locator 2x file clips  
e9804 apex locator tester  
e8898 apex locator power adaptor*

**12 MONTH WARRANTY  
(excluding spare parts)**



AUTOCLAVABLE HEAD

DETACHABLE HEAD

EDITABLE MEMORY PROGRAMME

AMBIDEXTROUS DISPLAY

POWERFUL 1500 mAh LITHIUM BATTERY



## E88 Endomotor integration with E98 Apex Locator

Integration of the 2 units allows the full range of functions of both devices to be used:

- Auto start and stop
- Apical reverse
- Apical slow down
- In connect function e88 Endomotor mirrors e98 Apex Locator's screen


## E88 ENDOMOTOR WITH APEX LOCATOR INTEGRATION CAPABILITIES

- **5 reciprocation modes (M0)**
  - Forward Reciprocation-Four Modes Clockwise & Counterclockwise movement
    - Fwd 150° - Rev 30° | Fwd 180° - Rev 30° for continuous rotation files
    - Fwd 210° - Rev 30° | Fwd 250° - Rev 30° for continuous rotation files
  - Reverse Reciprocation-One Mode Counterclockwise & Clockwise movement
    - Fwd 30° - Rev 150° for reciprocating files
- **9 editable memory programs (M1 to M9)**
  - Forward or reverse direction rotation
  - Torque auto reverse
  - Editable speed/rpm setting
  - Editable torque settings
  - Maximum speed 1000 rpm
  - 360° clockwise rotational movement
- Digital OLED with ambidextrous display
- Low noise motor
- Torque calibration
- Volume adjustable

*e88 kit contents: motor handpiece, contra angle head, insulating sleeve, handpiece stand, spray nozzle, USB cable, power adaptor  
e8801 endomotor contra angle head  
e8802 endomotor contra angle sleeve  
e8803 endomotor USB cable  
e8804 endomotor spray nozzle  
e8898 apex locator power adaptor*

**12 MONTH WARRANTY  
(excluding spare parts)**

## CROSS-SECTION



NEW MATCHING GP+PP see page 3

### E01 SUPER FILES GOLD NiTi heat activation

- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.


E01 SUPER FILES GOLD NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	3.5-9	0.19
21 mm, 25 mm or 31 mm	S1	2-11	0.17
	S2	4-11.5	0.20
	F1	7	0.20
	F2	8	0.25
	F3	9	0.30
	F4	6	0.40
	F5	5	0.50

E01 Super Files Gold  
Single or Assorted (SX to F3) Sizes  
6 pcs/pack

## E01 RECOMMENDED OPERATION PROCESS

PROBE	#10	
	#15	
OPENING	SX	
SHAPING	S1	
	S2	
FINISHING	F1	
	F2	
	F3	
ENLARGING	F4	
	F5	

## CROSS-SECTION



NEW MATCHING GP+PP see page 3

### E02 SUPER FILES BLUE NiTi heat activation

- Smart varied taper design
- High flexibility and pre-curved memory
- Safe tip, reduces the possibility of root canal deviation
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.


E02 SUPER FILES BLUE NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	3.5-9	0.19
21 mm, 25 mm or 31 mm	S1	2-11	0.17
	S2	4-11.5	0.20
	F1	7	0.20
	F2	8	0.25
	F3	9	0.30
	F4	6	0.40
	F5	5	0.50

E02 Super Files Blue  
Single or Assorted (SX to F3) Sizes  
6 pcs/pack

## E02 RECOMMENDED OPERATION PROCESS

PROBE	#10	
	#15	
OPENING	SX	
SHAPING	S1	
	S2	
FINISHING	F1	
	F2	
	F3	
ENLARGING	F4	
	F5	

## CROSS-SECTION



### E03 PRO-FLEXI FILES BLUE NiTi heat activation E28 PRO-FLEXI FILES CHAMELEON NiTi heat activation

- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- Torque 2.0N.cm - 2.5N.cm
- Recommended speed 150-300 r.p.m.


E03 & E28 PRO-FLEXI FILES			
Length	Size	Taper %	Tip (mm)
19 mm	#01/09	9	0.25
21 mm or 25 mm	#20/04	4	0.20
	#25/04	4	0.25
	#30/04	4	0.30
	#35/04	4	0.35
	#25/06	6	0.25

E03 Pro-Flexi Files  
Single or Assorted Sizes, 6 pcs/pack  
E28 Pro-Flexi Files Chameleon  
Single or Assorted Sizes, 6 pcs/pack

## E03 & E28 RECOMMENDED OPERATION PROCESS

OPENING	#01/09	
SHAPING	#20/04	
	#25/04	
	#30/04	
	#35/04	
	#25/06	

## CROSS-SECTION



NEW MATCHING GP+PP see page 3

### E05 ONE FILES BLUE NiTi heat activation E06 ONE FILES SILVER NiTi alloy

- Reciprocating movement
- Use only one instrument for root canal preparation, efficient and time saving
- 3 sizes for different size root canals
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.

E05 & E06 ONE FILES			
Length	Size	Taper %	Tip (mm)
21 mm or 25 mm	#R25	8	0.25
	#R40	6	0.40
	#R50	5	0.50

E05 One Files Blue  
Single or Assorted (2pcs R25, R40, R50) Sizes  
6 pcs/pack  
E06 One Files Silver  
Single or Assorted (2pcs R25, R40, R50) Sizes  
6 pcs/pack

## E14 PA-FILES NiTi alloy



- 2% taper, for building a glide path
- Efficient and time saving
- Torque **1.5N.cm**
- Recommended speed **150-300 r.p.m.**

E14 PA-FILES NiTi alloy			
Length	No.	Size	
21 mm or 25 mm	013	small	●
	016	small-medium	○
	019	medium	●

*E14 PA-Files  
Single or Assorted (2 pcs 013,  
016, 019) Sizes  
6 pcs/pack*

## E10 D-FILES retreatment files NiTi alloy




- For the removal of gutta percha and root filling material
- Torque **2.5N.cm**
- Recommended speed **150-300 r.p.m.**

E10 D-FILES retreatment files NiTi alloy			
Length	No.	Size	Taper %
16 mm	D1	30	9
18 mm	D2	25	8
22 mm	D3	20	7

*E10 D-Files  
Single or Assorted (2 pcs D1,  
D2, D3) Sizes  
6 pcs/pack*

## E08 FILES GOLD NiTi heat activation



- Reciprocating system
- Evolving cross-section with optimized tip
- Increased flexibility for safety
- Efficient safe shaping

*E08 Files Gold  
Single or Assorted (20 to 45) Sizes  
4 pcs/pack*

E08 FILES NiTi heat activation				
Length	No.	Size	Taper %	Matching Gutta Point
21 mm or 25 mm	20	small	07	● small
	25	small-medium	07	● primary
	35	medium	06	● medium
	45	large	05	● large

## E09 GC-FILES stainless steel



- Reverse hedstroem condensors
- **8,000 r.p.m.**

*E08 GC-Files  
4 pcs/pack  
No. 25-80 Single Size  
No. 25-40 Assorted Sizes*

E09 GC-FILES stainless steel				
Length	No.	Size	No.	Size
21 mm or 25 mm	25	●	50	●
	30	●	55	●
	35	●	60	●
	40	●	70	●
	45	○	80	●

## E16 PRO-PATH FILES GOLD NiTi heat activation


## E17 PRO-PATH FILES CHAMELEON NiTi heat activation



- Unique flexibility
- Non-uniform taper (2%-6%)
- Pro-Path files #016 is all you need to manage all curves to the apex

*E16 and E17 Pro-Path Files #016  
6 pcs/pack, 21 mm / 25 mm*

### CROSS SECTION



**PERFECT CUTTING ANGLE & THREAD**  
**EXCELLENT CUTTING EFFICIENCY**

## E25 D-SHAPER FILES GOLD NiTi heat activation



E25 D-SHAPER FILES GOLD NiTi heat activation			
Length	Size	Taper %	Tip (mm)
17 mm	R ●	10	0.20
21 mm or 25 mm	(E16)016 ○	2-6	0.15
	S1 ●	4	0.20
	S2 ●	4	0.25
	S3 ●	4	0.30
	S4 ●	6	0.25

*E25 D-Shaper Files Gold  
Single or Assorted (R to S4) Sizes  
6 pcs/pack*

## E18 DUAL SHAPER FILES CHAMELEON NiTi heat activation

- A new root canal NiTi file system has been created using thermal activation, laser quenching and nano-coating
- Surface hardness of the file is increased by 168%
- Abrasion resistance increases greatly, improving the service life by 3-10 times

- High strength - excellent corrosion and wear resistance, biocompatibility and high damping properties
- Hyperelastic - super elasticity, will still recover shape after countless bending
- Easy to shape - thermal activation of the NiTi wire, allows the file to be easily shaped so as to adapt to the natural form of the root canal

E18 DUAL SHAPER FILES NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX ●	3.5-19	0.19
21 mm or 25 mm	(E17)#016 ○	2-6	0.15
	#20/4 ●	4	0.20
	#25/04 ●	4	0.25
	#25/06 ●	6	0.25

*E18 Dual Shaper Files Chameleon  
Single or Assorted (SX to #25/06) Sizes  
5 pcs/pack*

## E18 RECOMMENDED OPERATION PROCESS

OPENING	SX	
GUIDE FILE	#016	
SHAPING	#20/04	
	#25/04	
	#25/06	

## E38 BARBED BROACHES stainless steel



- Good flexibility
- Highly resistant to fracture

*E38 Barbed Broaches  
Single Size or Assorted  
(1pcs XXXXF, XXXF, M,  
C & 2pcs XXF, XF, F) Sizes  
Stainless Steel  
10 pcs/pack*

## E38 BARBED BROACHES stainless steel

Length	Size
21 mm	XXXXF (0)
	XXXF (1)
	XXF (2)
	XF (3)
	F (4)
	M (5)
	C (6)

## E48 C+ FILES stainless steel

- For calcified root canal, with 3 mm very rigid tip
- Recommended for single use only

*E48 C+ Files  
Single or Assorted (2pcs  
#06, #08, #10) Sizes  
6 pcs/pack*

## E48 C+ FILES stainless steel

Length	Size
21 mm or 25 mm	#06
	#08
	#10
	#12.5
	#15

## E04 ULTRASONIC FILES NiTi alloy

- For use with ultrasonic scaler
- Excellent tenacity
- Length: 33 mm

## E04 ULTRASONIC FILES NiTi alloy

#15	#30
#20	#35
#25	#40

*E04  
Ultrasonic Files  
Single Sizes  
6 pcs/pack*

## E11 SPIRAL FILLERS stainless steel

## E11 SPIRAL FILLERS stainless steel

Length	Size
21 mm or 25 mm	#25
	#30
	#35
	#40

*E11  
Spiral Fillers  
Single or  
Assorted Sizes  
4 pcs/pack*

## E12 GATES DRILLS stainless steel

- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

## E12 GATES DRILLS stainless steel

Length	Size	Diameter (mm)
28 mm or 32 mm	#1	0.5
	#2	0.7
	#3	0.9
	#4	1.1
	#5	1.3
	#6	1.5

*E12  
Gates Drills  
Single or  
Assorted Sizes  
6 pcs/pack*

## E15 PEESO REAMERS stainless steel

- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

## E15 PEESO REAMERS stainless steel

Length	Size	Diameter (mm)
28 mm or 32 mm	#1	0.7
	#2	0.9
	#3	1.1
	#4	1.3
	#5	1.5
	#6	1.7

*E15  
Peeso Reamers  
Single or  
Assorted Sizes  
6 pcs/pack*

## E30 K-FILES stainless steel

## E30 K-FILES stainless steel

#06	#08	#10			
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E30 K-Files Stainless Steel 21 or 25 mm, 6 pcs/pack  
No.06-80 Single Size  
No.15-40, 45-80 Assorted Sizes*

## E32 K-FILES NiTi alloy

## E32 K-FILES NiTi alloy

#10					
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E32 K-Files NiTi Alloy 21 or 25 mm, 6 pcs/pack  
No.10-80 Single Size  
No.15-40, 45-80 Assorted Sizes*

## E50 REAMERS stainless steel

## E50 REAMERS stainless steel

#06	#08	#10			
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E50 Reamers Stainless Steel 21, 25 or 31 mm, 6 pcs/pack  
No.06-80 Single Size  
No.15-40, 45-80 Assorted Sizes*

## E52 REAMERS NiTi alloy

## E52 REAMERS NiTi alloy

#10					
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E52 Reamers NiTi Alloy 21, 25 or 31 mm, 6 pcs/pack  
No.10-80 Single Size  
No.15-40, 45-80 Assorted Sizes*

## E34 H-FILES stainless steel

## E34 H-FILES stainless steel

#10					
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E34 H-Files Stainless Steel 21 or 25 mm, 6 pcs/pack  
No.10-80 Single Size  
No.15-40, 45-80 Assorted Sizes*

## E36 H-FILES NiTi alloy

## E36 H-FILES NiTi alloy

#10					
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E36 H-Files NiTi Alloy 21 or 25 mm, 6 pcs/pack  
No.10-80 Single Size  
No.15-40, 45-80 Assorted Sizes*

## E40 / E42 SPREADERS stainless steel / NiTi alloy

## E40 SPREADERS stainless steel

#15	#20	#25	#30	#35	#40
-----	-----	-----	-----	-----	-----

*E40 Spreaders Stainless Steel 21 or 25 mm, 6 pcs/pack  
No.15-40, Single or Assorted Sizes*

## E42 SPREADERS NiTi alloy

#15	#20	#25	#30	#35	#40
-----	-----	-----	-----	-----	-----

*E42 Spreaders NiTi Alloy 21 or 25 mm, 6 pcs/pack  
No.15-40, Single or Assorted Sizes*

## E44 / E46 PLUGGERS stainless steel / NiTi alloy

## E44 PLUGGERS stainless steel

#15	#20	#25	#30	#35	#40
-----	-----	-----	-----	-----	-----

*E44 Pluggers Stainless Steel 21 or 25 mm, 6 pcs/pack  
No.15-40, Single or Assorted Sizes*

## E46 PLUGGERS NiTi alloy

#15	#20	#25	#30	#35	#40
-----	-----	-----	-----	-----	-----

*E46 Pluggers NiTi Alloy 21 or 25 mm, 6 pcs/pack  
No.15-40, Single or Assorted Sizes*

## DISPOSABLE APPLICATOR TIPS **universal luer lock fitting**

- Ensure accurate delivery of dental materials. Ideal for endodontic use



TIP CLOSE-UP

- Ideal for adhesives and sealants

## AUTOCLAVABLE PLASTIC ENDO DISPENSERS

- Holds 8 hand or engine files up to size 80 (all lengths)
- Autoclavable up to 134°C
- Size: 75 mm x 51 mm x 10 mm
- Colours: Light Blue, Blue, Green or Grey

- Holds 10 hand or engine files up to size 80 (all lengths)
- Autoclavable up to 134°C
- Size: 59 mm x 22 mm x 49 mm
- Colours: Light Blue, Blue, Green or Grey



S008C Endo Dispenser with Ruler (8 Holes)

S030A Endo Dispenser with Counter (10 Holes)

## AUTOCLAVABLE GUTTA PERCHA POINT TIP CUTTER



- Autoclavable up to 134°C
- Colour: Black
- Stainless steel knife head
- Size: 71 mm x 39 mm x 15 mm

S033F Tip Cutter


## AUTOCLAVABLE ENDO STAND



- Autoclavable plastic stand with disposable sponge insert
- Cleans and holds endo instruments
- Silicone ring base resists sliding
- Autoclavable up to 134°C
- Colour: Blue

4833 Endo Stand Large (dia. 45 mm)  
For use with:  
812 Endo Sponges, 50 pcs/pack

## DISPOSABLE ENDO SPONGES



- Disposable blue polyurethane sponges
- Colour: Blue


Endo Sponges, 50 pcs/pack  
811 for Round Endo Stand  
812 for Oval and Large Endo Stand

## DISPOSABLE PEEL-AND-STICK ENDO CUSHIONS



- Hold, arrange and clean small instruments during endodontic or implant procedures
- Ideal for files, screws, drills and pluggers etc
- Peel-and-stick back secures to patient napkins, tray covers or anywhere handy
- Pre-arranging saves set up time
- Dense blue polyurethane foam 75 mm long

## AUTOCLAVABLE ENDO CUSHION HOLDER



- Holder for used files with disposable foam cushions
- Built in endo file ruler
- Stainless steel construction
- Autoclavable up to 134°C
- Sizes: 50 mm x 50 mm x 25 mm

1180 Endo Cushion Holder (without Cushion)  
For use with:  
801 Square Endo Cushions  
50 pcs/pack

## AUTOCLAVABLE TRIANGULAR ENDO RING AND CUSHIONS



- Disposable cushions
- Colour: Blue
- Autoclavable up to 134°C

088 Autoclavable Cushion Holders with Large and Small Rings  
For use with:  
803 Disposable Cushions 50 pcs/box

## AUTOCLAVABLE ENDO HOLDER ALUMINIUM



- Specially designed for ultrasonic cleaning and autoclaving of root canal instruments
- Holds 18 hand or engine endo instrument up to size 100 all lengths
- Millimeter rule for rubber stop measurements for both right or left hand use
- Adjustable cover with silicone stop usage counter for sterilization
- Size: **W65 mm x D30 mm x H55 mm**
- Autoclavable up to **134°C**
- Colour: **Blue**

2800 Endo Holder


## AUTOCLAVABLE RUBBER DAM FRAME



- Proven design
- Better grip
- Enhance patient comfort
- Autoclavable up to **134°C**

4866 Rubber Dam Frame

## AUTOCLAVABLE ENDO DISPENSER PLASTIC



N055 Endo Dispenser

- Specially designed for cleaning and autoclaving of endo instruments
- Holds 18 hand or engine instruments up to size 100 (all lengths)
- Autoclavable up to **134°C**
- Size: **85 mm x 52 mm x 14 mm**
- Colour: **Blue**

## AUTOCLAVABLE ENDO MEASURING BLOCK PLASTIC



4888 Endo Measuring Block

- Accurate settings
- Durable construction
- Autoclavable up to **134°C**
- Size: **L100 mm x D24 mm x H32 mm**
- Colour: **Blue**



4898 Endo Ruler

## AUTOCLAVABLE ENDO RULER ALUMINIUM

- For both hand and engine instruments
- Autoclavable up to **134°C**
- Gauges from **1 to 30 mm** for right or left hand

## AUTOCLAVABLE ENDO MEASURING BLOCK ALUMINIUM



10005 Endo Measuring Block

- Durable aluminium construction
- Accurate settings
- Autoclavable up to **134°C**
- Size: **L150 mm x W24 mm x H33 mm**
- Colour: **Blue**

## LOW SPEED HANDPIECES AND AIR MOTOR



**L10-4PY**  
Prophy Attachment  
4:1 Reduction



**L20-1L**  
Latch CA Handpiece  
1:1 Standard




**L10-1**  
Straight Handpiece  
1:1 Standard



**L30**  
Air Motor  
1:1 Standard  
(4 holes)  
20,000 r.p.m.

# Prophy Angles



## DISPOSABLE 60° TURN RECIPROCATING LATEX FREE PROPHY ANGLES

**NO SPLATTER** - The centrifugal force generated by a normal 360° turn prophy angle results in splattering and mess. Our NEW 60° turn reciprocating prophy angles eliminates potential splattering of prophy paste, blood and saliva, keeping the prophy paste in the cup where it belongs.

**NO HEAT** - Our NEW 60° turn reciprocating prophy angles build up much less heat during use, assuring a smooth, cool treatment for your patient.

**EFFECTIVE** - Due to less heat generated during use, if necessary more pressure may be applied to remove stubborn stains.

**FASTER** - Thanks to our innovatively designed NEW 60° turn reciprocating prophy angles, the prophy cup or brush can be used continuously on the tooth surface, saving valuable chair time.

**SAFER** - The rotational motion of traditional prophy cups and brushes can cause laceration and bleeding of the gums. Our NEW 60° turn reciprocating prophy angles provide a much safer and pain-free prophylaxis treatment.

## DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES STANDARD CUPS LATEX FREE TURBINE BLADES

100 pcs/box

**REGULAR STANDARD CUPS TURBINE BLADES**

**SOFT STANDARD CUPS TURBINE BLADES**

**X-SOFT STANDARD CUPS TURBINE BLADES**

Regular Cup Colours	White	Light Blue	Lavender	Orange	Soft Cup Colours	Pink	Lime	Green	Dark Blue	X-Soft Cup Colours	Red	Yellow
Regular Single Colour Order No.	CT3399-60WT	CT3399-60LB	CT3399-60LV	CT3399-60OR	CT3399-60PK	CT3399-60LM	CT3399-60GR	CT3399-60DB		CT3399-60RD	CT3399-60YL	
Regular Assorted Colours Order No.	CT3399-60RA Assorted: White, L.Blue, Lavender, Orange				CT3399-60SA Assorted: Pink, Lime, Green, D.Blue					CT3399-60XA Assorted: Red, Yellow		

## DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES SHORT CUPS LATEX FREE TURBINE BLADES

100 pcs/box

**REGULAR SHORT CUPS TURBINE BLADES**

**SOFT SHORT CUPS TURBINE BLADES**

**X-SOFT SHORT CUPS TURBINE BLADES**

Regular Cup Colours	White	Light Blue	Lavender	Orange	Soft Cup Colours	Pink	Lime	Green	Dark Blue	X-Soft Cup Colours	Red	Yellow
Regular Single Colour Order No.	CTS3399-60WT	CTS3399-60LB	CTS3399-60LV	CTS3399-60OR	CTS3399-60PK	CTS3399-60LM	CTS3399-60GR	CTS3399-60DB		CTS3399-60RD	CTS3399-60YL	
Regular Assorted Colours Order No.	CTS3399-60RA Assorted: White, L.Blue, Lavender, Orange				CTS3399-60SA Assorted: Pink, Lime, Green, D.Blue					CTS3399-60XA Assorted: Red, Yellow		

## DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES LATEX FREE BRUSHES REGULAR / SOFT / X-SOFT

100 pcs/box

**REGULAR WHITE**  
(nylon brush dia 0.2 mm)

**SOFT CLEAR**  
(nylon brush dia 0.15 mm)

**X-SOFT YELLOW**  
(nylon brush dia 0.10 mm)

Regular Type	Flat	Tapered	Mini Cup	Soft Type	Flat	Tapered	Mini Cup	X-Soft Type	Flat	Tapered	Mini Cup
Regular White Colour Order No.	C3399-60-R261F	C3399-60-R261T	C3399-60-R269	Soft Clear Colour Order No.	C3399-60-S261F	C3399-60-S261T	C3399-60-S269	X-Soft Yellow Colour Order No.	C3399-60-X261F	C3399-60-X261T	C3399-60-X269
Regular Assorted Colours Order No.	C3399-60-R261FA C3399-60-R261TA C3399-60-R269A			Soft Assorted Colours Order No.	C3399-60-S261FA C3399-60-S261TA C3399-60-S269A			X-Soft Assorted Colours Order No.	C3399-60-X261FA C3399-60-X261TA C3399-60-X269A		
	Assorted: White, L.Blue, Lavender, Orange				Assorted: Pink, Lime, Green, D.Blue				Assorted: Yellow, Red		

## PROPHY ANGLE ATTACHMENT 4:1



L10-4PY Prophy Angle Attachment 4:1

## PROPHY PASTE




- Thixotropic
- Fluoride free
- Made in UK
- Available in:  
P17 Medium-Strawberry  
P19 Coarse-Spearmint

Prophy Paste 200gm/jar

## DISPOSABLE PROPHY ANGLES STANDARD CUPS LATEX FREE RIBBED AND WEBBED


100 pcs/box



Type	90° Right Angle		105° Contra Angle	
Cup Colours	Regular Lavender	Soft Green	Regular Lavender	Soft Green
Order No.	3399-090RL	3399-090SG	3399-105RL	3399-105SG

## DISPOSABLE PROPHY ANGLES BRUSHES LATEX FREE FLAT AND TAPERED


100 pcs/box



Type	90° Right Angle		105° Contra Angle	
Brushes	Regular Flat	Regular Tapered	Regular Flat	Regular Tapered
Order No.	3399-090F	3399-090T	3399-105F	3399-105T

## DISPOSABLE CLEAR PROPHY ANGLES STANDARD CUPS LATEX FREE RIBBED AND WEBBED


100 pcs/box



Type	90° Right Angle		90° Right Angle		Type	105° Contra Angle		105° Contra Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink	Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	C3399-090RB	C3399-090RL	C3399-090SG	C3399-090SP	Order No.	C3399-105RB	C3399-105RL	C3399-105SG	C3399-105SP

## DISPOSABLE CLEAR PROPHY ANGLES SHORT CUPS LATEX FREE RIBBED AND WEBBED


100 pcs/box



Type	90° Right Angle		90° Right Angle		Type	105° Contra Angle		105° Contra Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink	Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	CS3399-090RB	CS3399-090RL	CS3399-090SG	CS3399-090SP	Order No.	CS3399-105RB	CS3399-105RL	CS3399-105SG	CS3399-105SP

## DISPOSABLE CLEAR PROPHY ANGLES STANDARD CUPS LATEX FREE TURBINE BLADES

100 pcs/box



Type	90° Right Angle		90° Right Angle		Type	105° Contra Angle		105° Contra Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink	Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	CT3399-090RB	CT3399-090RL	CT3399-090SG	CT3399-090SP	Order No.	CT3399-105RB	CT3399-105RL	CT3399-105SG	CT3399-105SP

# Prophy Cups and Points

METAL SHANKS CUPS (8.5 mm)



Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	M222WT	M222LB	M222LV	M222OR
Regular Assorted Colours Order No.	M222RA Assorted: White, L.Blue, Lavender, Orange			

METAL SHANKS CUPS (8.5 mm)



Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	M222PK	M222LM	M222GR	M222DB
Soft Assorted Colours Order No.	M222SA Assorted: Pink, Lime, Green, D.Blue			

METAL SHANKS CUPS (8.5 mm)



X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	M222RD	M222YL
X-Soft Assorted Colours Order No.	M222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA METAL SHANKS RIBBED AND WEBBED**  
100 pcs/box

PLASTIC SHANKS CUPS (8.5 mm)



Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	P222WT	P222LB	P222LV	P222OR
Regular Assorted Colours Order No.	P222RA Assorted: White, L.Blue, Lavender, Orange			

PLASTIC SHANKS CUPS (8.5 mm)



Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	P222PK	P222LM	P222GR	P222DB
Soft Assorted Colours Order No.	P222SA Assorted: Pink, Lime, Green, D.Blue			

PLASTIC SHANKS CUPS (8.5 mm)



X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	P222RD	P222YL
X-Soft Assorted Colours Order No.	P222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA PLASTIC SHANKS RIBBED AND WEBBED**  
100 pcs/box

METAL SHANKS SHORT CUPS (7.0 mm)



Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	S222WT	S222LB	S222LV	S222OR
Regular Assorted Colours Order No.	S222RA Assorted: White, L.Blue, Lavender, Orange			

METAL SHANKS SHORT CUPS (7.0 mm)



Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	S222PK	S222LM	S222GR	S222DB
Soft Assorted Colours Order No.	S222SA Assorted: Pink, Lime, Green, D.Blue			

METAL SHANKS SHORT CUPS (7.0 mm)



X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	S222RD	S222YL
X-Soft Assorted Colours Order No.	S222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS RIBBED AND WEBBED**  
100 pcs/box

SHORT SHANKS SHORT CUPS (7.0 mm)



Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	SS-222WT	SS-222LB	SS-222LV	SS-222OR
Regular Assorted Colours Order No.	SS-222RA Assorted: White, L.Blue, Lavender, Orange			

SHORT SHANKS SHORT CUPS (7.0 mm)



Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	SS-222PK	SS-222LM	SS-222GR	SS-222DB
Soft Assorted Colours Order No.	SS-222SA Assorted: Pink, Lime, Green, D.Blue			

SHORT SHANKS SHORT CUPS (7.0 mm)



X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	SS-222RD	SS-222YL
X-Soft Assorted Colours Order No.	SS-222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS SHORT SHANKS RIBBED AND WEBBED**  
100 pcs/box

[ fit mini head CA handpieces only ]

REGULAR POINTS STANDARD SHANKS



Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	225WT	225LB	225LV	225OR
Regular Assorted Colours Order No.	225RA Assorted: White, L.Blue, Lavender, Orange			

SOFT POINTS STANDARD SHANKS



Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	225PK	225LM	225GR	225DB
Soft Assorted Colours Order No.	225SA Assorted: Pink, Lime, Green, D.Blue			

X-SOFT POINTS STANDARD SHANKS



X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	225RD	225YL
X-Soft Assorted Colours Order No.	225XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE PROPHY POINTS CA METAL SHANKS**  
100 pcs/box

[ for lingual and interproximal ]

# Prophy Cups and Points

**METAL SHANKS CUPS (8.5 mm)**

**REGULAR STANDARD CUPS**  
TURBINE BLADES

1,500 - 3,000 r.p.m.

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	T-M222 WT	T-M222 LB	T-M222 LV	T-M222 OR
<b>Regular Assorted Colours Order No.</b>	T-M222RA Assorted: White, L.Blue, Lavender, Orange			

**METAL SHANKS CUPS (8.5 mm)**

**SOFT STANDARD CUPS**  
TURBINE BLADES

1,500 - 3,000 r.p.m.

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	T-M222 PK	T-M222 LM	T-M222 GR	T-M222 DB
<b>Soft Assorted Colours Order No.</b>	T-M222SA Assorted: Pink, Lime, Green, D.Blue			

**METAL SHANKS CUPS (8.5 mm)**

**X-SOFT STANDARD CUPS**  
TURBINE BLADES

1,500 - 3,000 r.p.m.

8.5mm  
15mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	T-M222 RD	T-M222 YL
<b>X-Soft Assorted Colours Order No.</b>	T-M222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA METAL SHANKS TURBINE BLADES**  
100 pcs/box

White, Light Blue, Lime, Dark Blue, Yellow available in 100 pcs/box or 20 pcs/bag

**PLASTIC SHANKS CUPS (8.5 mm)**

**REGULAR STANDARD CUPS**  
TURBINE BLADES

1,500 - 3,000 r.p.m.

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	T-P222 WT	T-P222 LB	T-P222 LV	T-P222 OR
<b>Regular Assorted Colours Order No.</b>	T-P222RA Assorted: White, L.Blue, Lavender, Orange			

**PLASTIC SHANKS CUPS (8.5 mm)**

**SOFT STANDARD CUPS**  
TURBINE BLADES

1,500 - 3,000 r.p.m.

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	T-P222 PK	T-P222 LM	T-P222 GR	T-P222 DB
<b>Soft Assorted Colours Order No.</b>	T-P222SA Assorted: Pink, Lime, Green, D.Blue			

**PLASTIC SHANKS CUPS (8.5 mm)**

**X-SOFT STANDARD CUPS**  
TURBINE BLADES

1,500 - 3,000 r.p.m.

8.5mm  
15mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	T-P222 RD	T-P222 YL
<b>X-Soft Assorted Colours Order No.</b>	T-P222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA PLASTIC SHANKS TURBINE BLADES**  
100 pcs/box

**METAL SHANKS SHORT CUPS (7.0 mm)**

**REGULAR SHORT CUPS**  
TURBINE BLADES

1,500 - 3,000 r.p.m.

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	T-S222 WT	T-S222 LB	T-S222 LV	T-S222 OR
<b>Regular Assorted Colours Order No.</b>	T-S222RA Assorted: White, L.Blue, Lavender, Orange			

**METAL SHANKS SHORT CUPS (7.0 mm)**

**SOFT SHORT CUPS**  
TURBINE BLADES

1,500 - 3,000 r.p.m.

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	T-S222 PK	T-S222 LM	T-S222 GR	T-S222 DB
<b>Soft Assorted Colours Order No.</b>	T-S222SA Assorted: Pink, Lime, Green, D.Blue			

**METAL SHANKS SHORT CUPS (7.0 mm)**

**X-SOFT SHORT CUPS**  
TURBINE BLADES

1,500 - 3,000 r.p.m.

7mm  
15mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	T-S222 RD	T-S222 YL
<b>X-Soft Assorted Colours Order No.</b>	T-S222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS TURBINE BLADES**  
100 pcs/box

**SHORT SHANKS SHORT CUPS (7.0 mm)**

**REGULAR SHORT CUPS**  
SHORT SHANKS TURBINE BLADES

1,500 - 3,000 r.p.m.

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	SS-T222WT	SS-T222LB	SS-T222LV	SS-T222OR
<b>Regular Assorted Colours Order No.</b>	SS-T222RA Assorted: White, L.Blue, Lavender, Orange			

**SHORT SHANKS SHORT CUPS (7.0 mm)**

**SOFT SHORT CUPS**  
SHORT SHANKS TURBINE BLADES

1,500 - 3,000 r.p.m.

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	SS-T222PK	SS-T222LM	SS-T222GR	SS-T222DB
<b>Soft Assorted Colours Order No.</b>	SS-T222SA Assorted: Pink, Lime, Green, D.Blue			

**SHORT SHANKS SHORT CUPS (7.0 mm)**

**X-SOFT SHORT CUPS**  
SHORT SHANKS TURBINE BLADES

1,500 - 3,000 r.p.m.

7mm  
SHORT SHANKS 12mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	SS-T222RD	SS-T222YL
<b>X-Soft Assorted Colours Order No.</b>	SS-T222XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS SHORT SHANKS TURBINE BLADES**  
100 pcs/box

[ fit mini head CA handpieces only ]

**REGULAR POINTS SCREW-IN**

1,500 - 3,000 r.p.m.

<b>Regular Cup Colours</b>	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	226WT	226LB	226LV	226OR
<b>Regular Assorted Colours Order No.</b>	226RA Assorted: White, L.Blue, Lavender, Orange			

**SOFT POINTS SCREW-IN**

1,500 - 3,000 r.p.m.

<b>Soft Cup Colours</b>	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	226PK	226LM	226GR	226DB
<b>Soft Assorted Colours Order No.</b>	226SA Assorted: Pink, Lime, Green, D.Blue			

**X-SOFT POINTS SCREW-IN**

1,500 - 3,000 r.p.m.

9.5mm

<b>X-Soft Cup Colours</b>	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	226RD	226YL
<b>X-Soft Assorted Colours Order No.</b>	226XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE PROPHY POINTS SCREW-IN**  
100 pcs/box

[ for lingual and interproximal ]

# Prophy Brushes and Cups

## DISPOSABLE LATEX FREE PROPHY BRUSHES CA REGULAR / SOFT / X-SOFT

100 pcs/box  
268, 269, 262 available in 100pcs/box or 20 pcs/bag



Regular Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Regular White Colour Order No.	R-262F	R-262T	R-265	R-M268N	R-269N
Regular Assorted Colours Order No.	R-262FA R-262TA R-265A R-268A R-269A				
	Assorted: White, L.Blue, Lavender, Orange				



Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Soft Clear Colour Order No.	S-262F	S-262T	S-265	S-268	S-269
Soft Assorted Colours Order No.	S-262FA S-262TA S-265A S-268A S-269A				
	Assorted: Pink, Lime, Green, D.Blue				



X-Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
X-Soft Yellow Colour Order No.	X-262F	X-262T	X-265	X-268	X-269
X-Soft Assorted Colours Order No.	X-262FA X-262TA X-265A X-268A X-269A				
	Assorted: Red, Yellow				

## DISPOSABLE LATEX FREE SHORT SHANKS PROPHY BRUSHES CA [ fit mini head CA handpieces only ]

100 pcs/box



Regular Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Regular White Colour Order No.	SS-R262F	SS-R262T	SS-R265	SS-R268	SS-R269
Regular Assorted Colours Order No.	SS-R262FA SS-R262TA SS-R265A SS-R268A SS-R269A				
	Assorted: White, L.Blue, Lavender, Orange				



Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Soft Clear Colour Order No.	SS-S262F	SS-S262T	SS-S265	SS-S268	SS-S269
Soft Assorted Colours Order No.	SS-S262FA SS-S262TA SS-S265A SS-S268A SS-S269A				
	Assorted: Pink, Lime, Green, D.Blue				



X-Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
X-Soft Yellow Colour Order No.	SS-X262F	SS-X262T	SS-X265	SS-X268	SS-X269
X-Soft Assorted Colours Order No.	SS-X261FA SS-X261TA SS-X265A SS-X268A SS-X269A				
	Assorted: Red, Yellow				

**SNAP-ON CUPS (8.0 mm)**

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

**REGULAR CUPS RIBBED AND WEBBED**

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	220WT	220LB	220LV	220OR
Regular Assorted Colours Order No.	220RA Assorted: White, L.Blue, Lavender, Orange			

**SNAP-ON CUPS (8.0 mm)**

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

**SOFT CUPS RIBBED AND WEBBED**

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	220PK	220LM	220GR	220DB
Soft Assorted Colours Order No.	220SA Assorted: Pink, Lime, Green, D.Blue			

**SNAP-ON CUPS (8.0 mm)**

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

**X-SOFT CUPS RIBBED AND WEBBED**

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	220RD	220YL
X-Soft Assorted Colours Order No.	220XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE PROPHY CUPS SNAP-ON RIBBED AND WEBBED**  
100 pcs/box

**SCREW-IN CUPS (8.5 mm)**

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

**REGULAR STANDARD CUPS RIBBED AND WEBBED**

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	221WT	221LB	221LV	221OR
Regular Assorted Colours Order No.	221RA Assorted: White, L.Blue, Lavender, Orange			

**SCREW-IN CUPS (8.5 mm)**

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

**SOFT STANDARD CUPS RIBBED AND WEBBED**

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	221PK	221LM	221GR	221DB
Soft Assorted Colours Order No.	221SA Assorted: Pink, Lime, Green, D.Blue			

**SCREW-IN CUPS (8.5 mm)**

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

**X-SOFT STANDARD CUPS RIBBED AND WEBBED**

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	221RD	221YL
X-Soft Assorted Colours Order No.	221XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS SCREW-IN RIBBED AND WEBBED**  
100 pcs/box

**SCREW-IN SHORT CUPS (7.0 mm)**

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

**REGULAR SHORT CUPS RIBBED AND WEBBED**

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	S221WT	S221LB	S221LV	S221OR
Regular Assorted Colours Order No.	S221RA Assorted: White, L.Blue, Lavender, Orange			

**SCREW-IN SHORT CUPS (7.0 mm)**

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

**SOFT SHORT CUPS RIBBED AND WEBBED**

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	S221PK	S221LM	S221GR	S221DB
Soft Assorted Colours Order No.	S221SA Assorted: Pink, Lime, Green, D.Blue			

**SCREW-IN SHORT CUPS (7.0 mm)**

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

**X-SOFT SHORT CUPS RIBBED AND WEBBED**

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	S221RD	S221YL
X-Soft Assorted Colours Order No.	S221XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS SCREW-IN RIBBED AND WEBBED**  
100 pcs/box

## DISPOSABLE LATEX FREE PROPHY BRUSHES SNAP-ON REGULAR / SOFT / X-SOFT

100 pcs/box



**REGULAR WHITE**  
(nylon brush dia. 0.20 mm)



**SOFT CLEAR**  
(nylon brush dia. 0.15 mm)



**X-SOFT YELLOW**  
(nylon brush dia. 0.10 mm)

Regular Type	Flat	Tapered	Soft Type	Flat	Tapered	X-Soft Type	Flat	Tapered
<b>Regular White Brushes Order No.</b>	R-260F	R-260T	<b>Soft Clear Brushes Order No.</b>	S-260F	S-260T	<b>X-Soft Yellow Brushes Order No.</b>	X-260F	X-260T

## DISPOSABLE LATEX FREE PROPHY BRUSHES SCREW-IN REGULAR / SOFT / X-SOFT

100 pcs/box



**REGULAR WHITE** (nylon brush dia. 0.20 mm)



**SOFT CLEAR** (nylon brush dia. 0.15 mm)



**X-SOFT YELLOW** (nylon brush dia. 0.10 mm)

Regular Type	Flat	Tapered	Micro	Junior Cup	Mini Cup	Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup	X-Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
<b>Regular White Colour Order No.</b>	R-261F	R-261T	R-265-1	R-268-1	R-269-1	<b>Soft Clear Colour Order No.</b>	S-261F	S-261T	S-265-1	S-268-1	S-269-1	<b>X-Soft Yellow Colour Order No.</b>	X-261F	X-261T	X-265-1	X-268-1	X-269-1
<b>Regular Assorted Colours Order No.</b>	R-261FA R-261TA R-265-1A R-268-1A R-269-1A Assorted: White, L.Blue, Lavender, Orange					<b>Soft Assorted Colours Order No.</b> S-261FA S-261TA S-265-1A S-268-1A S-269-1A Assorted: Pink, Lime, Green, D.Blue					<b>X-Soft Assorted Colours Order No.</b> X-261FA X-261TA X-265-1A X-268-1A X-269-1A Assorted: Red, Yellow						



**REGULAR CUPS TURBINE BLADES**

Regular Cup Colours	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	T-220WT	T-220LB	T-220LV	T-220OR
<b>Regular Assorted Colours Order No.</b>	T-220RA Assorted: White, L.Blue, Lavender, Orange			



**SOFT CUPS TURBINE BLADES**

Soft Cup Colours	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	T-220PK	T-220LM	T-220GR	T-220DB
<b>Soft Assorted Colours Order No.</b>	T-220SA Assorted: Pink, Lime, Green, D.Blue			



**X-SOFT CUPS TURBINE BLADES**

X-Soft Cup Colours	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	T-220RD	T-220YL
<b>X-Soft Assorted Colours Order No.</b>	T-220XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE PROPHY CUPS SNAP-ON TURBINE BLADES**  
100 pcs/box



**REGULAR STANDARD CUPS TURBINE BLADES**

Regular Cup Colours	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	T-221WT	T-221LB	T-221LV	T-221OR
<b>Regular Assorted Colours Order No.</b>	T-221RA Assorted: White, L.Blue, Lavender, Orange			



**SOFT STANDARD CUPS TURBINE BLADES**

Soft Cup Colours	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	T-221PK	T-221LM	T-221GR	T-221DB
<b>Soft Assorted Colours Order No.</b>	T-221SA Assorted: Pink, Lime, Green, D.Blue			



**X-SOFT STANDARD CUPS TURBINE BLADES**

X-Soft Cup Colours	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	T-221RD	T-221YL
<b>X-Soft Assorted Colours Order No.</b>	T-221XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE STANDARD PROPHY CUPS SCREW-IN TURBINE BLADES**  
100 pcs/box



**REGULAR SHORT CUPS TURBINE BLADES**

Regular Cup Colours	White	Light Blue	Lavender	Orange
<b>Regular Single Colour Order No.</b>	T-S221WT	T-S221LB	T-S221LV	T-S221OR
<b>Regular Assorted Colours Order No.</b>	T-S221RA Assorted: White, L.Blue, Lavender, Orange			



**SOFT SHORT CUPS TURBINE BLADES**

Soft Cup Colours	Pink	Lime	Green	Dark Blue
<b>Soft Single Colour Order No.</b>	T-S221PK	T-S221LM	T-S221GR	T-S221DB
<b>Soft Assorted Colours Order No.</b>	T-S221SA Assorted: Pink, Lime, Green, D.Blue			




**X-SOFT SHORT CUPS TURBINE BLADES**

X-Soft Cup Colours	Red	Yellow
<b>X-Soft Single Colour Order No.</b>	T-S221RD	T-S221YL
<b>X-Soft Assorted Colours Order No.</b>	T-S221XA Assorted: Red, Yellow	

**DISPOSABLE LATEX FREE SHORT PROPHY CUPS SCREW-IN TURBINE BLADES**  
100 pcs/box

## AUTOCLAVABLE HVE SUCTION TUBES



- Fits European style 16 mm or standard 11 mm suction tubing
- Single use, autoclavable up to 134°C
- Special high quality plastic, sturdy enough for cheek retraction
- Fully polished internal surface and edge for quiet operation and patient comfort
- Assortment of bright, lively colours: Lavender, Light Blue, Light Green, Lime and Yellow

**Assorted Colours, 10 pcs/pack**  
 335L Adult Large (16 mm)  
 335M Adult Medium (16 mm)  
 336P Pedo (16 mm)  
 005L Adult Large (16 mm)  
 005M Adult Medium (16 mm)  
 006P Pedo (16 mm)  
 205M Adult Medium (11 mm)  
 206P Pedo (11 mm)



## DISPOSABLE SOFT TOUCH™ ORAL EVACUATORS (SLOTTED) VENTED LATEX FREE

- Soft Touch edge eliminates the risk of lacerating the oral tissue
- Rigid tubing strong enough for cheek retraction
- Vented to reduce unnecessary tissue grab and increase evacuation cover area
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders
- Colour: White (Blue or Lavender Tip)

PATENT PENDING  
 ST001 Soft Touch™ Oral Evacuators, 50 pcs/pack



## DISPOSABLE VENTED (SLOTTED) ORAL EVACUATORS

- Vented to reduce unnecessary tissue grab
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders

Disposable Oral Evacuators, 100 pcs/pack  
 001 White  
 001A Assorted Colours



## DISPOSABLE VENTED/NON-VENTED ORAL EVACUATORS 'S' CUT

- Vented and non-vented combination
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders


Disposable Oral Evacuators, 100 pcs/pack  
 301 White  
 301A Assorted Colours



## DISPOSABLE VENTED ORAL EVACUATORS 'S' CUT

- Vented to reduce unnecessary tissue grab
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders
- Colours: Blue, Yellow, Green, Lime or Lavender

Disposable Oral Evacuators, 100 pcs/pack  
 308 White  
 308A Assorted Colours



## AUTOCLAVABLE SURGICAL ASPIRATOR TIPS

- Non-sterile
- Autoclavable up to 134°C
- Fits 11 mm tubing
- Colours: Standard - White  
Large orifice - Blue
- Single use



Autoclavable Surgical Tips  
 25 pcs/pack  
 007 Mini Tip  
 009 Standard Non-Vented  
 009V Standard Vented  
 008 Large Orifice Non-Vented  
 008V Large Orifice Vented



## DISPOSABLE SALIVA EJECTORS

- Tip design that eliminates suction of tissue
- Smooth fixed tip for patient safety and comfort
- Phthalate free
- Made from non-toxic PVC

Saliva Ejectors, 100 pcs/pack  
 300W White Tip/Clear Tube  
 300B Blue Tip/Clear Tube  
 300A White Tip/Coloured Tube



## AUTOCLAVABLE ASPIRATOR BRUSHES

- Autoclavable up to 134°C
- Rigid bristles for effective cleaning

020 X-Fine dia. 5 mm, 6 pcs/pack  
 021 Fine dia. 8 mm, 6 pcs/pack  
 022 Medium dia. 14 mm, 6 pcs/pack  
 023 Large dia. 20 mm, 6 pcs/pack



## AUTOCLAVABLE SUCTION TUBE ADAPTORS

- Autoclavable up to 134°C

## DISPOSABLE AIR-WATER SYRINGE TIPS (SHORT) EURO TYPE

- Directly interchangeable with American type short syringe tips (syringes which have been converted to use American type short syringe tips)
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air



Syringe Tips Short, 250 pcs/pack  
028S Syringe Tips **Short Spectrum**  
028W Syringe Tips **Short White**

## DISPOSABLE AIR-WATER SYRINGE TIPS WITHOUT CORE

ready to use, no converter required for American style syringe

- Directly interchangeable with most American style metal air/water syringe tips
- Economically designed without separate water core, in exchange for a split second of moisture when switching from water to air
- Rounded tip end provides maximum patient comfort



Disposable 'e' Air-Water Syringe Tips without core, 250 pcs/pack  
0120S Opaque **Colour** Tips  
012W Opaque **White** Tips

## DISPOSABLE AIR-WATER SYRINGE TIPS ready to use, no converter required fo American style syringe



- Directly interchangeable with most American style metal air/water syringe tips
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air

Disposable 'a' Air-Water Syringe Tips, 250 pcs/pack  
018S **Spectrum** Colour Tips/White Cores  
018C **Clear** Tips/Colour Cores  
018OS **Opaque Colour** Tips/White Cores  
018W **Opaque White** Tips/White Cores

## DISPOSABLE TRANSPARENT SYRINGE TIPS

- Directly interchangeable with \*Sani-Tip® type transparent tip (syringes which have been converted to use transparent tip)
- Costs less than sterilizing metal tips
- Size: Long( American type ) Short( European type )
- Colour: Clear Transparent

Clear Tips, 250 pcs/pack  
011A Standard Length ( **American Type Syringe** )  
011E Short Length ( **European Type Syringe** )



\*Sani-Tip is a registered trademark of Dentsply Sirona

## Welcome to our new Greenline



We believe that making simple changes to the everyday products you purchase is the easiest way to help our planet.

This range is our first step towards offering you the choice of more environmentally friendly products.



### Greenline bamboo cups

- Leakproof construction, non-slip design
- Dispenses easily from cup dispenser due to their rolled lip
- Conveniently designed 170ml (6oz) size

**Looking to cut down on plastic use? Switching to bamboo cups is a simple and easy change that can have a big impact on reducing plastic waste in your surgery. Here are some reasons to make the switch to using bamboo:**

*Bamboo Cups 170 ml ( 6 oz ), 1000 pcs/box  
6800BB Blank  
6800BH Healthy Teeth ( 4 assorted designs )*

- 1 Bamboo is the world's quickest growing plant and provides a sustainable source of material. When bamboo is cut down to make paper, it is able to quickly recover to be harvested again.
- 2 Bamboo absorbs a large amount of CO<sub>2</sub> as it grows, which helps to offset human carbon emissions.
- 3 Our Greenline outer carton is 100% recyclable.

### DISPOSABLE HEALTHY TEETH PAPER CUPS

- Leakproof construction, non-slip design
- Dispenses easily from cup dispenser due to their rolled lip
- Fun way to promote dental health to patients



*6800HT Paper Cups 170 ml ( 6 oz ), 1,000 pcs/box*





## Greenline air-water syringe tips

Reusable products are a great idea. Unfortunately, trying to clean the inside of a reusable metal air-water syringe tip is just not possible and if you can't clean it, you can't guarantee the effectiveness of its sterilisation. This means that using a disposable plastic air-water syringe tip is the only way to guarantee avoiding cross contamination.

- Directly interchangeable with American type syringe tips (long), or European syringes which have been converted to use American type syringe tips (short)
- Made from 100% recycled plastic
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air
- Cardboard packaging which is easily recyclable

**Greenline Air-water Syringe Tips 200 pcs/box**  
**G-018 (American Type)**  
**G-028 (European Type)**

1 Our Greenline air-water syringe tips are made from 100% recycled plastic, using waste materials left over from our other manufacturing processes.

2 The Greenline air-water syringe tips are packaged in 100% recyclable cardboard boxes, instead of large plastic bags, helping to reduce the amount of plastic packaging in your surgery.

## ez interdental brushes



- ISO size (colour coded)
- Latex and BPA free
- Reusable
- Cardboard box
- Non-slip, easy grip design
- Small, compact and easy to carry

**Interdental Brushes, ISO Size No. 1-6**  
**Single or Assorted Sizes, 6 pcs/box**

1 We have designed the shape of our handle to be small and practical in size, so that it uses up to 65% less plastic than other leading brands

2 Instead of using new plastic, we use 100% recycled plastic for the brush handle and 50% recycled plastic for the protective cap. This recycled plastic is made using waste materials left over from other manufacturing processes.


3 Unlike some other brands who package interdental brushes in unnecessarily large plastic boxes and bags, we use a cardboard box which is 100% plastic free and easily recyclable



ISO Size	1	2	3	4	5	6
Reference Size	XX Fine	X Fine	Fine	Fine-Medium	Medium	Large
Made to fit hole (mm)	<0.8	0.9-1.0	1.1-1.2	1.3-1.5	1.6-1.8	>1.9
Wire Dia. (mm)	0.35	0.35	0.45	0.45	0.45	0.45
Order Code	G800-1	G800-2	G800-3	G800-4	G800-5	G800-6
Assorted Order Code	G800-A No.1-6 Assorted					

## HOLLOW HANDLE micro applicators

In an effort to limit the environmental effect of one of the most used items in a dental surgery we came up with some great ideas:




- Bends into any angle for the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

**Hollow Handle Micro Applicators 100 pcs/box**  
 (Length 100 mm, dia 3 mm handles)  
 HH-901 Regular (dia. 2.5 mm) Light Green  
 HH-902 Fine (dia. 2 mm) Medium Green  
 HH-903 Ultra Fine (dia. 1.5 mm) Dark Green

- 1 45% less plastic used in each hollow handle applicator than our standard micro applicator, due to the hollow design of the handle.
- 2 Instead of using new plastic, we use 100% recycled plastic for the brush tip and 50% recycled plastic for the hollow handle. This recycled plastic is made using waste materials left over from our other manufacturing processes.
- 3 No more plastic tube that can use up to a third of the amount of plastic as the actual product - just a 100% recyclable box.

## mini micro applicators

In an effort to limit the environmental effect of one of the most used items in a dental surgery we came up with some great ideas:



- Bends into any angle for the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

**Mini Micro Applicators 100 pcs/box**  
 (Length 85 mm, dia 2.5 mm handles)  
 G-9901 Regular (dia. 2.5 mm) Light Green  
 G-9902 Fine (dia. 2 mm) Medium Green  
 G-9903 Ultra Fine (dia. 1.5 mm) Dark Green

- 1 We designed the handle to be a smaller, more practical size that reduces the amount of plastic used by 50% in comparison to our standard micro applicators.
- 2 Instead of new plastic, we used 100% recycled plastic. This recycled plastic is made using waste materials from our other manufacturing processes.
- 3 No more plastic tube that can use up to a third of the amount of plastic as the actual product - just a 100% recyclable box.

## micro applicator tips

Our most environmentally friendly micro applicators:



- For the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

**Greenline Micro Applicator Tips 100 pcs/box**  
 G-921 Regular (dia. 2.5 mm) Light Green  
 G-922 Fine (dia. 2 mm) Medium Green  
 Autoclavable Micro Applicator Tip Handle  
 7502W White  
 7502T Transparent

- 1 By using a micro applicator tip with a reusable handle, you can reduce the amount the plastic that you would normally use by 80% when compared to a standard micro applicator.
- 2 Using an autoclavable handle saves plastic. Clean it, autoclave it and re-use it. Simple and effective.
- 3 Our micro applicator tips are packaged in a 100% recyclable cardboard box. Recycling can prevent pollution by reducing the need to collect new raw materials.
- 4 Instead of using new plastic for the micro applicator tips, we use 100% recycled plastic. The recycled plastic is made using waste materials from our other manufacturing processes.



## DISPOSABLE MICRO APPLICATORS

- Economical and disposable, saving up to 80% by the reduction of excess materials used
- Bends into any angle for the placement of small controlled amounts of material in limited access areas

### TUBE PACK




Available in :  
**Standard Handles**  
 100 mm x dia. 3 mm  
**Mini Handles**  
 85 mm x dia. 2.5 mm

### BULK PACK



Available in :  
**Standard Handles**  
 100 mm x dia. 3 mm  
**Mini Handles**  
 85 mm x dia. 2.5 mm

### DISPENSER PACK



Available in :  
**Standard Handles**  
 100 mm x dia. 3 mm

**Standard Handles**  
 Tube Pack 4x100 pcs/tube  
 901T *Regular*  
 902T *Fine*  
 903T *Ultrafine*  
 904T *Cylinder*

**Mini Handles**  
 Tube Pack 4x100 pcs/tube  
 9901T *Regular*  
 9902T *Fine*  
 9903T *Ultrafine*

**Standard Handles**  
 Bulk Pack 1000 pieces  
 901B *Regular*  
 902B *Fine*  
 903B *Ultrafine*  
 904B *Cylinder*

**Mini Handles**  
 Bulk Pack 1000 pieces  
 9901B *Regular*  
 9902B *Fine*  
 9903B *Ultrafine*

**Standard Handles**  
 Dispenser Pack 400 pieces  
 901D *Regular*  
 902D *Fine*  
 903D *Ultrafine*  
 904D *Cylinder*

## INDIVIDUAL TUBES

**Standard Handles**  
 100 tubes/case (100 pcs/tube)  
 901T-100 *Regular Light Blue*  
 902T-100 *Fine Light Green*  
 903T-100 *Ultrafine Light Lavender*  
 904T-100 *Cylinder White*



INDIVIDUAL TUBES CASE

## DISPOSABLE MICRO APPLICATOR DISPENSERS



18-9900 MINI



18-900 STANDARD

- Small, sturdy, durable construction

**Applicator Dispenser**  
 18-900 *Standard Handle*  
 18-9900 *Mini Handle*


## DISPOSABLE MICRO APPLICATOR TIPS



REGULAR dia. 2.5 mm

FINE dia. 2.0 mm

## DISPOSABLE BRUSH TIPS AND HANDLES



REGULAR dia. 3.1 mm

MINI dia. 3.1 mm

11 mm

7 mm

- Economical and disposable saving up to 80% by the reduction of excess materials used
- For the placement of small controlled amounts of material in limited access areas
- Can be used for etchants, bonding agents, cavity lining, fluoride varnishing, hemostatic and sealants etc

- Perfect for placement of etchants, bonding agents, sealers and cements etc
- Available Colours: *Blue, Green, Lavender or Yellow*

**Micro Applicator Tips, 100 pcs/box**  
*(Blue, Green, Lavender or Yellow)*  
 921 *Regular*  
 922 *Fine*


**Micro Applicator Tips, 500 pcs/box**  
*(Blue, Green, Lavender or Yellow)*  
 B921 *Regular*  
 B922 *Fine*

**Brush Handle Autoclavable**  
 7502W - *White*  
 7502T - *Transparent*

7501 *Brush Tips Regular Standard Pack, 100 pcs/box*  
 7511 *Brush Tips Mini Standard Pack, 100 pcs/box*  
 7502W *Brush Handle Autoclavable White*  
 7502T *Brush Handle Autoclavable Clear*

## DISPOSABLE BRUSH APPLICATORS

- Perfect for placement of etchants, bonding agents, sealers and cements etc.
- Bendable to reach around corners and the tightest spaces
- Handles are colour coded to eliminate confusion between materials
- Disposable, eliminates cross-contamination
- Available colours: *Blue, Green, Lavender or Yellow*



BENDABLE

REGULAR dia. 1.8

MINI dia. 1.5

**Brush Applicator Single Colour, 100 pcs/pack**  
 7500 *Regular*  
 7510 *Mini*

## DISPOSABLE VALUSTICK STICKY APPLICATORS



TWIST for removal

- Bends into any angle for placement of Veneers, Inlays, Onlays, Crowns etc
- Strong adhesive for multiple applications
- Disposable
- Length: 110 mm
- Colour: *White*

909 *Valustick Sticky Applicators*  
 50 pcs/box

## DISPOSABLE IIR FACE MASKS FLUID RESISTANT LATEX FREE




**PERFORMANCE TYPE IIR**  
EN14683  
BFE ≥99% PFE ≥99%  
**LEVEL 3 BARRIER**  
ASTM F2100

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Permits air to pass through mask to prevent glasses from fogging
- Colours: Blue, Green, Pink, Lavender or Black (ear-loop only)

*IIR Face Masks, 50 pcs/box*  
2288 Ear-Loop  
2288T Tie-On

## DISPOSABLE IIR FACE MASKS WITH SHIELDS EAR-LOOP FLUID RESISTANT LATEX FREE




**PERFORMANCE TYPE IIR**  
EN14683  
BFE ≥99% PFE ≥99%  
**LEVEL 3 BARRIER**  
ASTM F2100

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Anti-fog shields
- Permits air to pass through mask to prevent shield from fogging
- Colours: Blue, Green, Pink or Lavender

*FS2288 IIR Face Masks with Shields*  
Ear-Loop, 25 pcs/box

## MASK EXTENDERS




098  
Mask Extenders  
5 pcs/pack

- Relieve ear fatigue and pain
- Adjustable buckle strip for earloop masks
- Autoclavable soft silicone
- Colours: Assorted, Blue, Green, Pink, Lavender or White

## DISPOSABLE FACE MASKS EAR-LOOP WITH PATTERNS FLUID RESISTANT LATEX FREE



LEAF (L4)




**LEVEL 3 BARRIER**  
INTERNATIONAL STANDARD ASTM F2100  
BFE ≥99% PFE ≥99%  
**PERFORMANCE TYPE IIR**  
EUROPEAN STANDARD EN14683

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Permits air to pass through mask to prevent glasses from fogging

*2288 Face Masks Ear-Loop with Patterns, 50 pcs/box*


## DISPOSABLE PROPHY BIBS EXTRA LONG FLUID RESISTANT



- Ideal for prophy
- Features contour neck design for additional coverage to shoulders and arm
- Two plies of facial quality tissue plus a layer of polyethylene
- Size: W45 cm x L60 cm
- Colour: Light Blue

*2208 Propphy Bibs Extra Long*  
100 pcs/box + Bib Holder XS


## DISPOSABLE FLUID RESISTANT TRAY COVER PAPERS



- Two plies of facial quality tissue plus a layer of polyethylene film
- Colours: Blue and white barrier

*2220 "B" Plastic Tray Covers 200'S (29.5 cm X 21.5 cm)*  
*2221 "F" Plastic Tray Covers 200'S (20 cm X 13.5 cm)*  
*2223 "ISO" Aluminium Tray Covers 200'S (27.5 cm X 17.5 cm)*


## DISPOSABLE NAPKIN HOLDERS



- Fully disposable
- Easy to apply
- Width: 15 mm
- Length: 44 cm extendable up to 60 cm

*2209 Napkin Holders, 100 pcs/pack*

**DISPOSABLE PSP BARRIER ENVELOPES**



- Quick tear-off opening
- Fits most phosphor plates
- Soft vinyl with rounded corners

**DURR® TYPE**

**Mid-Opening Barrier Envelopes**  
 188-0 No. 0 (I.D. 37 mm x 24 mm) 100 pcs/box  
 188-1 No. 1 (I.D. 42 mm x 26 mm) 100 pcs/box  
 188-2 No. 2 (I.D. 43 mm x 33 mm) 100 pcs/box  
 188-3 No. 3 (I.D. 56 mm x 29 mm) 50 pcs/box  
 188-4 No. 4 (I.D. 78 mm x 59 mm) 50 pcs/box  
**Mid-Opening Barrier Envelopes Bulk**  
 188-2B No. 2 (I.D. 43 mm x 33 mm) 500 pcs/box

**Top-Opening Barrier Envelopes**  
 198-0 No. 0 (I.D. 24 mm x 37 mm) 100 pcs/box  
 198-1 No. 1 (I.D. 26 mm x 42 mm) 100 pcs/box  
 198-2 No. 2 (I.D. 33 mm x 43 mm) 100 pcs/box  
**Top-Opening Barrier Envelopes Bulk**  
 198-2B No. 2 (I.D. 33 mm x 43 mm) 500 pcs/box

**DIGORA® (SOREDEX®) TYPE**

**Top-Opening Barrier Envelopes**  
 189-0 No. 0 (I.D. 24 mm x 34 mm) 100 pcs/box  
 189-1 No. 1 (I.D. 26 mm x 43 mm) 100 pcs/box  
 189-2 No. 2 (I.D. 33 mm x 44 mm) 100 pcs/box

**KODAK® (CARESTEAM®) TYPE**

**Top-Opening Barrier Envelopes**  
 199-0 No. 0 (I.D. 31 mm x 36 mm) 100 pcs/box  
 199-1 No. 1 (I.D. 33 mm x 44 mm) 100 pcs/box  
 199-2 No. 2 (I.D. 40 mm x 46 mm) 100 pcs/box

**Protective Paper Covers**  
 178-0 (2 x 23 mm x 36 mm) 100 pcs/box  
 178-1 (2 x 24 mm x 42 mm) 100 pcs/box  
 178-2 (2 x 30 mm x 42 mm) 100 pcs/box

**DISPOSABLE PEEL-N-STICK SENSOR HOLDERS**

- Universal fitting



**4001**  
Anterior Blue  
100 pcs/pack



**4003**  
Posterior Yellow  
100 pcs/pack



**4007**  
Endo Green  
100 pcs/pack



**4009**  
Bite Tab Red  
50 pcs/pack




**4005**  
Bitewing Red  
100 pcs/pack

**X-RAY BITE CUSHIONS**

2018 X-Ray  
Bite Cushions  
200 pcs/box



- Peel and stick
- Comfortable polyethylene foam
- For both PSP envelopes or sensors with sleeves
- Latex free




HORIZONTAL VERTICAL PERIAPICAL

**AUTOCLAVABLE PLASTIC X-RAY FILM HOLDER**

- One end for anterior x-rays, the other end for posterior
- Both ends securely hold film without bending it
- Improves quality and accuracy of intraoral films
- Helps to standardize the bisecting angle technique
- Colours: Blue and Light Beige

1188 X-Ray Film Holder




**DISPOSABLE BITE WING LOOPS**

- Convenient pop-open design ensures quick and easy use
- Manufactured from quality ten point paper stock
- Quick, simple and economical

Bite Wing Loops, 500 pcs/box

- A. 2011-1 Film Child
- B. 2011-2 Film Adult
- C. 2012-1 Sensor Size 1
- D. 2012-2 Sensor Size 2



A. 2011-1 B. 2011-2  
C. 2012-1 D. 2012-2

## DISPOSABLE PC MOUSE SLEEVES



- Universal size, fit both cordless and corded optical mouse
- Soft, pliable polypropylene sleeves
- Easy to apply

133

PC Mouse Sleeves, 500 pcs/box  
133S 15 cm x 8.5 cm  
133L 16 cm x 10 cm

## DISPOSABLE X-RAY SLEEVES



- Full x-ray unit coverage
- Disposable yet economical
- Soft, pliable polypropylene sleeve holds position until removed
- Easy application and removal

108  
109

X-Ray Head Sleeves, 250 pcs/box  
108 Small 20 cm + 17 cm x 60 cm  
109 Large 35 cm + 24 cm x 75 cm

## DISPOSABLE HVE TUBE SLEEVES



- Pre-cut opening for easier application
- Made from very supple poly plastic for greater tactile feel

135S  
135L

HVE Suction Tube Sleeves, 500 pcs/box  
135S Small (11 mm) 5.5 cm x 35 cm  
135L Large (16 mm) 6 cm x 38 cm

## DISPOSABLE X-RAY SENSOR SLEEVES



A. STANDARD

140XS  
140S  
140M  
140L



B. TWO STEP

183-1  
183-2

- Made from very supple poly plastic for greater tactile feel
- Easy to apply

A. Standard Sensor Sleeve, 500 pcs/box  
140XS X-Small 3.8 cm x 20 cm  
140S Small 4.2 cm x 20 cm  
140M Medium 4.5 cm x 20 cm  
140L Large 6 cm x 25 cm

B. Two Step Sensor Sleeves, 500 pcs/box  
183-1 Size 1 3.4 cm / 5 cm x 22 cm  
183-2 Size 2 3.8 cm / 5.5 cm x 22 cm

## DISPOSABLE INSTRUMENT TRAY SLEEVES



- Instruments are placed directly on top of the disposable plastic sleeve
- Reduces the possibility of cross-contamination, saves cleaning time

101

102

Tray Sleeves, 500 pcs/box  
101 Standard 'B' 27 cm x 36 cm  
102 Mini 'F' 19 cm x 28 cm

## DISPOSABLE ISO INSTRUMENT TRAY SLEEVES



- Instruments are placed directly on top of the disposable plastic sleeve
- Reduces the possibility of cross-contamination, saves cleaning time

190

ISO Metal Tray Sleeves, 500 pcs/box  
190 Standard 31 cm x 21 cm

## DISPOSABLE IMPRESSION GUN SLEEVES




- Plastic sleeve covers cartridge and handle
- Provides protection in case of cartridge failure or leakage

107

Impression Gun Sleeves, 500 pcs/pack  
107 Universal 25 cm x 21 cm

## DISPOSABLE MOUTH MIRROR SLEEVES




- Made from very supple poly plastic for greater tactile feel

140XS

Mouth Mirror Sleeves, 500 pcs/box  
140XS X-Small 3.8 cm x 20 cm

## DISPOSABLE BARRIER FILM



- With 5 mm non-adhesive edge for simple placement and removal
- Residue free
- Colours: Blue and Clear

8008-C

8008-B

Barrier Film, 1200 pcs/roll  
8008-C Clear 10 cm x 15 cm  
8008-B Blue 10 cm x 15 cm

## DISPOSABLE T-STYLE LIGHT HANDLE SLEEVES



- Universal sizing to fit most T-style handles
- Full handle coverage
- Disposable yet economical
- Soft, pliable polypropylene sleeve holds position until removed
- Easy application and removal

T-Shape Light Handle Sleeves, 500 pcs/box  
106 Universal 15 cm x 8.5/10 cm

## DISPOSABLE BITE BLOCK SLEEVES



- Polypropylene sleeves
- Easy application and removal
- Fully disposable

Bite Block Sleeves, 5 x 200 pcs/box  
145 Universal 2.6 cm x 5.5 cm

## DISPOSABLE PEN TYPE CURING LIGHT SLEEVES




**Pen Type Curing Light Sleeves, 500 pcs/box**  
 228 Mini Short 3.8 cm x 25 cm  
 123S Small 5 cm x 32 cm  
 123SS Small Short 5 cm x 28 cm

123M Medium 5.8 cm x 32 cm  
 123L Large 6.5 cm x 35 cm  
 123XL X-Large 7.2 cm x 38 cm

- Made from very supple poly plastic for greater tactile feel
- Easy to apply


## DISPOSABLE INTRAORAL CAMERA /RA CURING LIGHT SLEEVES



- Made from very supple poly plastic for greater tactile feel
- Easy to apply

**Intraoral Camera Sleeves / RA Curing Light Sleeves**  
 228 Mini Short 3.8 cm x 25 cm, 500 pcs/box  
 125SS Short 4.9 cm x 28 cm, 500 pcs/box  
 125 Standard 4.9 cm x 32 cm, 500 pcs/box

## DISPOSABLE PEEL-N-STICK LIGHT GUIDE SLEEVES



- Soft, pliable polypropylene sleeve
- Easy to apply
- Economical

**Light Guide Sleeves, 200 pcs/box**  
 128 Small (fits 7-8 mm Guide)  
 129 Large (fits 9-11 mm Guide)

## DISPOSABLE PEN AND HANDPIECE SLEEVES



- Disposable sleeves for pen, handpieces, and ultrasonic scalers
- Made from soft pliable poly plastic for greater tactile feel

**500 pcs/box**  
 103 Pen Shape Instrument 2.4 cm x 22 cm  
 104S Low Speed/Universal Slim 3.8 cm x 22 cm  
 104L Low Speed/Universal Large 4 cm x 22 cm

## DISPOSABLE SYRINGE / HVE SLEEVES



- Pre-cut opening for easier application
- Ideal for 3-way syringes, saliva ejectors and HVE valves etc

**Syringe Sleeves, 500 pcs/box**  
 100C Clear 26 cm x 6.5 cm  
 100B Blue 26 cm x 6.5 cm

## DISPOSABLE TUBING SLEEVES



- For straight and coiled tubing
- Affordable protection from infectious aerosols and minimizes time spent on cleaning
- 1200 ft/roll (366 m)

118 Tubing Sleeve for straight tubing 2" (5 cm)  
 119 Tubing Sleeve for coiled tubing 4" (10 cm)

## DISPOSABLE FLOWABLE COMPOSITE SYRINGE SLEEVES



- Made from very supple poly plastic for greater tactile feel
- Easy to apply
- Economical

**Flowable Composite Syringe Sleeves, 200 pcs/box**  
 138 Universal 12.5 cm x 5 cm

## DISPOSABLE KEYBOARD SLEEVES



- Soft, pliable polypropylene sleeves

**Keyboard Sleeves**  
 158S Standard 16 cm x 55 cm, 500 pcs/box  
 158M Medium 21.5 cm x 55 cm, 250 pcs/box  
 108 Large (20 cm + 17 cm) x 60 cm, 250 pcs/box

## DISPOSABLE CHAIR SLEEVES



- Eliminates the need for separate headrest covers
- Avoids the need for harmful disinfectants and aerosols prolonging the life of dental chairs/stools

**Chair Sleeves, 125 pcs/box**  
 111 Full Chair 180 cm x 72 cm  
 112 Half Chair 100 cm x 65 cm

## DISPOSABLE HEADREST SLEEVES



- Polypropylene sleeves
- Reduces possible cross-contamination from infectious aerosol spray

**Headrest Sleeves, 500 pcs/box**  
 113 Small 27.5 cm x 26 cm  
 114 Large 35 cm x 28 cm

## DISPOSABLE NON-WOVEN HEADREST COVERS



- Breathable non-woven fabric
- Soft, provides maximum patient comfort
- Colours: Light Blue and White

**Non Woven Headrest Covers, 500 pcs/box**  
 780S Small 26 cm x 28 cm  
 780M Medium 35 cm x 28 cm



## DISPOSABLE 3-IN-1 TRAYS

- Wide occlusal plane
- Strong and tough plastic
- Specially designed walls for extra retention
- Tear resistant quality mesh
- Colour: Blue

**3-in-1 Trays**  
 18-N401 Posterior 36 pcs/box  
 18-N402 Quadrant 36 pcs/box  
 18-N403 Sideless 36 pcs/box  
 18-N404 Anterior 36 pcs/box  
 18-N405 Full Arch 24 pcs/box

## DISPOSABLE 3-IN-1 TRAYS

Stainless Steel Wire Connectors



- RIGID Stainless Steel Wire Connector
- Stainless steel wire connector for greater access in limited space
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh
- Colour: Blue

**3-in-1 Trays**  
 18-S401 Posterior 36 pcs/box  
 18-S402 Quadrant 36 pcs/box  
 18-S403 Sideless 36 pcs/box

## DISPOSABLE 3-IN-1 TRAYS

Rigid Bar Connectors




- RIGID Aluminium Bar Connector
- Strong and tough
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh
- Colour: Blue

**3-in-1 Trays**  
 18-T401 Posterior 36 pcs/box  
 18-T402 Quadrant 36 pcs/box  
 18-T403 Sideless 36 pcs/box

## DISPOSABLE IMPRESSION TRAYS WITH RIM LOCK

for Implant Post and General Impressions



base sections can be easily removed with a bur for implant posts



rim lock reduced thickness trim lines on labial wall for easy removal in inclination post cases

- Save time and expensive laboratory charges
- Strong, rigid distortion free plastic construction
- Anatomically designed
- Smooth edges for patient comfort
- Excellent retention for impression materials whilst providing sufficient pressure for all details
- Colour: Blue

**Disposable Impression Trays, 10 pcs/pack**  
 410 Intro (one size each)  
 411-420 Single pack

## AUTOCLAVABLE IMPRESSION TRAYS WITH RIM LOCK

- Autoclavable up to 134°C (275°F)
- Strong, rigid distortion free plastic construction
- Anatomically designed
- Smooth edges for patient comfort
- Excellent retention for impression materials whilst providing sufficient pressure for all details
- Colour: Light Grey

**Autoclavable Impression Trays**  
 430 Intro 10 pcs/pack (one size each)  
 431-440 Single 5 pcs/pack





**DISPOSABLE 3-IN-1 TRAYS**

- Wide occlusal plane
- Strong and tough plastic
- Specially designed walls for extra retention
- Tear resistant quality mesh
- Individually wrapped

**3-in-1 Trays**  
 N401 Posterior 36 pcs/box  
 N402 Quadrant 36 pcs/box  
 N403 Sideless 36 pcs/box  
 N404 Anterior 36 pcs/box  
 N405 Full Arch 24 pcs/pack

**DISPOSABLE 3-IN-1 TRAYS**  
 Wire Connectors Stainless Steel



- RIGID Stainless Steel Wire Connector
- Stainless steel wire connector for greater access in limited space
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh

**3-in-1 Trays**  
 S401 Posterior 36 pcs/box  
 S402 Quadrant 36 pcs/box  
 S403 Sideless 36 pcs/box

**DISPOSABLE 3-IN-1 TRAYS**  
 Rigid Bar Connectors



- RIGID Aluminium Bar Connector
- Strong and tough
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh

**3-in-1 Trays**  
 T401 Posterior 36 pcs/box  
 T402 Quadrant 36 pcs/box  
 T403 Sideless 36 pcs/box

**DISPOSABLE PLASTIC COATED METAL PLIABLE IMPRESSION TRAYS**



- Disposable
- Pliable metal

**AUTOCLAVABLE ALGINATE/PLASTER CURVED SPATULA**

- For alginate or plaster
- Light weight, 58 gms only
- Autoclavable up to 134°C
- Stainless steel blade
- Handle colour: Blue

MS455 Curved Spatula

**DISPOSABLE IMPRESSION SYRINGES**

- Pre-bent for easy application
- Disposable
- 5 ml capacity

089 Impression Syringes 50 pcs/pack

**FLEXIBLE MIXING BOWLS**



- For effective mixing of alginates and plasters
- Sizes: 7460 Small dia. 11 cm x H8 cm
- 7470 Medium dia. 12.5 cm x H10 cm
- Available in Transparent Red, Green, Blue, Purple, Yellow and solid Blue

7460 Flexible Mixing Bowl Small  
 7470 Flexible Mixing Bowl Medium

**AUTOCLAVABLE ALGINATE AND PLASTER SPATULAS**



- Autoclavable up to 134°C
- Fit all flexible mixing bowls
- Will not scratch the surface of bowls and clean up easily
- Flexible control in mixing with easy grip handle
- Size: Length: 190 mm

450R Regular Blue  
 450XS Extra Stiff Grey

**DISPOSABLE INTRAORAL SYRINGE TIPS**

- Universal fitting
  - Available in Yellow or White
- Intraoral Tips, 100 pcs/pack*  
 085 Yellow for Yellow mixing tips  
 086 Clear for Green and Pink mixing tips



**DISPOSABLE DYNAMIC MIXING TIPS**

- Fits Pentamix® type mixing machine
- Economically priced
- Colours: Red or White

7055 Dynamic Mixing Tips, 50 pcs/pack

<sup>1</sup> Pentamix is a registered trademark of 3M or 3M ESPE AG.

## AUTOCLAVABLE NAPKIN HOLDERS



- Autoclavable silicone up to 134°C
- Stainless steel alligator clips
- Non-slip design
- Bright, attractive colours
- Colours available  
Adult: Light Blue, Blue, Green, Red, Yellow, White, Pink and Lavender  
Child: Lavender, Blue and Pink  
XS (for neck contour bibs): Blue only

090 Napkin Holder Adult (L47 cm)  
090C Napkin Holder Child (L41 cm)  
090XS Napkin Holder Extra Short (L37 cm)

## DISPOSABLE EYE SHIELDS



- Available in tinted or clear lenses
- Light weight, optical plastic shields
- Assorted colours frames: Blue, Light Blue, Lavender, Green and White

Disposable Eye Shield  
20 Lenses + 20 Frames (Assorted Colours)  
720T, Tinted  
720C, Clear

Replacement Eye Shield Lens Only,  
50 pcs/pack  
720T-R, Tinted  
720C-R, Clear

## DISPOSABLE SELF-SEALING STERILISATION POUCHES

- With internal and external steam indicators
- Triple adhesive seal to ensure sterile storage
- Blue tinted plastic window helps detect puncture holes that may be caused by jagged instruments



Standard Pack, 200 pcs/box  
6000 57 mm x 90 mm (2 1/4" x 3 1/2")  
6001 57 mm x 130 mm (2 1/4" x 5")  
6003 90 mm x 145 mm (3 1/2" x 5 3/4")  
6005 70 mm x 230 mm (2 3/4" x 9")  
6007 90 mm x 230 mm (3 1/2" x 9")  
6009 135 mm x 260 mm (5 1/4" x 10")  
6011 190 mm x 330 mm (7 1/2" x 13")

Standard Pack, 100 pcs/box  
6015 250 mm x 380 mm (10" x 15")  
6017 300 mm x 430 mm (12" x 17")

## DENTAL BIB HOLDER AND CLIP



- Cold disinfection only
- Cute design

091 Clip  
092 Bib Holder, White or Red

## DISPOSABLE FLUORIDE TRAYS

- Extremely comfortable, anatomically designed trays
- Economical price
- Colour coded



DOUBLE ARCH

SINGLE ARCH

Double Arch, 50 pcs/box  
7800S Small (green)  
7800M Medium (yellow)  
7800L Large (blue)

Single Arch, 100 pcs/box  
7801S Small (green)  
7801M Medium (yellow)  
7801L Large (blue)

## DISPOSABLE STERILISATION ROLLS

- Designed for use with a suitable heat-sealing equipment or autoclave tape to seal each end of the roll after being cut to size.
- Manufactured from 70 gsm medical grade paper and 60 µm blue tinted film to help detect puncture holes
- Triple adhesive seal to protect contents
- Easy to read external steam indicators change from blue to dark grey to ensure sterile conditions have been met
- Three universal sizes for all applications
- Complies with ISO 11607-1 and EN 868-5



Sterilisation Rolls, 200 m roll  
6052 50 mm  
6053 75 mm  
6054 100 mm

## INSTRUMENT TRAY RACKS

- Sturdy, chromium plated steel construction
- Size:  
Standard (8 trays)  
W37 cm x D24 cm x H37 cm  
Mini (6 trays)  
W28 cm x D17 cm x H29 cm



658 Standard Rack

659 Mini Rack

658 Tray Rack Standard 'B'  
659 Tray Rack Mini 'F'

## AUTOCLAVABLE TRAYS PLASTIC



- Autoclavable up to 134°C

650 Standard Flat 'B' Tray 34 cm x 24 cm x 2 cm  
651 Standard Divided 'B' Tray 34 cm x 24 cm x 2 cm  
652 Mini Tray Flat 'F' Tray 24 cm x 16.5 cm x 2 cm

STANDARD COLOURS
Blue
Light Blue
Green
Yellow
White
Light Beige
Lavender

### AUTOCLAVABLE STERILIZATION CASSETTES PLASTIC



- Sturdy, durable construction
- Autoclavable

3881 *Small* (5 instruments)  
3882 *Medium* (8 instruments)

STANDARD COLOURS	Blue	White	Light Blue	Green	Lavender
------------------	------	-------	------------	-------	----------

### AUTOCLAVABLE SILICONE INSTRUMENT CODE RINGS



- Autoclavable to 134°C
- Sizes: Small - for small instruments  
Large - for pliers and forceps etc
- Available in single colors: Blue, Light Blue, Green, Yellow, Pink, Red, Orange, Lavender, Black and White

*Silicone Instrument Rings*  
657S Small, 50 pcs/box  
657L Large, 25 pcs/box


### AUTOCLAVABLE BUR/ENDO ORGANIZERS



- Smart, flexible design for customize setups
  - Autoclavable up to 134°C
  - Colour: Blue
- Endo Stand, W115 mm x D52 mm x H40 mm**  
4810 – 78 Holes  
4811 – 48 Holes + 4 Endo Vials  
4812 – 36 Holes + Endo Clean  
4813 – 12 Endo Vials
- Bur Stand, W115 mm x D52 mm x H40 mm**  
4818 – 78 FG Holes  
4819 – 42 FG + 36 CA Holes

**Stainless Steel Cover, W115 mm x D52 mm x H15 mm**  
4830 – Sterilization Cover

**Bur/Endo Box, (box only)**  
4821 Organizer Box for 1 Stand W120 mm x D55 mm x H56 mm  
4823 Organizer Box for 3 Stands W160 mm x D120 mm x H56 mm  
4825 Organizer Box for 5 Stands W265 mm x D120 mm x H56 mm




### AUTOCLAVABLE ALUMINIUM BUR BLOCKS

- Ideal for storage of dental burs
- Specially designed for ultrasonic cleaning and autoclaving of burs
- Sturdy construction, autoclavable up to 134°C
- Colours: Silver and Blue

**Small Bur Block**  
038-FG 15 FG W58 mm x D25 mm x H31 mm  
039-MIX 10 FG + 5 RA W58 mm x D25 mm x H31 mm  
037-HP 6 HP W54 mm x D28 mm x H62 mm

**Large Bur Block**  
2832-FG 32 FG W80 mm x D42 mm x H33 mm  
2832-MIX 16 FG + 16 RA W80 mm x D42 mm x H33 mm  
2880-FG 80 FG W100 mm x D75 mm x H33 mm  
2880-MIX 40 FG + 40 RA W100 mm x D75 mm x H33 mm

### AUTOCLAVABLE PLASTIC BUR DISPENSERS



- Specially designed for cleaning and autoclaving of burs
- Locks open or closed for processing
- Autoclavable up to 134°C
- Size: 75 mm x 35 mm x 10 mm

050-FG, Bur Dispenser 12 FG  
050-MIX Bur Dispenser 6 FG + 6 RA

COLOURS	Yellow
Blue	White
Light Blue	Light Beige
Green	Lavender

### AUTOCLAVABLE MAGNETIC BUR STANDS

- Stands autoclavable up to 134°C
- Fits both FG and RA burs
- Size:  
Small Square 42 mm x 42 mm x 12 mm  
Large Rectangular 80 mm x 42 mm x 12 mm

COLOURS	Yellow
Blue	White
Light Blue	Light Beige
Green	Lavender



033 Bur Stand Square, 8 Holes  
033A Bur Stand Cover Square  
034 Bur Stand Rectangular, 14 Holes  
034A Bur Stand Cover Rectangular

### AUTOCLAVABLE PLASTIC BUR BLOCK/DISPENSER



- Size: 36 mm x 29 mm x 10.5 mm
- Colours: Light Blue, Blue, Green or Grey

S019A  
Autoclavable  
Bur Dispenser  
(5 FG)



- Sterilization by cold disinfection only
- Size: 72 mm x 27 mm x 33 mm
- Colours: Light Blue, Blue, Green or Grey

S015D  
Bur Block  
(20 FG + 10 RA)

## AUTOCLAVABLE NEEDLE STATION STAINLESS STEEL




031 Needle Station


- Holds any dental needle sheath
- Solid stainless construction, autoclavable
- Silicone ring base resists sliding
- Size: Dia. D55 mm x H38 mm

## PHOTOGRAPHIC TITANIUM GLASS MIRRORS FRONT SURFACE DOUBLE SIDED

- Autoclavable up to 134°C
- Glass mirrors with hard surfaces



## INTRAORAL CHEEK RETRACTORS



- Holds mouth open, depresses tongue movement
- Anatomically designed
- Available in both autoclavable and disposable



**Autoclavable Intraoral Cheek Retractor**  
 2060A Adult Large, 1 pc/box  
 2060B Adult Small, 1 pc/box  
 2060C Child, 1 pc/box

**Disposable Intraoral Cheek Retractors**  
 2080A Adult Large, 10 pcs/box  
 2080B Adult Small, 10 pcs/box  
 2080C Child, 10 pcs/box

## INTRAORAL MOUTH LIPPERS



- Expands the mouth vertically rather than horizontally
- Ideal to working in the gingival areas for anteriors, ortho procedures, bleaching etc...
- Available in both autoclavable and disposable



**Autoclavable Intraoral Lippers, 2 pcs/box**  
 2040A Adult, Semi-Transparent  
 2040C Child, Semi-Transparent


**Disposable Intraoral Lippers, 10 pcs/box**  
 2030A Adult, White  
 2030C Child, White

## AUTOCLAVABLE CHEEK RETRACTORS



- Autoclavable up to 134°C

**Mouth Retractor**  
 2050C Child, 2 pcs/pack  
 2050A Adult, 2 pcs/pack  
 2055C Child, 2 pcs/pack  
 2055A Adult, 2 pcs/pack



## AUTOCLAVABLE MOUTH PROPS LATEX FREE

2090A Mouth Prop Adult  
 2090P Mouth Prop Child

- Made of chemical resistant silicone
- Autoclavable up to 134°C
- Available in: - Adult (30 mm x 40 mm x 20 mm)  
 Child (30 mm x 25 mm x 20 mm)

## AUTOCLAVABLE BRASS BUR BRUSH



- Telescopic handle with brass wire bristles
- Length: 12 cm

1110 Brass Bur Brush

## DISPOSABLE CURVED TIP SYRINGES



078 Curved Tip Syringes 50 pcs/box

- Made of polypropylene plastic
- Full 12 ml capacity
- Self sealing plunger
- Designed for perio irrigation, impression materials, post surgical home use, fluoride treatments etc

## DISPOSABLE FLOWABLE COMPOSITE AND ETCHING GEL TIPS



- Universal Luer-lock design
- Bendable
- Gauges: 080 G.20 (0.9 mm)  
 081 G.23 (0.6 mm)  
 082 G.18 (1.2 mm)

100 pcs/pack  
 080 Flow-Tips Black G.20  
 081 Etch-Tips Light Blue G.23  
 082 Liner-Tips Pink G.18

## BRASS / STAINLESS STEEL WIRE BRUSHES



1115 Brass Wire Brush  
 1118 Stainless Steel Wire Brush

- Autoclavable up to 134°C
- Brass / stainless steel wire brushes remove extra-stubborn stains from the tightest of spaces
- Non-slip handle

## AUTOCLAVABLE FRACTURE DETECTOR

The instrument for locating cracks in teeth



025 Autoclavable Fracture Detector Blue

- Autoclavable to 134°C
- Simple tool for practice
- Quick and precise to locate cracks
- Can be used for crown and bridge seating

## DISPOSABLE MULTI-PURPOSE DAPPEN DISHES

004B Standard Pack  
Assorted Colours  
1000 pcs/box



- Disposable to save time and prevent cross-contamination
- For prophylaxis, etching and bonding etc
- Colours: Lavender, White, Green, Light blue and Yellow

## GLASS DAPPEN DISH



- Colours: Light Blue, Green or Clear
- 040 Glass Dappen Dish

## DISPOSABLE MIXING PADS



Mixing Pads, 3X100 pcs/pack  
3220 Small 35 mm X 45 mm  
3225 Large 70 mm X 80 mm

## TONGUE CLEANERS

- Effective in the treatment of halitosis
- Multiple cleaning ridges
- Assorted colours



## JUMPING TEETH



- Cute design
- Economical giveaway for kids

8001  
Jumping Teeth  
24 pcs/box

## PEN / TOOTHBRUSH HOLDER



- Cute design
- 2005 Pen / Toothbrush Holder

## DISPOSABLE PROPHY RINGS

- Disposable to save time and prevent cross-contamination
- For prophylaxis, endo etc
- Assorted colours: Lavender, White, Green, Light blue and Yellow



010 Disposable Prophylaxis Rings, 200 pcs/box

## AUTOCLAVABLE PROPHY RINGS

- Autoclavable up to 134°C
- For prophylaxis, endo etc
- Colour: Grey



A010 Autoclavable Prophylaxis Rings, 10 pcs/pack

## GLASS CEMENT MIXING SLAB



045 Glass Slab

- Polished glass mixing slab with bevelled edges
- Size: 65 mm x 135 mm x 15 mm

## DISPOSABLE MIXING WELLS

- Sturdy design

906 Mixing Wells 4 Wells 200 pcs/box  
907 Mixing Wells 2 Wells 500 pcs/box



## DISPOSABLE PLASTIC WEDGES



- Anatomically designed
- Soft tough plastic

Disposable Plastic Wedges, 100 pcs/box  
7650X X-Large (17 mm) White  
7650L Large (15 mm) Yellow  
7650M Medium (13 mm) Green  
7650S Small (11 mm) Blue

## DENTAL APPLIANCE BOXES WITH MIRRORS



PASTEL COLOURS	
Vanilla	Sea Green
Sand	Lilac
Light Mauve	Baby Blue
White	Assorted

- Sturdy strong plastic
- Size: W80 mm x D72 mm x H32 mm

612  
Dental Appliance Boxes  
10 pcs/box

## RETAINER BOXES/MOUTH GUARD BOXES/DENTURE BATHS



Colours: Blue, Green, Yellow, White, Lime, Light Blue, Lavender, Pink or Assorted

600 Retainer Boxes, 10 pcs/box  
601 Mouth Guard Boxes, 10 pcs/box

602 All Guard Boxes, 10 pcs/box  
603 Denture Baths, 10 pcs/box

## DISPOSABLE MOUTH MIRRORS



- Disposable plastic mouth mirrors for patients
- Anti-fog front surface fiber glass mirror
- Mirror size: dia. 23 mm

800 Disposable Mouth Mirrors, 10 pcs/box



## DELUXE ACRYLIC COMPOSITE ORGANISERS

- Smart, flexible design
- Sturdy, durable construction
- Clear material makes contents easy to see
- For storage of composites, adhesive, micro applicators etc.

**Composite Organiser**  
 M060 Mini *W19.5 cm x H9.5 cm x D14.5 cm*  
 S060 Standard *W29 cm x H9.5 cm x D14.5 cm*

## COTTON ROLL DISPENSER



1140 Roll Dispenser

COLOURS	Blue	Light Blue	Green
Yellow	White	Light Beige	Lavender

- Top flips back for easy loading, sliding drawer dispenses up to 4 rolls with a single pull
- Foam rubber strips inserted into base prevent slipping on table top or counter

## DISPOSABLE MICRO APPLICATOR DISPENSERS



- Small, sturdy, durable construction

**Applicator Dispenser**  
 18-900 *Standard Handle*  
 18-9900 *Mini Handle*

## ACRYLIC ORTHO CHAIN DISPENSER



- Long lasting dispenser that will fit the decor of any office
- Chain is dispensed easily with an interior roller
- Holds up to 15 spools

059 Chain Dispenser


## ACRYLIC COMPOSITE DISPENSER



- Smart, durable construction
- Clear material makes contents easy to see
- For storage of 20 composite syringes, etch and bonding material etc.

H060 Composite Dispenser

## ACRYLIC COMPOSITE SYRINGE HOLDERS



- Smart, durable construction
- Size:  
 551 Small (11 holes) *W10 cm x D12.5 cm x H12 cm*  
 552 Medium (23 holes) *W20 cm x D12.5 cm x H12 cm*

551 Syringe Holder *Small*  
 552 Syringe Holder *Medium*



## LIGHT PROTECTION HAND SHIELD

- Hand held shield for curing light
- Cold disinfection only
- Size: *12.5 cm x 26 cm x 0.3 cm*

063 Light Protection Hand Shield



## LIGHT PROTECTION COVERS

- Extends working time of composite materials
- Sturdy, durable construction
- Cold disinfection only
- Size: Small *W10 cm x D7.5 cm x H3 cm*  
 Medium *W15 cm x D10 cm x H3 cm*

062-0 Light Protection Cover *Small*  
 062-1 Light Protection Cover *Medium*




## ACRYLIC IMPRESSION GUN HOLDERS

- For both loaded or empty guns
- Store all guns in upright position
- Include storage compartments
- Sturdy, durable construction
- Sizes:  
072 W145 mm x D140 mm x H150 mm  
074 W265 mm x D140 mm x H150 mm  
076 W395 mm x D140 mm x H150 mm

072 Gun Holder for 2 guns  
074 Gun Holder for 4 guns  
076 Gun Holder for 6 guns

(guns and accessories are not included)



## ACRYLIC GRINDING BOX

- Ideal for grinding and sand blasting
- Retains flying debris
- Sturdy durable construction
- Size: W30 cm x D20 cm x H18 cm

065 Grinding Box

## ACRYLIC GLOVE AND TISSUE DISPENSERS



- Smart and attractive acrylic design
- Sturdy, durable construction
- Pre-drilled holes for wall mounting
- Internal measurements:-

064 Glove Dispenser **Standard** W25 cm x D14 cm x H9 cm  
068 Glove/Tissue Dispenser **Large** W24 cm x D12.5 cm x H10 cm  
069 Glove/Tissue Dispenser **Extra Large** W24 cm x D12.5 cm x H11 cm

064 Glove Dispenser **Standard**  
068 Glove/Tissue Dispenser **Large**  
069 Glove/Tissue Dispenser **Extra Large**



## PLASTIC CUP DISPENSER

- Holds approx. 50 disposable cups from 150 ml to 200 ml ( 5 oz to 7 oz )
- Self adhesive
- Made of ABS plastic ( acrylonitrile butadiene styrene )
- Size: dia. 100 mm x L280 mm

1280 Plastic Cup Dispenser

## ACRYLIC BIB AND C-FOLD TOWEL DISPENSERS



- Sturdy, durable construction
- Smart, attractive acrylic design
- Sizes:  
057 W15 cm x D11 cm x H12 cm  
058 W23.5 cm x D10 cm x H13.5 cm


057 Bib Dispenser  
058 C-Fold Towel Dispenser  
057CV Bib Dispenser With Cover  
058CV C-Fold Towel Dispenser With Cover

## ACRYLIC MASK DISPENSER



095 Mask Dispenser

- Sturdy, durable construction
- Hinged lid for protection against debris
- Clear material makes contents easy to see
- Pre-drilled holes for wall mounting
- Size: W194 mm x D106 mm x H108 mm



## ACRYLIC POUCH DISPENSERS

- Can be used on table top or wall mounted in either vertical or horizontal position
- Sizes:-  
061-0 (7.5 cm x 14.5 cm x 21 cm)  
061-1 (8.5 cm x 27.5 cm x 21 cm)  
061-2 (10 cm x 18.5 cm x 21 cm)  
061-3 (10 cm x 27.5 cm x 21 cm)  
061-4 (15 cm x 29.5 cm x 21 cm)

061-0 Pouch Dispenser for 5.7 cm x 10 cm Pouches  
061-1 Pouch Dispenser for 7 cm x 23 cm Pouches  
061-2 Pouch Dispenser for 9 cm x 13.5 cm Pouches  
061-3 Pouch Dispenser for 9 cm x 23 cm Pouches

## ACRYLIC BARRIER FILM DISPENSER



- Sturdy durable construction
- Clear material makes contents easy to see
- Size: dia. W14 cm x D23 cm x H19 cm

1155 Barrier Film Dispenser


## REFINE MaxPiezo 7+ / DS7+ PORTABLE LED SCALERS



- Automatic frequency tracking, real-time feedback
- Extra large, capacity 600 ml water tank for water, chlorhexidine, hydrogen peroxide, sodium hypochlorite etc...
- Power and water controlled by touch panel, easy to clean for infection control
- Detachable handpiece
- Frequency: 28 kHz  $\pm$  3 kHz
- Contents: scaler unit, handpiece, torque wrench, endo wrench and 8 scaler tips
- Size: W180 mm x D180 mm x H150 mm
- Weight: 1.6 Kg (unit only)
- Colour: White

**ONE YEAR WARRANTY**  
(except scaler tips)

MaxPiezo 7 (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type) Portable **Non-LED** Scaler Set  
 MaxPiezo 7+ (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type) Portable **LED** Scaler Set  
 MaxPiezo DS7 (SATELEC<sup>2</sup>, DTE<sup>7</sup> Type) Portable **Non-LED** Scaler Set  
 MaxPiezo DS7+ (SATELEC<sup>2</sup>, DTE<sup>7</sup> Type) Portable **LED** Scaler Set




## REFINE MaxPiezo 6+ / DS6+ LED SCALERS



- Automatic frequency tracking, real-time feedback
- Power and water controlled by touch panel, easy to clean for infection control
- Detachable handpiece
- Frequency: 28 kHz  $\pm$  3 kHz
- Contents: scaler unit, handpiece, torque wrench, endo wrench and 6 scaler tips
- Size: W155 mm x D168 mm x H80 mm
- Weight: 0.6 Kg (unit only)
- Colour: White

**ONE YEAR WARRANTY**  
(except scaler tips)

MaxPiezo 6 (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type) **Non-LED** Scaler Set  
 MaxPiezo 6+ (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type) **LED** Scaler Set  
 MaxPiezo DS6 (SATELEC<sup>2</sup>, DTE<sup>7</sup> Type) **Non-LED** Scaler Set  
 MaxPiezo DS6+ (SATELEC<sup>2</sup>, DTE<sup>7</sup> Type) **LED** Scaler Set




## REFINE N3000L / V3000L BUILT-IN LED SCALERS



- Automatic frequency tracking, real-time feedback
- Detachable handpiece
- Frequency: 28 KHz  $\pm$  3 KHz
- Contents: scaler unit, handpiece, torque wrench, endo wrench and 6 scaler tips

**ONE YEAR WARRANTY**  
(except scaler tips)

N3000 (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type) Built-In **Non-LED** Scaler Set  
 N3000L (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type) Built-In **LED** Scaler Set  
 V3000 (SATELEC<sup>2</sup>, DTE<sup>7</sup> Type) Built-In **Non-LED** Scaler Set  
 V3000L (SATELEC<sup>2</sup>, DTE<sup>7</sup> Type) Built-In **LED** Scaler Set



## PREMIUM PLUS AUTOCLAVABLE SCALER HANDPIECE KITS

- Complete with:
- 1x Handpiece 3H / 5L / 7H / 7L
- 3x Perio scaler tips P1 / PD1
- 1x Torque wrench TW-1L
- 1x Scaler tip holder No.1
- 1x Sterilization box

- 3H **Non-LED** Handpiece Kit (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)
  - 7H **Non-LED** Handpiece Kit (SATELEC<sup>2</sup>, DTE<sup>7</sup> Type)
  - 5L **LED** Handpiece Kit (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)
  - 7L **LED** Handpiece Kit (SATELEC<sup>2</sup>, DTE<sup>7</sup> Type)
- (for handpiece connections, please refer to Page 37)



**ONE YEAR WARRANTY**  
(except scaler tips)



1. EMS is a registered trademark of Electro Medical System S.A. Switzerland  
 2. SATELEC is a registered trademark of Satelec/Acteon Group France  
 7. WOODPECKER, DTE are registered trademarks of Guilin Woodpecker Medical Instrument Co. Ltd.

## PREMIUM PLUS SCALER HANDPIECES



HP-3H Non-LED Scaler Handpiece (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)



HS-7H Non-LED Scaler Handpiece (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)



HP-5L LED Scaler Handpiece (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)



HS-7L LED Scaler Handpiece (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)

## REFINE SCALER TORQUE WRENCHES



**TW-5L**  
For EMS<sup>1</sup>, WOODPECKER<sup>7</sup>  
type scalars



**TW-1L**  
For EMS<sup>1</sup>, WOODPECKER<sup>7</sup>,  
KAVO PiezoLED<sup>5</sup>, SATELEC<sup>2</sup>,  
DTE<sup>7</sup>, NSK<sup>3</sup>  
type scalars



**TS-1L**  
For SIRONA<sup>4</sup>  
type scaler



**TK-1L**  
For KAVO<sup>5</sup>  
SONICflex<sup>5</sup>  
SONOsoft<sup>5</sup>  
type scalars



## REFINE SCALER HANDPIECE HOSES



3H Non-LED (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
Handpiece Hose



7H Non-LED (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
Handpiece Hose



5L LED (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
Handpiece Hose



7L LED (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
Handpiece Hose

## E04 ULTRASONIC FILES NiTi alloy

- For use with ultrasonic scaler
- Excellent tenacity
- Length: 33 mm

E04 ULTRASONIC FILES NiTi alloy	
#15 ○	#30 ●
#20 ●	#35 ●
#25 ●	#40 ●

E04 Ultrasonic Files  
Single Sizes  
6 pcs/pack

## REFINE NO. 2 SCALER TIP HOLDER

REFEASTH2



## REFINE TW-A ENDO WRENCH

Multi function wrench  
for both endo chuck & bur

REFCTWA



## REFINE FOOT SWITCH

REFGFS



1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
2. SATELEC is a registered trademark of Satelec/Acteon Group France
3. NSK is a registered trademark of Nakanishi Inc. Japan
4. SIRONA is a registered trademark of Sirona Dental System
5. KAVO, SONICflex, SONOsoft, PiezoLED are registered trademarks of Kavo Dental GmbH Germany
6. AMDENT is a registered trademark of Amdent AB Sweden
7. WOODPECKER, DTE are registered trademarks of Guilin Woodpecker Medical Instrument Co. Ltd.


## PREMIUM PLUS SCALER TIPS STAINLESS STEEL

FOR EMS<sup>1</sup>, WOODPECKER<sup>7</sup>, SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> and SIRONA<sup>4</sup> REFINE Type Scalers


### SCALING




**G1** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**GD1** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**GS1** (SIRONA<sup>4</sup> Type)  
 Supragingival deposits in all quadrants



**G4** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**GD4** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**GS4** (SIRONA<sup>4</sup> Type)  
 Supragingival and interproximal deposits




**G2** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**GD2** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**GS2** (SIRONA<sup>4</sup> Type)  
 Heavy supragingival deposits on anterior teeth



**G5** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**GD5** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**GS5** (SIRONA<sup>4</sup> Type)  
 Supragingival deposits in all quadrants



**G3** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**GD3** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**GS3** (SIRONA<sup>4</sup> Type)  
 Supragingival deposits in all quadrants, including the interproximal and sulcus areas




**G6** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**GD6** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**GS6** (SIRONA<sup>4</sup> Type)  
 Voluminous supragingival deposits

### ENDO




**E1** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**ED1** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**ES1** (SIRONA<sup>4</sup> Type)  
 120° file holder for anterior root canal irrigation



**E4** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**ED4** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**ES4** (SIRONA<sup>4</sup> Type)  
 Removing root filling obstructions during root canal retreatment




**E2** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**ED2** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**ES2** (SIRONA<sup>4</sup> Type)  
 95° file holder for molar teeth root canal irrigation




**E4D** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**ED4D** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**ES4D** (SIRONA<sup>4</sup> Type)  
 Removing calcification and filling material during root canal retreatment



**E3** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**ED3** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**ES3** (SIRONA<sup>4</sup> Type)  
 Gutta-percha melting




**E3D** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**ED3D** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**ES3D** (SIRONA<sup>4</sup> Type)  
 Diamond coated instrument for root canal enlarging



**P4D** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**PD4D** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**PS4D** (SIRONA<sup>4</sup> Type)  
 Diamond coated instrument for root canal enlarging




**E5** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**ED5** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**ES5** (SIRONA<sup>4</sup> Type)  
 Removing root filling obstructions during root canal retreatment



**E14** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**ED14** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**ES14** (SIRONA<sup>4</sup> Type)  
 Removing root filling obstructions during root canal retreatments



**E5D** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**ED5D** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**ES5D** (SIRONA<sup>4</sup> Type)  
 Removing calcification and filling material during canal retreatment



**E15** (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)  
**ED15** (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)  
**ES15** (SIRONA<sup>4</sup> Type)  
 Removing root filling obstructions during root canal retreatments

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland  
 2. SATELEC is a registered trademark of Satelec/Acteon Group France  
 3. NSK is a registered trademark of Nakanishi Inc. Japan  
 4. SIRONA is a registered trademark of Sirona Dental System  
 7. WOODPECKER, DTE are registered trademarks of Guilin Woodpecker Medical Instrument Co. Ltd.

## PREMIUM PLUS SCALER TIPS STAINLESS STEEL


FOR EMS<sup>1</sup>, WOODPECKER<sup>7</sup>, SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> and SIRONA<sup>4</sup> Type Scalers



**P1 (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type) PERIO**  
**PD1 (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)**  
**PS1 (SIRONA<sup>4</sup> Type)**  
 Shallow pocket subgingival deposits



**P2L (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)**  
**PD2L (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)**  
 Left angle instrument to remove calculus from very narrow inter-root space and furcation



**P3 (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)**  
**PD3 (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)**  
**PS3 (SIRONA<sup>4</sup> Type)**  
 Deep pocket subgingival deposits




**P2R (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)**  
**PD2R (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)**  
 Right angle instrument to remove calculus from very narrow inter-root space and furcation



**P4 (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)**  
**PD4 (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)**  
**PS4 (SIRONA<sup>4</sup> Type)**  
 Shallow pocket subgingival deposits



**P2LD (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)**  
**PD2LD (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)**  
 Removal of calculus from narrow inter-root spaces (diamond-coated)



**P3D (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)**  
**PD3D (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)**  
**PS3D (SIRONA<sup>4</sup> Type)**  
 Diamond coated instrument for root planning after periodontal flap surgery



**P2RD (EMS<sup>1</sup>, WOODPECKER<sup>7</sup> Type)**  
**PD2RD (SATELEC<sup>2</sup>, DTE<sup>7</sup>, NSK<sup>3</sup> Type)**  
 Diamond coated instrument for root planning

FOR AMDENT<sup>6</sup> Type Scalers



**A1 (AMDENT<sup>6</sup> Type)**  
 Supragingival scaling (#37)



**A2 (AMDENT<sup>6</sup> Type)**  
 Supragingival scaling (#39)

FOR KAVO SONICflex<sup>5</sup> Type Scalers



**GK1 (KAVO<sup>5</sup> Type)**  
 Supragingival deposits in all quadrants



**GK2 (KAVO<sup>5</sup> Type)**  
 Supragingival heavy calculus and plaque




**GK3 (KAVO<sup>5</sup> Type)**  
 Supragingival interdental calculus and calculus at the neck of the tooth




**GK4 (KAVO<sup>5</sup> Type)**  
 Supragingival deposits, including the interproximal and sulcus areas



**GK5 (KAVO<sup>5</sup> Type)**  
 Subgingival calculus



**GK6 (KAVO<sup>5</sup> Type)**  
 Left angle instrument for removing subgingival calculus



**GK7 (KAVO<sup>5</sup> Type)**  
 Right angle instrument for removing subgingival calculus

FOR KAVO SONOsoft<sup>5</sup> Type Scalers



**GC1 (KAVO<sup>5</sup> Type)**  
 Supragingival deposits in all quadrants



**GC2 (KAVO<sup>5</sup> Type)**  
 Supragingival interdental calculus and calculus at the neck of the tooth



**PC1 (KAVO<sup>5</sup> Type)**  
 Subgingival calculus, including the interproximal and sulcus areas

KAVO PiezoLED<sup>5</sup> Type Scalers



**201 (KAVO<sup>5</sup> Type)**  
 Supragingival and interproximal deposits



**202 (KAVO<sup>5</sup> Type)**  
 Supragingival deposits in all quadrants, including the interproximal and sulcus areas



**203 (KAVO<sup>5</sup> Type)**  
 Deep pocket subgingival deposits

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
2. SATELEC is a registered trademark of Satelec/Acteon Group France
3. NSK is a registered trademark of Nakanishi Inc. Japan
4. SIRONA is a registered trademark of Siroa Dental System
5. KAVO, SONICflex, SONOsoft, PiezoLED are registered trademarks of Kavo Dental GmbH Germany
6. AMDENT is a registered trademark of Amdent AB Sweden
7. WOODPECKER, DTE are registered trademarks of Guilin Woodpecker Medical Instrument Co. Ltd.









## European Office

### **Premium Plus Poland sp. z o. o.**

Bukowska 27  
62-081 Wysogotowo

#### **Poland**

+48 61 880 1094  
info@premiumpluspl.com  
www.premiumpluspoland.com

## UK Office

### **Premium Plus UK Ltd.**

2, Knighton Heath Industrial Estate  
847 Ringwood Road, Bournemouth  
Dorset BH11 8NE

#### **U.K.**

+44 1202 611 011  
info@premiumplusuk.com  
www.premiumplusuk.com

## Australian Office

### **Premium Plus Australia Pty. Ltd.**

98 Victoria Street,  
Smithfield NSW 2164

#### **Australia**

+61 287 176 500  
info@premiumplusau.com  
www.premiumplusau.com

## USA Office

### **Premium Plus Dental Supplies Inc.**

155 Liberty Avenue  
Brooklyn NY 11212

#### **U.S.A.**

+1 718 366 8686  
sales@premiumplususa.com  
www.premiumplususa.com

## Japan Office

### **Premium Plus Japan Co., Ltd.**

5th Floor, 1-1-31, Nishimidorigaoka,  
Toyonakashi, Osaka 560-0005,

#### **Japan**

+81 6 6845 0066  
premiumplus.info@premiumplus.jp  
www.premiumplus.jp

## Hong Kong Office

### **Premium Plus Medical Supplies Ltd.**

1001, Yuen Long Trading Centre  
No.33, Wang Yip Street West  
Yuen Long, N.T.

#### **Hong Kong**

+852 2443 1219  
hk@premiumplushk.com  
www.premiumplushk.com

## Manufacturing Facility

### **Premium Plus (Dongguan) Limited**

Flat 101, No. 122, Tianqiao Road,  
Changping, Dongguan,  
Guangdong 523581

#### **China**

+86 769 83397277  
info@premiumpluschina.com  
www.premiumplushk.com