

premium
plus™

dental products 2026

innovators, designers, manufacturers,
partners and much, much more...



EU CATALOGUE 2026

INDEX

P.1-2 INTRODUCTION

Who are we
Why choose us
What do we make
Where are we

P.3-6 NEW PRODUCTS

Gutta Percha Points
Paper points
Sterilisation Pouches
Bibs
Prophy Paste
Mirrors
C01/2-X LED Curing Light

P.7-10 CURING LIGHTS

C03-C Carbolite Curing Light
C01/2-M Mini Curing Light
C03-B Basic Cure Curing Light

P.11-16 ENDODONTICS

Apex Locator
Endomotor
NiTi Heat Activation Files
Reciprocating Files
One File Systems
Guide Files
Path Files
Barbed Broaches
Gates Drills
Peeso Reamers
Pluggers
Spiral Fillers
H and K Files
Reamers
Stainless Steel Files
Luer Lock Application tips
Endo Dispensers
GP Tip Cutter
Endo Stands/ Holders
Endo Cushions/ Sponges
Endo Rulers
Endo Blocks
Rubber Dam Frame

P.16 HANDPIECES

Prophy Angle Attachment
Straight Low Speed
Contra Angle Low Speed
Air Motors

P.17-22 PROPHY

Prophy Angles
Prophy Paste
Prophy Brushes
Prophy Cups
Prophy Points

P.23 EVACUATION

Aspirator Brushes
HVE Suction Tubes
Oral Evacuators
Saliva Ejectors
Suction Tube Adaptors
Surgical Aspirators

P.24 SYRINGE TIPS

Air-Water Syringe Tips

P.25-27 Green Line

Bamboo Cups
Paper Cups
Air-Water Syringe Tips
Interdental brushes
Micro Applicators
Micro Applicator Tips

P.28 APPLICATORS

Brush Applicators
Brush Tips and Handle
Micro Applicators
Micro Applicator Dispensers
Micro Applicator Tips
Sitzky Applicators

P.29 FACE MASKS & PAPER PRODUCTS

Prophy Bibs
Disposable Tray Paper
Face Masks
Napkin Holders
Tray Cover Papers

P.30 X-RAY

X-Ray Barrier Envelopes
Peel-n-Stick Sensor Holders
X-Ray Bite Cushions
Film Holders
Bite Wing Loops

P.31-32 BARRIERS

Barrier Film
Bite Block Sleeves
Chair Sleeves
Curing Light Guide Sleeves
Curing Light Sleeves
Flowable Composite Sleeves
Handpiece & Pen Sleeves
Headrest Covers Non Woven
Headrest Sleeves
Impression Gun Sleeves
Instrument Tray Sleeves
Intraoral Camera Sleeves
Keyboard Sleeves
Mouth Mirror Sleeves
PC Mouse Sleeves
PSP Barrier Envelopes
Suction Tube Sleeves
Syringe Sleeves
T-Style Light Handle Sleeves
Tubing Sleeves
X-Ray Head Sleeves
X-Ray Sensor Sleeves

P.33-34 IMPRESSION

Alginate and Plaster Spatulas
Impression Trays
Mixing Bowls
3-in-1 Trays
Impression Syringes
Impression Trays
Intraoral Syringe Tips
Mixing Tips

P.35-38 SUNDRIES

Acrylic Mixing Cups
Aluminium Bur Blocks
Applicator Tips Luer Lock
Articulating Mounting Plates
Bur/Endo Organisers
Cheek Retractors
Instrument Trays + Racks
Mouth Lippers
Napkin Holders
Autoclavable Sterilisation Cassettes
Brass Bur Brush
Bur Block/Dispenser
Dental Appliance Boxes
Dental Bib Holder and Clip
Curved Tip Syringes
Dappen Dishes
Evacuation Traps
Eye Shields
Fluoride Trays
Mixing Pads
Mixing Wells
Mouth Lippers
Mouth Mirrors
Plastic Wedges
Prophy Rings
Sterilisation Pouches
Sterilisation Rolls
Fracture Detector
Fluoride Trays
Glass Dappen Dishes
Glass Mixing Slab
Jumping Teeth
Magnetic Bur Stands
Mouth Props
Needle Station
Patient Tongue Cleaners
Pen/Toothbrush Holder
Photographic Mirrors
Plastic Bur Dispensers
Retainer/Mouth Boxes/Denture Baths
Silicone Instrument Rings
Wire Brushes

P.39-40 DISPENSERS

Barrier Film Dispenser
Bib and C-Fold Towel Dispensers
Chain Dispenser
Composite Dispensers and Organisers
Composite Syringe Holders
Cotton Roll Dispenser
Cup Dispensers
Glove and Tissue Dispensers
Grinding Box
Impression Gun Holders
Light Protection Covers
Light Protection Hand Shield
Mask Dispenser
Micro Applicator Dispensers
Sterilisation Pouch Dispenser

P.41-44 PIEZO SCALERS

LED Scaler Units
Scaler Handpieces
Scaler Tips
Scaler Wrenches and Accessories

Who are we?



At **Premium Plus**, we specialise in the design and manufacture of high quality dental products. Our mission is to turn dental into a positive joyful experience for patients, practises and distributors and we are driven by our unwavering belief that a bright, healthy smile has the ability to uplift your entire day.

Through continuous innovation, research and investment in advanced manufacturing, combined with over 40 years of experience in the dental industry, we have learned how to refine and improve every step of the manufacturing process. This end to end control gives our customers a clear advantage: consistent quality, dependable performance and reliable supply they can trust.



With a global perspective on the dental market and a deep understanding of regional requirements, we are able to consistently exceed customer expectations. This is in part due to our centrally located European warehouse, in the city of Poznań, Poland - that ensures efficient distribution and responsive service across international markets.





Why choose us?

Whether supplying our own Premium Plus brand, private label or OEM solutions, we deliver quality without compromise.

By combining development, manufacturing, regulatory management, artwork, packaging and warehousing under one partner, we simplify the process, reduce compliance risk and speed up time to market - giving our clients confidence from concept to launch.

Beyond production, we provide marketing ready support. From compliant artwork and packaging to product positioning and launch assistance, we help ensure products are not only approved but built to sell.



What do we make?

Over the past decade our range has increased to cover small equipment and the majority of plastic and paper disposable dental products. This gives us, and more importantly you, the ability to offer a huge range that includes LED curing lights, apex locators, handpieces, disposable prophylaxis cups and angles, micro applicators, syringe tips, barrier sleeves, saliva ejectors and suction tubes etc.



disposable oral evacuators

disposable saliva ejectors



LED curing lights



disposable syringe tips



disposable trays for implants



disposable 3-in-1 trays



disposable prophylaxis angles



disposable prophylaxis cups



disposable prophylaxis brushes



disposable micro applicators



disposable PSP barrier envelopes

Where are we?

Premium Plus now supplies to over 90 countries and regions throughout the world and has distribution partners in Poland, United Kingdom, Australia, USA, Japan and Hong Kong. The manufacturing site in Dongguan, China is constantly working on not only maintaining but exceeding the standards set by ISO, CE and FDA. We are proud of the fact that we hold **ISO 13485:2016** certification for the **Quality Management System of Medical Devices** and have all of the class IIa products manufactured by us certified with the **CE0123** mark by **TUV SUD**. We know that with our experience, our integrated range of production processes and our ever-expanding range we have the ability to cover all our customers' requirements.

GP POINTS



- Hand-rolled, cadmium-free, latex-free, radiopaque
- ISO colour-coded, consistent taper
- Suitable for warm and cold obturation
- Pre-measured depth markings

GP GUTTA PERCHA POINTS						
#15 ○	#20 ●	#25 ●	#30 ●	#35 ●	#40 ●	
#45 ○	#50 ●	#55 ●	#60 ●	#70 ●	#80 ●	

GP Gutta Percha Points 28 mm, Standard ISO 2%, 120 pcs/pack
 No.15-80 Single Sizes
 No.15-40, 45-80 Assorted Sizes

PP POINTS




- ISO colour-coded sizes for easy identification
- High absorbency for efficient canal drying
- Pre-measured depth markings

PP PAPER POINTS						
#15 ○	#20 ●	#25 ●	#30 ●	#35 ●	#40 ●	
#45 ○	#50 ●	#55 ●	#60 ●	#70 ●	#80 ●	

PP Paper Points 28 mm, Standard ISO 2%, 200 pcs/pack
 No.15-80 Single Sizes
 No.15-40, 45-80 Assorted Sizes

GP ONE POINTS

MATCHING FILES E05/E06 see page 12




- Gutta percha with matched taper for reciprocating file system preparations.
- **E05/E06 One Files system see page 12.**
- Hand-rolled, cadmium-free, latex-free, radiopaque
- ISO colour-coded
- Suitable for warm and cold obturation
- Pre-measured depth markings

GP ONE GUTTA PERCHA POINTS		
#R25 ●	#R40 ●	#R50 ●

GP ONE Gutta Percha Points 28 mm, 60 pcs/pack
 No.R25-R50 Single Sizes
 No.R25-R50 Assorted Sizes

PP ONE POINTS

MATCHING FILES E05/E06 see page 12




- Paper points with matched taper for reciprocating file system preparations.
- **E05/E06 One Files system see page 12.**
- ISO colour-coded sizes for easy identification
- High absorbency for efficient canal drying
- Pre-measured depth markings

PP ONE PAPER POINTS		
#R25 ●	#R40 ●	#R50 ●

PP ONE Paper Points 28 mm, 100 pcs/pack
 No.R25-R50 Single Sizes
 No.R25-R50 Assorted Sizes

GP SUPER POINTS

MATCHING FILES E01/E02 see page 12




- Gutta percha with matched taper for varied taper file system preparations.
- **E01/E02 Super Files system see page 12.**
- Hand-rolled, cadmium-free, latex-free, radiopaque
- ISO colour-coded
- Suitable for warm and cold obturation
- Pre-measured depth markings

GP SUPER GUTTA PERCHA POINTS				
F1 ●	F2 ●	F3 ●	F4 ●	F5 ●

GP SUPER Gutta Percha Points 28 mm, 60 pcs/pack
 No. F1-F5 Single Sizes
 No. F1-F3 Assorted Sizes

PP SUPER POINTS

MATCHING FILES E01/E02 see page 12



- Paper points with matched taper for varied taper file system preparations.
- **E01/E02 Super Files system see page 12.**
- ISO colour-coded sizes for easy identification
- High absorbency for efficient canal drying
- Pre-measured depth markings

PP SUPER PAPER POINTS				
F1 ●	F2 ●	F3 ●	F4 ●	F5 ●

PP SUPER Paper Points 28 mm, 100 pcs/pack
 No. F1-F5 Single Sizes
 No. F1-F3 Assorted Sizes

SELF-SEALING STERILISATION POUCHES



- With internal and external indicators
- Triple adhesive seal to ensure sterile storage
- Blue tinted plastic window helps detect puncture holes that may be caused by jagged instruments
- Easy to read colour steam indicator assures that sterile conditions have been achieved

6000 2 1/4" x 3 1/4" (57 mm x 90 mm) 200 pcs/box
 6001 2 1/4" x 5" (57 mm x 130 mm) 200 pcs/box
 6003 3 1/2" x 5 3/4" (90 mm x 145 mm) 200 pcs/box
 6005 2 3/4" x 9" (70 mm x 230 mm) 200 pcs/box
 6007 3 1/2" x 9" (90 mm x 230 mm) 200 pcs/box
 6009 5 1/4" x 10" (135 mm x 260 mm) 200 pcs/box
 6011 7 1/2" x 13" (190 mm x 330 mm) 200 pcs/box
 6015 10" x 15" (250 mm x 380 mm) 100 pcs/box
 6017 12" x 17" (300 mm x 430 mm) 100 pcs/box



3-PLY PATIENT BIBS (50pcs)



- 3 ply embossed patient bibs: two absorbent paper layers and one waterproof layer for maximum protection and comfort
- Size: 45x33cm
- Colours: dark blue, blue, jade green, light green, lime, yellow, orange, pink, purple, burgundy, black, white, fairy teeth pattern, animal pattern

2202 Patient Bibs 50pcs/ pack (10packs/carton)



PROPHY PASTE



- Thixotropic
- Fluoride free
- Made in UK
- Available in:
P17 Medium-**Strawberry**
P19 Coarse-**Spearmint**

Prophy Paste 200g/jar

INDIVIDUALLY PACKAGED DISPOSABLE MOUTH MIRRORS



- For examination of the oral cavity
- Light weight disposable mouth mirrors
- Anti-fog glass mirror
- Individually wrapped for convenience

850 mouth mirrors 10pcs/box



C01-X LED CURING LIGHT

- 4 Curing Modes
Turbo, Full, Ramp & Soft Cure
- Dual Wavelength
390–480 nm – cures all types of composites
- 360° Rotating Light Guide
For optimal access in all areas
- Preset Curing Times
Fast, efficient and intuitive operation
- Smooth, Hygienic Design
Easy to clean and reduces risk of contamination
- Smart Charging Base
Inductive charging with built-in light meter
- Available in 7 Vibrant Colors
Pink, Light Lavender, Blue, Light Blue, Light Green, White, and Black
- 24-Month Warranty
For peace of mind

SPECIFICATIONS		
MODEL	C01-X	
LIGHT TIP	11 mm (dia.) F.O. Light Guide	
LIGHT WAVELENGTH	390–480 nm	
APPLICATION	General / Ortho	
MODE	TURBO	2,000 mW/cm ² for 4 seconds±10%
	FULL	1,200 mW/cm ² for 10 seconds±10%
	RAMP	20 seconds: 0–5 seconds from 0–1,200 mW/cm ² ±10% 5–20 seconds 1,200 mW/cm ² ±10%
	SOFT CURE	20 seconds: 0–5 seconds from 0–900 mW/cm ² ±10% 5–20 seconds 900 mW/cm ² ±10%
WEIGHT	175 gms	
LENGTH	265 mm	

CURING LIGHT MODE APPLICATIONS	
TURBO	Super fast curing for resin and composite under 2 mm thickness. Also recommended for ceramic brackets, veneer bonding etc.
FULL	For general applications.
RAMP	With first 0–5 seconds ramping for general application.
SOFT CURE	With first 0–5 seconds ramping for more gentle processing, designed for the patients sensitive to the heat.

7 colours available:



- C01-X set contents:**
- curing light handpiece
 - 11 mm fibre optic light guide
 - charging base
 - protective light shield
 - 500pcs barrier sleeves
 - power adaptor

- Parts:**
- C01-X Curing Light (F.O. Light Guide)
 - C01-X-1 F.O. Light Guide 11 mm
 - C01/2-X-LH Replacement Battery
 - C01/2 USB - USB Type C cord & EU Plug
 - 123M Curing Light Sleeves Medium (500 pcs)



063
Light Protective
Hand Shield

C01-X Complete Set
with Built-In
Light Intensity
Indicator



24 MONTH WARRANTY

C02-X LED CURING LIGHT

- 4 Curing Modes
Turbo, Full, Ramp & Soft Cure
- Dual Wavelength
390–480 nm – cures all types of composites
- 360° Rotating Light Guide
For optimal access in all areas
- Preset Curing Times
Fast, efficient and intuitive operation
- Smooth, Hygienic Design
Easy to clean and reduces risk of contamination
- Smart Charging Base
Inductive charging with built-in light meter
- Available in 7 Vibrant Colors
Pink, Light Lavender, Blue, Light Blue, Light Green, White, and Black
- 24-Month Warranty
For peace of mind

SPECIFICATIONS

SPECIFICATIONS		
MODEL	C02-X	
LIGHT TIP	10 mm (dia.) Direct Light Source	
LIGHT WAVELENGTH	390–480 nm	
APPLICATION	General / Ortho	
MODE	TURBO	2,500 mW/cm ² for 4 seconds±10%
	FULL	1,200 mW/cm ² for 10 seconds±10%
	RAMP	20 seconds: 0–5 seconds from 0–1,200 mW/cm ² ±10% 5–20 seconds 1,200 mW/cm ² ±10%
	SOFT CURE	20 seconds: 0–5 seconds from 0–900 mW/cm ² ±10% 5–20 seconds 900 mW/cm ² ±10%
WEIGHT	140 gms	
LENGTH	255 mm	

CURING LIGHT MODE APPLICATIONS


TURBO	Super fast curing for resin and composite under 2 mm thickness. Also recommended for ceramic brackets, veneer bonding etc.
FULL	For general applications.
RAMP	With first 0–5 seconds ramping for general application.
SOFT CURE	With first 0–5 seconds ramping for more gentle processing, designed for the patients sensitive to the heat.

7 colours available:



- C02-X set contents:**
- curing light handpiece
 - 10mm direct light source head
 - charging base
 - protective light shield
 - 500pcs barrier sleeves
 - power adaptor

- Parts:**
- C02-X Curing Light (F.O. Light Guide)
 - C02-X-1 Direct Light Source Head 10 mm
 - C01/2-X-LH Replacement Battery
 - C01/2 USB - USB Type C cord & EU Plug
 - 125 Curing Light Sleeves Medium (500 pcs)



DIRECT LIGHT SOURCE HEAD FOR DURABILITY ROTABLE 360°

LOW PROFILE HEAD FOR ACCESSING CONFINED AREAS

MODE INDICATORS

SET TIMES PER MODE FOR EASE OF USE

EASY CLEANING FOR IMPROVED INFECTION CONTROL

ON/OFF MODE SWITCH

AUTOMATIC COMPENSATION CIRCUIT FOR CONSTANT POWER OUTPUT

REPLACEABLE BATTERY



063 Light Protective Hand Shield



C02-X Complete Set with Built-In Light Intensity Indicator

CHARGING STATION

LIGHT INTENSITY INDICATOR

24 MONTH WARRANTY


C03-C Carbolite Curing Light

C03-C CARBOLITE LED CURING LIGHT

with direct light source



- **High Grade Aluminum Body**
Construction durability and provides unsurpassed heat dissipation
- **8 Modes**
Normal, High, Turbo, Ortho, Pulse, Ramp, Caries Detection, Soft
- **Caries Detection**
For detecting caries, calculus and cracked teeth
- **4 Micro Cure Lens**
A different micro cure lens to cover every need
- **Collimated Light Beam**
A 10 mm collimated light beam that produces a multi wave length 385 nm - 515 nm to cure most products on the market
- **Constant Circuit Intensity Output**
Automatic compensation circuit for constant power output and a fast charge base that includes a built-in light indicator



C03-C CARBOLITE SPECIFICATIONS	
DIRECT LIGHT SOURCE	10 mm (dia.)
LIGHT WAVELENGTH	385-515 nm
WEIGHT	110 gms
DIMENSIONS	224 mm (length) x 23 mm (dia.)

MODE	APPLICATION	SPECIFICATION
NORMAL	For general applications.	1,200 mW/cm ² for 5, 10, 15, 20 seconds ±10%
HIGH	For quick curing of resin and composites that are no more than 2 mm thick. Also recommended for ceramic brackets, bonding veneers etc.	2,000 mW/cm ² for 1, 3, 5 seconds ±10%
TURBO	For super fast curing of resin and composites that are no more than 2 mm thick. Also recommended for ceramic brackets, bonding veneers etc.	3,000 mW/cm ² for 1, 3 seconds ±10%
ORTHO	For orthodontic applications. 3 second mesial + 3 second distal for metal brackets resin bonding (with 1 sec blink in-between).	Ortho x 05 2,500 mW/ cm ² for 5 x 3 seconds with 1s interval ±10% Ortho x 10 2,500 mW/ cm ² for 10 x 3 seconds with 1s interval ±10%
PULSE	Pulse effectively reduces heat generation, efficiently dissipates heat shrinkage and ensure comfort during treatment.	1,200 mW/cm ² for 5, 10, 15, 20 seconds with 0.2 seconds off ±10%
RAMP	First 0-5 seconds are ramped for general applications	1st 5 seconds from 0-1,200 mW/cm ² next 5, 10, 15 seconds 1,200 mW/cm ²
CHECK	For detecting caries, calculus and cracked teeth.	Purple light for 30 or 60 seconds
SOFT	First 0-5 seconds are ramped for more gentle processing, designed for patients sensitive to heat.	900 mW/cm ² for 5, 10, 15, 20 seconds ±10%

C03-C Carbolite LED Curing Light

Spare parts:

C03-C-2 Protective Light Shield for C03-C

C03-C-3 USB-C Power Adaptor

C03-C-4 Replacement Battery

C03-C-5a Endo Guide Lens

C03-C-5b 3.0mm Microcure Ball Lens

C03-C-5c 2.2mm Microcure Ball Lens

C03-C-5d Microcure Lens

228 Light Sleeves Mini (500 pcs/box)

C03-C set contents:

- curing light with charging station and built-in light intensity indicator
- protective light shield
- disposable curing light sleeves
- USB-C power adaptor 100 - 240 V
- 3.0mm microcure ball lens
- 2.2mm microcure ball lens
- microcure lens
- endo guide lens
- lens stand

12 MONTH WARRANTY

A different microcure accessory cap to cover every need.



a. Endo Guide Lens
The mini light guide is suitable for curing apex position of the tooth and other limited areas.



b. 3.0 mm Microcure Ball Lens
Facilitates the building of convex proximal contacts. The imprint is easily filled with composite in a second step, push the Microcure Ball Lens against the interproximal wall of the band, do not submerge in composite.



c. 2.2 mm Microcure Ball Lens
Facilitates the building of convex proximal contacts. The imprint is easily filled with composite in a second step, push the Microcure Ball Lens against the interproximal wall of the band, do not submerge in composite.



d. Microcure Lens
It provides pinpoint curing of small composites and is helpful for tack curing veneers.

Caries Detection

Purple light for 30 or 60 seconds for detecting caries, calculus and cracked teeth.

The carbolite helps detect caries by emitting specific wave lengths that induce different fluorescence in healthy and decayed dental tissue. This allows dentists to visually distinguish between healthy enamel and carious lesions.



High Grade Milled Aluminium Body

Ensures superior strength, durability, and effective heat dissipation. Its sleek, slim design and optimal weight make the handpiece practical, easy to handle and exceptionally comfortable to use.



10 mm Head

Our ergonomically designed 10mm head produces an output of up to 3000 mW/cm² and a dual wave length of 385-515 nm. Powerful enough to cure in seconds, the full range of the most popular light cured products on the dental market today.

Customized LED chip and filters produce a collimated output that maintains a consistent curing beam.



An inbuilt light indicator to keep track of the radiance of the curing light on an easy to read OLED screen.



C01-M / C02-M Mini Curing Lights

C01-M / C02-M LED CURING LIGHTS MINI (with USB Charger)



- 360° Rotatable tips
- Automatic compensation circuit for constant power output
- Fully covered membrane panel for easy cleaning and infection control
- Light weight: approx. 85 gms
- Dual modes: FULL / SOFT
- 12 Operation times
- Fully charged battery provides over 100 x 10 second curing cycles

C01-M / C02-M SPECIFICATIONS		
Model	C01-M (F.O. Light Guide)	C02-M (Direct Light Source)
LIGHT TIP	8 mm (dia.)	11 mm (dia.)
LIGHT WAVELENGTH	440~480 nm	440~480 nm
MODE	FULL	1,200 mW/cm ² for 5, 10, 15, 20, 25, 30 seconds±10%
	SOFT	1 st five seconds from 0-900 mW/cm ² next 5, 10, 15, 20, 25, 30 seconds 900 mW/cm ² ±10%
WEIGHT	86 gms	84 gms
LENGTH	230 mm	220 mm

C01-M / C02-M CURING LIGHT DEPTH OF CURE						
MODEL	C01-M (F.O. Light Guide) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)	C02-M (Direct Light Source) Curing Time	Depth Measurements	ISO 4049 Depth Measurements (-50%)
FULL	10 seconds	4.3 mm	2.15 mm	10 seconds	5.1 mm	2.55 mm
SOFT	15 seconds	4.6 mm	2.30 mm	15 seconds	4.8 mm	2.40 mm

REMARKS: Above data is based on test results using an A2 shade composite. The light tip was placed above and pointed perpendicular to the composite. Tests were done as per ISO 4049 Standard. The samples were measured and the data was divided by two (50% of the total composite depth cured). ISO 4049 Standard requires that the results for class II restorative materials should be at least 1.5 mm for non-opaque shades and 1.0 mm for opaque shades. All resins and composites have different curing times. It is recommended that you should test your resins and composites performance to determine the curing times required.




C01-M Curing Light (F.O. Light Guide)
 C02-M Curing Light (Direct Light Head)
 C01-M-1 F.O. Light Guide 8 mm
 C02-M-1 Direct Light Head 11 mm
 C01/2-M-1 Replacement Battery
 228 Light Sleeves Mini 500 pcs/box



24 MONTH WARRANTY



C03-B BASIC CURE LED CURING LIGHT

with direct light source



- Unbeatable Value**
 High-performance curing light with advanced features at a budget-friendly price.
- Four Versatile Modes**
 Tailored modes to meet every clinical need, from quick curing, orthodontics and general applications.
- Dual Wavelength Technology**
 Effectively cures all composite materials on the market.

- Compact Low-Profile Head**
 Easily reaches hard-to-access areas, ensuring precision and ease of use.
- LED Display**
 Provides clear, real-time information for seamless operation.
- Convenient Charging Base**
 Always charged and ready to use
- Constant Power Output**
 Automatic compensation circuit ensures consistent performance, even with a low battery.



C03-B BASIC CURE SPECIFICATIONS	
DIRECT LIGHT SOURCE	10 mm (dia.)
LIGHT WAVELENGTH	385~515 nm
WEIGHT	85 gms
DIMENSIONS	230 mm (length) x 24 mm (dia.)

MODE	APPLICATION	SPECIFICATION
NORMAL	For general applications.	1,200 mW/cm ² for 5, 10, 15, 20 seconds ±10%
HIGH	For quick curing of resin and composites that are no more than 2 mm thick. Also recommended for ceramic brackets, bonding veneers etc.	2,500 mW/cm ² for 1, 3, 5 seconds ±10%
ORTHO	For orthodontic applications. 3 second mesial + 3 second distal for metal brackets resin bonding (with 1 sec blink in-between).	Ortho x 05 2,500 mW/ cm ² for 5 x 3 seconds with 1s interval ±10% Ortho x 10 2,500 mW/ cm ² for 10 x 3 seconds with 1s interval ±10%
RAMP	First 0-5 seconds are ramped for general applications	1st 5 seconds from 0-1,200 mW/cm ² next 5, 10, 15 seconds 1,200 mW/cm ²

Parts:
 C03-B Basic Cure Curing Light
Spare Parts:
 C03-B-1 10mm Direct Light Source Head
 C03-B-3 Protective Light Shield
 C03-B-3 Power Adaptor
 125SS Barrier Sleeves Small Short (500 pcs/box)

C03-B set contents:
 • curing light handpiece
 • 10mm direct light source head
 • charging base,
 • protective light shield
 • 100pcs barrier sleeves
 • power adaptor



12 MONTH WARRANTY

E98 APEX LOCATOR WITH ENDOMOTOR INTEGRATION CAPABILITIES



- Large 9cm LCD display with visual display of file position
- Biomimetic-silica-wrapped file clip with large arc for easier file installation, can be autoclaved more than 1000 times
- Stainless steel lip hook
- Compact size & stable design
- Advanced multi-frequency technology with automatic calibration
- High precision in wet & dry canals
- Powerful 1500 mAh lithium-ion battery
- Volume adjustable
- Accessories autoclavable to 134°C
- Dimensions: 9.5 x 6.5 x 2.0cm

*e98 kit contents: apex locator, measuring wire, two file clips, two lip hooks, apex locator tester, power adaptor
e9801 apex locator measuring wire
e9802 apex locator 2x lip hook
e9803 apex locator 2x file clips
e9804 apex locator tester
e8898 apex locator power adaptor*

**12 MONTH WARRANTY
(excluding spare parts)**



AUTOCLAVABLE HEAD

DETACHABLE HEAD

EDITABLE MEMORY PROGRAMME

AMBIDEXTROUS DISPLAY

POWERFUL 1500 mAh LITHIUM BATTERY



E88 Endomotor integration with E98 Apex Locator

Integration of the 2 units allows the full range of functions of both devices to be used:

- Auto start and stop
- Apical reverse
- Apical slow down
- In connect function e88 Endomotor mirrors e98 Apex Locator's screen


E88 ENDOMOTOR WITH APEX LOCATOR INTEGRATION CAPABILITIES

- **5 reciprocation modes (M0)**
 - Forward Reciprocation-Four Modes Clockwise & Counterclockwise movement
 - Fwd 150° - Rev 30° | Fwd 180° - Rev 30° for continuous rotation files
 - Fwd 210° - Rev 30° | Fwd 250° - Rev 30° for continuous rotation files
 - Reverse Reciprocation-One Mode Counterclockwise & Clockwise movement
 - Fwd 30° - Rev 150° for reciprocating files
- **9 editable memory programs (M1 to M9)**
 - Forward or reverse direction rotation
 - Torque auto reverse
 - Editable speed/rpm setting
 - Editable torque settings
 - Maximum speed 1000 rpm
 - 360° clockwise rotational movement
- Digital OLED with ambidextrous display
- Low noise motor
- Torque calibration
- Volume adjustable

*e88 kit contents: motor handpiece, contra angle head, insulating sleeve, handpiece stand, spray nozzle, USB cable, power adaptor
e8801 endomotor contra angle head
e8802 endomotor contra angle sleeve
e8803 endomotor USB cable
e8804 endomotor spray nozzle
e8898 apex locator power adaptor*

**12 MONTH WARRANTY
(excluding spare parts)**

CROSS-SECTION



NEW MATCHING GP+PP see page 3

E01 SUPER FILES GOLD NiTi heat activation

- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.


E01 SUPER FILES GOLD NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	3.5-9	0.19
21 mm, 25 mm or 31 mm	S1	2-11	0.17
	S2	4-11.5	0.20
	F1	7	0.20
	F2	8	0.25
	F3	9	0.30
	F4	6	0.40
	F5	5	0.50

E01 Super Files Gold
Single or Assorted (SX to F3) Sizes
6 pcs/pack

E01 RECOMMENDED OPERATION PROCESS

PROBE	#10	
	#15	
OPENING	SX	
SHAPING	S1	
	S2	
FINISHING	F1	
	F2	
	F3	
ENLARGING	F4	
	F5	

CROSS-SECTION



NEW MATCHING GP+PP see page 3

E02 SUPER FILES BLUE NiTi heat activation

- Smart varied taper design
- High flexibility and pre-curved memory
- Safe tip, reduces the possibility of root canal deviation
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.


E02 SUPER FILES BLUE NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX	3.5-9	0.19
21 mm, 25 mm or 31 mm	S1	2-11	0.17
	S2	4-11.5	0.20
	F1	7	0.20
	F2	8	0.25
	F3	9	0.30
	F4	6	0.40
	F5	5	0.50

E02 Super Files Blue
Single or Assorted (SX to F3) Sizes
6 pcs/pack

E02 RECOMMENDED OPERATION PROCESS

PROBE	#10	
	#15	
OPENING	SX	
SHAPING	S1	
	S2	
FINISHING	F1	
	F2	
	F3	
ENLARGING	F4	
	F5	

CROSS-SECTION



E03 PRO-FLEXI FILES BLUE NiTi heat activation E28 PRO-FLEXI FILES CHAMELEON NiTi heat activation

- Smart varied taper design
- High cutting efficiency
- Good flexibility and fracture resistance
- Torque 2.0N.cm - 2.5N.cm
- Recommended speed 150-300 r.p.m.


E03 & E28 PRO-FLEXI FILES			
Length	Size	Taper %	Tip (mm)
19 mm	#01/09	9	0.25
21 mm or 25 mm	#20/04	4	0.20
	#25/04	4	0.25
	#30/04	4	0.30
	#35/04	4	0.35
	#25/06	6	0.25

E03 Pro-Flexi Files
Single or Assorted Sizes, 6 pcs/pack
E28 Pro-Flexi Files Chameleon
Single or Assorted Sizes, 6 pcs/pack

E03 & E28 RECOMMENDED OPERATION PROCESS

OPENING	#01/09	
SHAPING	#20/04	
	#25/04	
	#30/04	
	#35/04	
	#25/06	

CROSS-SECTION



NEW MATCHING GP+PP see page 3

E05 ONE FILES BLUE NiTi heat activation E06 ONE FILES SILVER NiTi alloy

- Reciprocating movement
- Use only one instrument for root canal preparation, efficient and time saving
- 3 sizes for different size root canals
- Torque 2.0 Ncm - 2.5 Ncm
- Recommended speed 150-300 r.p.m.

E05 & E06 ONE FILES			
Length	Size	Taper %	Tip (mm)
21 mm or 25 mm	#R25	8	0.25
	#R40	6	0.40
	#R50	5	0.50

E05 One Files Blue
Single or Assorted (2pcs R25, R40, R50) Sizes
6 pcs/pack
E06 One Files Silver
Single or Assorted (2pcs R25, R40, R50) Sizes
6 pcs/pack

E14 PA-FILES NiTi alloy



- 2% taper, for building a glide path
- Efficient and time saving
- Torque **1.5N.cm**
- Recommended speed **150-300 r.p.m.**

E14 PA-FILES NiTi alloy			
Length	No.	Size	
21 mm or 25 mm	013	small	●
	016	small-medium	○
	019	medium	●

*E14 PA-Files
Single or Assorted (2 pcs 013,
016, 019) Sizes
6 pcs/pack*

E10 D-FILES retreatment files NiTi alloy




- For the removal of gutta percha and root filling material
- Torque **2.5N.cm**
- Recommended speed **150-300 r.p.m.**

E10 D-FILES retreatment files NiTi alloy			
Length	No.	Size	Taper %
16 mm	D1	30	9
18 mm	D2	25	8
22 mm	D3	20	7

*E10 D-Files
Single or Assorted (2 pcs D1,
D2, D3) Sizes
6 pcs/pack*

E08 FILES GOLD NiTi heat activation



- Reciprocating system
- Evolving cross-section with optimized tip
- Increased flexibility for safety
- Efficient safe shaping

*E08 Files Gold
Single or Assorted (20 to 45) Sizes
4 pcs/pack*

E08 FILES NiTi heat activation				
Length	No.	Size	Taper %	Matching Gutta Point
21 mm or 25 mm	20	small	07	● small
	25	small-medium	07	● primary
	35	medium	06	● medium
	45	large	05	● large

E09 GC-FILES stainless steel



- Reverse hedstroem condensers
- **8,000 r.p.m.**

*E08 GC-Files
4 pcs/pack
No. 25-80 Single Size
No. 25-40 Assorted Sizes*

E09 GC-FILES stainless steel				
Length	No.	Size	No.	Size
21 mm or 25 mm	25	●	50	●
	30	●	55	●
	35	●	60	●
	40	●	70	●
	45	○	80	●

E16 PRO-PATH FILES GOLD NiTi heat activation

E17 PRO-PATH FILES CHAMELEON NiTi heat activation



- Unique flexibility
- Non-uniform taper (2%-6%)
- Pro-Path files #016 is all you need to manage all curves to the apex

*E16 and E17 Pro-Path Files #016
6 pcs/pack, 21 mm / 25 mm*



E25 D-SHAPER FILES GOLD NiTi heat activation



E25 D-SHAPER FILES GOLD NiTi heat activation			
Length	Size	Taper %	Tip (mm)
17 mm	R ●	10	0.20
21 mm or 25 mm	(E16)016 ○	2-6	0.15
	S1 ●	4	0.20
	S2 ●	4	0.25
	S3 ●	4	0.30
	S4 ●	6	0.25

*E25 D-Shaper Files Gold
Single or Assorted (R to S4) Sizes
6 pcs/pack*

E18 DUAL SHAPER FILES CHAMELEON NiTi heat activation

- A new root canal NiTi file system has been created using thermal activation, laser quenching and nano-coating
- Surface hardness of the file is increased by 168%
- Abrasion resistance increases greatly, improving the service life by 3-10 times

- High strength - excellent corrosion and wear resistance, biocompatibility and high damping properties
- Hyperelastic - super elasticity, will still recover shape after countless bending
- Easy to shape - thermal activation of the NiTi wire, allows the file to be easily shaped so as to adapt to the natural form of the root canal

E18 DUAL SHAPER FILES NiTi heat activation			
Length	Size	Taper %	Tip (mm)
19 mm	SX ●	3.5-19	0.19
21 mm or 25 mm	(E17)#016 ○	2-6	0.15
	#20/4 ●	4	0.20
	#25/04 ●	4	0.25
	#25/06 ●	6	0.25

*E18 Dual Shaper Files Chameleon
Single or Assorted (SX to #25/06) Sizes
5 pcs/pack*

E18 RECOMMENDED OPERATION PROCESS		
OPENING	SX	
GUIDE FILE	#016	
SHAPING	#20/04	
	#25/04	
	#25/06	

E38 BARBED BROACHES stainless steel



- Good flexibility
- Highly resistant to fracture

*E38 Barbed Broaches
Single Size or Assorted
(1pcs XXXXF, XXXF, M,
C & 2pcs XXF, XF, F) Sizes
Stainless Steel
10 pcs/pack*

E38 BARBED BROACHES stainless steel

Length	Size
21 mm	XXXXF (0)
	XXXF (1)
	XXF (2)
	XF (3)
	F (4)
	M (5)
	C (6)

E48 C+ FILES stainless steel

- For calcified root canal, with 3 mm very rigid tip
- Recommended for single use only

*E48 C+ Files
Single or Assorted (2pcs
#06, #08, #10) Sizes
6 pcs/pack*

E48 C+ FILES stainless steel

Length	Size
21 mm or 25 mm	#06
	#08
	#10
	#12.5
	#15

E04 ULTRASONIC FILES NiTi alloy

- For use with ultrasonic scaler
- Excellent tenacity
- Length: 33 mm

E04 ULTRASONIC FILES NiTi alloy

#15	#30
#20	#35
#25	#40

*E04
Ultrasonic Files
Single Sizes
6 pcs/pack*

E11 SPIRAL FILLERS stainless steel

E11 SPIRAL FILLERS stainless steel

Length	Size
21 mm or 25 mm	#25
	#30
	#35
	#40

*E11
Spiral Fillers
Single or
Assorted Sizes
4 pcs/pack*

E12 GATES DRILLS stainless steel

- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

E12 GATES DRILLS stainless steel

Length	Size	Diameter (mm)
28 mm or 32 mm	#1	0.5
	#2	0.7
	#3	0.9
	#4	1.1
	#5	1.3
	#6	1.5

*E12
Gates Drills
Single or
Assorted Sizes
6 pcs/pack*

E15 PEESO REAMERS stainless steel

- High cutting efficiency
- Recommended speed 800-1,200 r.p.m.

E15 PEESO REAMERS stainless steel

Length	Size	Diameter (mm)
28 mm or 32 mm	#1	0.7
	#2	0.9
	#3	1.1
	#4	1.3
	#5	1.5
	#6	1.7

*E15
Peeso Reamers
Single or
Assorted Sizes
6 pcs/pack*

E30 K-FILES stainless steel

E30 K-FILES stainless steel

#06	#08	#10			
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E30 K-Files Stainless Steel 21 or 25 mm, 6 pcs/pack
No.06-80 Single Size
No.15-40, 45-80 Assorted Sizes*

E32 K-FILES NiTi alloy

E32 K-FILES NiTi alloy

#10					
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E32 K-Files NiTi Alloy 21 or 25 mm, 6 pcs/pack
No.10-80 Single Size
No.15-40, 45-80 Assorted Sizes*

E50 REAMERS stainless steel

E50 REAMERS stainless steel

#06	#08	#10			
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E50 Reamers Stainless Steel 21, 25 or 31 mm, 6 pcs/pack
No.06-80 Single Size
No.15-40, 45-80 Assorted Sizes*

E52 REAMERS NiTi alloy

E52 REAMERS NiTi alloy

#10					
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E52 Reamers NiTi Alloy 21, 25 or 31 mm, 6 pcs/pack
No.10-80 Single Size
No.15-40, 45-80 Assorted Sizes*

E34 H-FILES stainless steel

E34 H-FILES stainless steel

#10					
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E34 H-Files Stainless Steel 21 or 25 mm, 6 pcs/pack
No.10-80 Single Size
No.15-40, 45-80 Assorted Sizes*

E36 H-FILES NiTi alloy

E36 H-FILES NiTi alloy

#10					
#15	#20	#25	#30	#35	#40
#45	#50	#55	#60	#70	#80

*E36 H-Files NiTi Alloy 21 or 25 mm, 6 pcs/pack
No.10-80 Single Size
No.15-40, 45-80 Assorted Sizes*

E40 / E42 SPREADERS stainless steel / NiTi alloy

E40 SPREADERS stainless steel

#15	#20	#25	#30	#35	#40
-----	-----	-----	-----	-----	-----

*E40 Spreaders Stainless Steel 21 or 25 mm, 6 pcs/pack
No.15-40, Single or Assorted Sizes*

E42 SPREADERS NiTi alloy

#15	#20	#25	#30	#35	#40
-----	-----	-----	-----	-----	-----

*E42 Spreaders NiTi Alloy 21 or 25 mm, 6 pcs/pack
No.15-40, Single or Assorted Sizes*

E44 / E46 PLUGGERS stainless steel / NiTi alloy

E44 PLUGGERS stainless steel

#15	#20	#25	#30	#35	#40
-----	-----	-----	-----	-----	-----

*E44 Pluggers Stainless Steel 21 or 25 mm, 6 pcs/pack
No.15-40, Single or Assorted Sizes*

E46 PLUGGERS NiTi alloy

#15	#20	#25	#30	#35	#40
-----	-----	-----	-----	-----	-----

*E46 Pluggers NiTi Alloy 21 or 25 mm, 6 pcs/pack
No.15-40, Single or Assorted Sizes*

DISPOSABLE APPLICATOR TIPS **universal luer lock fitting**

- Ensure accurate delivery of dental materials. Ideal for endodontic use




TIP CLOSE-UP

- Ideal for adhesives and sealants

AUTOCLAVABLE PLASTIC ENDO DISPENSERS

- Holds 8 hand or engine files up to size 80 (all lengths)
- Autoclavable up to 134°C
- Size: 75 mm x 51 mm x 10 mm
- Colours: Light Blue, Blue, Green or Grey

- Holds 10 hand or engine files up to size 80 (all lengths)
- Autoclavable up to 134°C
- Size: 59 mm x 22 mm x 49 mm
- Colours: Light Blue, Blue, Green or Grey



S008C Endo Dispenser with Ruler (8 Holes)

S030A Endo Dispenser with Counter (10 Holes)

AUTOCLAVABLE GUTTA PERCHA POINT TIP CUTTER



- Autoclavable up to 134°C
- Colour: Black
- Stainless steel knife head
- Size: 71 mm x 39 mm x 15 mm

S033F Tip Cutter


AUTOCLAVABLE ENDO STAND



- Autoclavable plastic stand with disposable sponge insert
- Cleans and holds endo instruments
- Silicone ring base resists sliding
- Autoclavable up to 134°C
- Colour: Blue

4833 Endo Stand Large (dia. 45 mm)
For use with:
812 Endo Sponges, 50 pcs/pack


DISPOSABLE ENDO SPONGES



- Disposable blue polyurethane sponges
- Colour: Blue

Endo Sponges, 50 pcs/pack
811 for Round Endo Stand
812 for Oval and Large Endo Stand

DISPOSABLE PEEL-AND-STICK ENDO CUSHIONS



802 Peel-and-Stick Endo Cushions 50 pcs/box

- Hold, arrange and clean small instruments during endodontic or implant procedures
- Ideal for files, screws, drills and pluggers etc
- Peel-and-stick back secures to patient napkins, tray covers or anywhere handy
- Pre-arranging saves set up time
- Dense blue polyurethane foam 75 mm long

AUTOCLAVABLE ENDO CUSHION HOLDER



- Holder for used files with disposable foam cushions
- Built in endo file ruler
- Stainless steel construction
- Autoclavable up to 134°C
- Sizes: 50 mm x 50 mm x 25 mm

1180 Endo Cushion Holder (without Cushion)
For use with:
801 Square Endo Cushions 50 pcs/pack

AUTOCLAVABLE TRIANGULAR ENDO RING AND CUSHIONS



- Disposable cushions
- Colour: Blue
- Autoclavable up to 134°C

088 Autoclavable Cushion Holders with Large and Small Rings
For use with:
803 Disposable Cushions 50 pcs/box


AUTOCLAVABLE ENDO HOLDER ALUMINIUM



- Specially designed for ultrasonic cleaning and autoclaving of root canal instruments
- Holds 18 hand or engine endo instrument up to size 100 all lengths
- Millimeter rule for rubber stop measurements for both right or left hand use
- Adjustable cover with silicone stop usage counter for sterilization
- Size: **W65 mm x D30 mm x H55 mm**
- Autoclavable up to **134°C**
- Colour: **Blue**

2800 Endo Holder


AUTOCLAVABLE RUBBER DAM FRAME



- Proven design
- Better grip
- Enhance patient comfort
- Autoclavable up to **134°C**

4866 Rubber Dam Frame

AUTOCLAVABLE ENDO DISPENSER PLASTIC



N055 Endo Dispenser

- Specially designed for cleaning and autoclaving of endo instruments
- Holds 18 hand or engine instruments up to size 100 (all lengths)
- Autoclavable up to **134°C**
- Size: **85 mm x 52 mm x 14 mm**
- Colour: **Blue**

AUTOCLAVABLE ENDO MEASURING BLOCK PLASTIC



4888 Endo Measuring Block

- Accurate settings
- Durable construction
- Autoclavable up to **134°C**
- Size: **L100 mm x D24 mm x H32 mm**
- Colour: **Blue**



4898 Endo Ruler

AUTOCLAVABLE ENDO RULER ALUMINIUM

- For both hand and engine instruments
- Autoclavable up to **134°C**
- Gauges from **1 to 30 mm** for right or left hand

AUTOCLAVABLE ENDO MEASURING BLOCK ALUMINIUM



10005 Endo Measuring Block

- Durable aluminium construction
- Accurate settings
- Autoclavable up to **134°C**
- Size: **L150 mm x W24 mm x H33 mm**
- Colour: **Blue**

LOW SPEED HANDPIECES AND AIR MOTOR



L10-4PY
Prophy
Attachment
4:1 Reduction



L20-1L
Latch
CA Handpiece
1:1 Standard




L10-1
Straight
Handpiece
1:1 Standard



L30
Air Motor
1:1 Standard
(4 holes)
20,000 r.p.m.

Prophy Angles



DISPOSABLE 60° TURN RECIPROCATING LATEX FREE PROPHY ANGLES

NO SPLATTER - The centrifugal force generated by a normal 360° turn prophy angle results in splattering and mess. Our NEW 60° turn reciprocating prophy angles eliminates potential splattering of prophy paste, blood and saliva, keeping the prophy paste in the cup where it belongs.

NO HEAT - Our NEW 60° turn reciprocating prophy angles build up much less heat during use, assuring a smooth, cool treatment for your patient.

EFFECTIVE - Due to less heat generated during use, if necessary more pressure may be applied to remove stubborn stains.

FASTER - Thanks to our innovatively designed NEW 60° turn reciprocating prophy angles, the prophy cup or brush can be used continuously on the tooth surface, saving valuable chair time.

SAFER - The rotational motion of traditional prophy cups and brushes can cause laceration and bleeding of the gums. Our NEW 60° turn reciprocating prophy angles provide a much safer and pain-free prophylaxis treatment.

DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES STANDARD CUPS LATEX FREE TURBINE BLADES

100 pcs/box

REGULAR STANDARD CUPS TURBINE BLADES

STANDARD CUPS (8.5 mm)

TURBINE BLADES

1,500 - 3,000 r.p.m.

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	CT3399-60WT	CT3399-60LB	CT3399-60LV	CT3399-60OR
Regular Assorted Colours Order No.	CT3399-60RA Assorted: White, L.Blue, Lavender, Orange			

SOFT STANDARD CUPS TURBINE BLADES

STANDARD CUPS (8.5 mm)

TURBINE BLADES

1,500 - 3,000 r.p.m.

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	CT3399-60PK	CT3399-60LM	CT3399-60GR	CT3399-60DB
Soft Assorted Colours Order No.	CT3399-60SA Assorted: Pink, Lime, Green, D.Blue			

X-SOFT STANDARD CUPS TURBINE BLADES

STANDARD CUPS (8.5 mm)

TURBINE BLADES

1,500 - 3,000 r.p.m.

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	CT3399-60RD	CT3399-60YL
X-Soft Assorted Colours Order No.	CT3399-60XA Assorted: Red, Yellow	

DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES SHORT CUPS LATEX FREE TURBINE BLADES

100 pcs/box

REGULAR SHORT CUPS TURBINE BLADES

SHORT CUPS (7.0 mm)

TURBINE BLADES

1,500 - 3,000 r.p.m.

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	CTS3399-60WT	CTS3399-60LB	CTS3399-60LV	CTS3399-60OR
Regular Assorted Colours Order No.	CTS3399-60RA Assorted: White, L.Blue, Lavender, Orange			

SOFT SHORT CUPS TURBINE BLADES

SHORT CUPS (7.0 mm)

TURBINE BLADES

1,500 - 3,000 r.p.m.

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	CTS3399-60PK	CTS3399-60LM	CTS3399-60GR	CTS3399-60DB
Soft Assorted Colours Order No.	CTS3399-60SA Assorted: Pink, Lime, Green, D.Blue			

X-SOFT SHORT CUPS TURBINE BLADES

SHORT CUPS (7.0 mm)

TURBINE BLADES

1,500 - 3,000 r.p.m.

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	CTS3399-60RD	CTS3399-60YL
X-Soft Assorted Colours Order No.	CTS3399-60XA Assorted: Red, Yellow	

DISPOSABLE 60° TURN RECIPROCATING PROPHY ANGLES LATEX FREE BRUSHES REGULAR / SOFT / X-SOFT

100 pcs/box

REGULAR WHITE
(nylon brush dia 0.2 mm)

1,500 - 3,000 r.p.m.

Regular Type	Flat	Tapered	Mini Cup
Regular White Colour Order No.	C3399-60-R261F	C3399-60-R261T	C3399-60-R269
Regular Assorted Colours Order No.	C3399-60-R261FA C3399-60-R261TA C3399-60-R269A Assorted: White, L.Blue, Lavender, Orange		

SOFT CLEAR
(nylon brush dia 0.15 mm)

1,500 - 3,000 r.p.m.

Soft Type	Flat	Tapered	Mini Cup
Soft Clear Colour Order No.	C3399-60-S261F	C3399-60-S261T	C3399-60-S269
Soft Assorted Colours Order No.	C3399-60-S261FA C3399-60-S261TA C3399-60-S269A Assorted: Pink, Lime, Green, D.Blue		

X-SOFT YELLOW
(nylon brush dia 0.10 mm)

1,500 - 3,000 r.p.m.

X-Soft Type	Flat	Tapered	Mini Cup
X-Soft Yellow Colour Order No.	C3399-60-X261F	C3399-60-X261T	C3399-60-X269
X-Soft Assorted Colours Order No.	C3399-60-X261FA C3399-60-X261TA C3399-60-X269A Assorted: Yellow, Red		

PROPHY ANGLE ATTACHMENT 4:1



L10-4PY Prophy Angle Attachment 4:1

PROPHY PASTE




- Thixotropic
- Fluoride free
- Made in UK
- Available in:
 - P17 Medium-Strawberry
 - P19 Coarse-Spearmint

Prophy Paste 200gm/jar

DISPOSABLE PROPHY ANGLES STANDARD CUPS LATEX FREE RIBBED AND WEBBED

100 pcs/box



Type	90° Right Angle		105° Contra Angle	
Cup Colours	Regular Lavender	Soft Green	Regular Lavender	Soft Green
Order No.	3399-090RL	3399-090SG	3399-105RL	3399-105SG

DISPOSABLE PROPHY ANGLES BRUSHES LATEX FREE FLAT AND TAPERED


100 pcs/box



Type	90° Right Angle		105° Contra Angle	
Brushes	Regular Flat	Regular Tapered	Regular Flat	Regular Tapered
Order No.	3399-090F	3399-090T	3399-105F	3399-105T

DISPOSABLE CLEAR PROPHY ANGLES STANDARD CUPS LATEX FREE RIBBED AND WEBBED


100 pcs/box



Type	90° Right Angle		90° Right Angle		Type	105° Contra Angle		105° Contra Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink	Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	C3399-090RB	C3399-090RL	C3399-090SG	C3399-090SP	Order No.	C3399-105RB	C3399-105RL	C3399-105SG	C3399-105SP

DISPOSABLE CLEAR PROPHY ANGLES SHORT CUPS LATEX FREE RIBBED AND WEBBED


100 pcs/box



Type	90° Right Angle		90° Right Angle		Type	105° Contra Angle		105° Contra Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink	Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	CS3399-090RB	CS3399-090RL	CS3399-090SG	CS3399-090SP	Order No.	CS3399-105RB	CS3399-105RL	CS3399-105SG	CS3399-105SP

DISPOSABLE CLEAR PROPHY ANGLES STANDARD CUPS LATEX FREE TURBINE BLADES

100 pcs/box



Type	90° Right Angle		90° Right Angle		Type	105° Contra Angle		105° Contra Angle	
Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink	Cup Colours	Regular Light Blue	Regular Lavender	Soft Green	Soft Pink
Order No.	CT3399-090RB	CT3399-090RL	CT3399-090SG	CT3399-090SP	Order No.	CT3399-105RB	CT3399-105RL	CT3399-105SG	CT3399-105SP

Prophy Cups and Points

METAL SHANKS CUPS (8.5 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

REGULAR STANDARD CUPS
RIBBED AND WEBBED

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	M222WT	M222LB	M222LV	M222OR
Regular Assorted Colours Order No.	M222RA Assorted: White, L.Blue, Lavender, Orange			

METAL SHANKS CUPS (8.5 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

SOFT STANDARD CUPS
RIBBED AND WEBBED

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	M222PK	M222LM	M222GR	M222DB
Soft Assorted Colours Order No.	M222SA Assorted: Pink, Lime, Green, D.Blue			

METAL SHANKS CUPS (8.5 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

X-SOFT STANDARD CUPS
RIBBED AND WEBBED

8.5mm
15mm

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	M222RD	M222YL
X-Soft Assorted Colours Order No.	M222XA Assorted: Red, Yellow	

DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA METAL SHANKS RIBBED AND WEBBED
100 pcs/box

PLASTIC SHANKS CUPS (8.5 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

REGULAR STANDARD CUPS
RIBBED AND WEBBED

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	P222WT	P222LB	P222LV	P222OR
Regular Assorted Colours Order No.	P222RA Assorted: White, L.Blue, Lavender, Orange			

PLASTIC SHANKS CUPS (8.5 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

SOFT STANDARD CUPS
RIBBED AND WEBBED

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	P222PK	P222LM	P222GR	P222DB
Soft Assorted Colours Order No.	P222SA Assorted: Pink, Lime, Green, D.Blue			

PLASTIC SHANKS CUPS (8.5 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

X-SOFT STANDARD CUPS
RIBBED AND WEBBED

8.5mm
15mm

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	P222RD	P222YL
X-Soft Assorted Colours Order No.	P222XA Assorted: Red, Yellow	

DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA PLASTIC SHANKS RIBBED AND WEBBED
100 pcs/box

METAL SHANKS SHORT CUPS (7.0 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

REGULAR SHORT CUPS
RIBBED AND WEBBED

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	S222WT	S222LB	S222LV	S222OR
Regular Assorted Colours Order No.	S222RA Assorted: White, L.Blue, Lavender, Orange			

METAL SHANKS SHORT CUPS (7.0 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

SOFT SHORT CUPS
RIBBED AND WEBBED

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	S222PK	S222LM	S222GR	S222DB
Soft Assorted Colours Order No.	S222SA Assorted: Pink, Lime, Green, D.Blue			

METAL SHANKS SHORT CUPS (7.0 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

X-SOFT SHORT CUPS
RIBBED AND WEBBED

7mm
15mm

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	S222RD	S222YL
X-Soft Assorted Colours Order No.	S222XA Assorted: Red, Yellow	

DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS RIBBED AND WEBBED
100 pcs/box

SHORT SHANKS SHORT CUPS (7.0 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

REGULAR SHORT SHANKS
RIBBED AND WEBBED

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	SS-222WT	SS-222LB	SS-222LV	SS-222OR
Regular Assorted Colours Order No.	SS-222RA Assorted: White, L.Blue, Lavender, Orange			

SHORT SHANKS SHORT CUPS (7.0 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

SOFT SHORT SHANKS
RIBBED AND WEBBED

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	SS-222PK	SS-222LM	SS-222GR	SS-222DB
Soft Assorted Colours Order No.	SS-222SA Assorted: Pink, Lime, Green, D.Blue			

SHORT SHANKS SHORT CUPS (7.0 mm)

RIBBED AND WEBBED
1.500 - 3.000 r.p.m

X-SOFT SHORT SHANKS
RIBBED AND WEBBED

7mm
12mm
SHORT SHANKS

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	SS-222RD	SS-222YL
X-Soft Assorted Colours Order No.	SS-222XA Assorted: Red, Yellow	

DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS SHORT SHANKS RIBBED AND WEBBED
100 pcs/box

[fit mini head CA handpieces only]

REGULAR POINTS STANDARD SHANKS

1.500 - 3.000 r.p.m

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	225WT	225LB	225LV	225OR
Regular Assorted Colours Order No.	225RA Assorted: White, L.Blue, Lavender, Orange			

SOFT POINTS STANDARD SHANKS

1.500 - 3.000 r.p.m

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	225PK	225LM	225GR	225DB
Soft Assorted Colours Order No.	225SA Assorted: Pink, Lime, Green, D.Blue			

X-SOFT POINTS STANDARD SHANKS

1.500 - 3.000 r.p.m

9.5mm
15mm

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	225RD	225YL
X-Soft Assorted Colours Order No.	225XA Assorted: Red, Yellow	

DISPOSABLE LATEX FREE PROPHY POINTS CA METAL SHANKS
100 pcs/box

[for lingual and interproximal]

Prophy Cups and Points

METAL SHANKS CUPS (8.5 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

REGULAR STANDARD CUPS
TURBINE BLADES

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	T-M222 WT	T-M222 LB	T-M222 LV	T-M222 OR
Regular Assorted Colours Order No.	T-M222RA Assorted: White, L.Blue, Lavender, Orange			

METAL SHANKS CUPS (8.5 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

SOFT STANDARD CUPS
TURBINE BLADES

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	T-M222 PK	T-M222 LM	T-M222 GR	T-M222 DB
Soft Assorted Colours Order No.	T-M222SA Assorted: Pink, Lime, Green, D.Blue			

METAL SHANKS CUPS (8.5 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

X-SOFT STANDARD CUPS
TURBINE BLADES

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	T-M222 RD	T-M222 YL
X-Soft Assorted Colours Order No.	T-M222XA Assorted: Red, Yellow	

8.5mm
15mm

DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA METAL SHANKS TURBINE BLADES
100 pcs/box

White, Light Blue, Lime, Dark Blue, Yellow available in 100 pcs/box or 20 pcs/bag

PLASTIC SHANKS CUPS (8.5 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

REGULAR STANDARD CUPS
TURBINE BLADES

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	T-P222 WT	T-P222 LB	T-P222 LV	T-P222 OR
Regular Assorted Colours Order No.	T-P222RA Assorted: White, L.Blue, Lavender, Orange			

PLASTIC SHANKS CUPS (8.5 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

SOFT STANDARD CUPS
TURBINE BLADES

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	T-P222 PK	T-P222 LM	T-P222 GR	T-P222 DB
Soft Assorted Colours Order No.	T-P222SA Assorted: Pink, Lime, Green, D.Blue			

PLASTIC SHANKS CUPS (8.5 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

X-SOFT STANDARD CUPS
TURBINE BLADES

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	T-P222 RD	T-P222 YL
X-Soft Assorted Colours Order No.	T-P222XA Assorted: Red, Yellow	

8.5mm
15mm

DISPOSABLE LATEX FREE STANDARD PROPHY CUPS CA PLASTIC SHANKS TURBINE BLADES
100 pcs/box

METAL SHANKS SHORT CUPS (7.0 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

REGULAR SHORT CUPS
TURBINE BLADES

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	T-S222 WT	T-S222 LB	T-S222 LV	T-S222 OR
Regular Assorted Colours Order No.	T-S222RA Assorted: White, L.Blue, Lavender, Orange			

METAL SHANKS SHORT CUPS (7.0 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

SOFT SHORT CUPS
TURBINE BLADES

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	T-S222 PK	T-S222 LM	T-S222 GR	T-S222 DB
Soft Assorted Colours Order No.	T-S222SA Assorted: Pink, Lime, Green, D.Blue			

METAL SHANKS SHORT CUPS (7.0 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

X-SOFT SHORT CUPS
TURBINE BLADES

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	T-S222 RD	T-S222 YL
X-Soft Assorted Colours Order No.	T-S222XA Assorted: Red, Yellow	

7mm
15mm

DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS TURBINE BLADES
100 pcs/box

SHORT SHANKS SHORT CUPS (7.0 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

REGULAR SHORT CUPS
SHORT SHANKS TURBINE BLADES

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	SS-T222WT	SS-T222LB	SS-T222LV	SS-T222OR
Regular Assorted Colours Order No.	SS-T222RA Assorted: White, L.Blue, Lavender, Orange			

SHORT SHANKS SHORT CUPS (7.0 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

SOFT SHORT CUPS
SHORT SHANKS TURBINE BLADES

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	SS-T222PK	SS-T222LM	SS-T222GR	SS-T222DB
Soft Assorted Colours Order No.	SS-T222SA Assorted: Pink, Lime, Green, D.Blue			

SHORT SHANKS SHORT CUPS (7.0 mm)

TURBINE BLADES
1.500 - 3.000 r.p.m

X-SOFT SHORT CUPS
SHORT SHANKS TURBINE BLADES

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	SS-T222RD	SS-T222YL
X-Soft Assorted Colours Order No.	SS-T222XA Assorted: Red, Yellow	

7mm
SHORT SHANKS 12mm

DISPOSABLE LATEX FREE SHORT PROPHY CUPS CA METAL SHANKS SHORT SHANKS TURBINE BLADES
100 pcs/box

[fit mini head CA handpieces only]

REGULAR POINTS SCREW-IN

TURBINE BLADES
1.500 - 3.000 r.p.m

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	226WT	226LB	226LV	226OR
Regular Assorted Colours Order No.	226RA Assorted: White, L.Blue, Lavender, Orange			

SOFT POINTS SCREW-IN

TURBINE BLADES
1.500 - 3.000 r.p.m

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	226PK	226LM	226GR	226DB
Soft Assorted Colours Order No.	226SA Assorted: Pink, Lime, Green, D.Blue			

X-SOFT POINTS SCREW-IN

TURBINE BLADES
1.500 - 3.000 r.p.m

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	226RD	226YL
X-Soft Assorted Colours Order No.	226XA Assorted: Red, Yellow	

9.5mm

DISPOSABLE LATEX FREE PROPHY POINTS SCREW-IN
100 pcs/box

[for lingual and interproximal]

Prophy Brushes and Cups

DISPOSABLE LATEX FREE PROPHY BRUSHES CA REGULAR / SOFT / X-SOFT

100 pcs/box
268, 269, 262 available in 100pcs/box or 20 pcs/bag



Regular Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Regular White Colour Order No.	R-262F	R-262T	R-265	R-M268N	R-269N
Regular Assorted Colours Order No.	R-262FA R-262TA R-265A R-268A R-269A				
	Assorted: White, L.Blue, Lavender, Orange				



Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Soft Clear Colour Order No.	S-262F	S-262T	S-265	S-268	S-269
Soft Assorted Colours Order No.	S-262FA S-262TA S-265A S-268A S-269A				
	Assorted: Pink, Lime, Green, D.Blue				



X-Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
X-Soft Yellow Colour Order No.	X-262F	X-262T	X-265	X-268	X-269
X-Soft Assorted Colours Order No.	X-262FA X-262TA X-265A X-268A X-269A				
	Assorted: Red, Yellow				

DISPOSABLE LATEX FREE SHORT SHANKS PROPHY BRUSHES CA [fit mini head CA handpieces only]

100 pcs/box



Regular Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Regular White Colour Order No.	SS-R262F	SS-R262T	SS-R265	SS-R268	SS-R269
Regular Assorted Colours Order No.	SS-R262FA SS-R262TA SS-R265A SS-R268A SS-R269A				
	Assorted: White, L.Blue, Lavender, Orange				



Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
Soft Clear Colour Order No.	SS-S262F	SS-S262T	SS-S265	SS-S268	SS-S269
Soft Assorted Colours Order No.	SS-S262FA SS-S262TA SS-S265A SS-S268A SS-S269A				
	Assorted: Pink, Lime, Green, D.Blue				



X-Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup
X-Soft Yellow Colour Order No.	SS-X262F	SS-X262T	SS-X265	SS-X268	SS-X269
X-Soft Assorted Colours Order No.	SS-X261FA SS-X261TA SS-X265A SS-X268A SS-X269A				
	Assorted: Red, Yellow				

SNAP-ON CUPS (8.0 mm)

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

REGULAR CUPS RIBBED AND WEBBED

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	220WT	220LB	220LV	220OR
Regular Assorted Colours Order No.	220RA Assorted: White, L.Blue, Lavender, Orange			

SNAP-ON CUPS (8.0 mm)

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

SOFT CUPS RIBBED AND WEBBED

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	220PK	220LM	220GR	220DB
Soft Assorted Colours Order No.	220SA Assorted: Pink, Lime, Green, D.Blue			

SNAP-ON CUPS (8.0 mm)

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

X-SOFT CUPS RIBBED AND WEBBED

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	220RD	220YL
X-Soft Assorted Colours Order No.	220XA Assorted: Red, Yellow	

DISPOSABLE LATEX FREE PROPHY CUPS SNAP-ON RIBBED AND WEBBED
100 pcs/box

SCREW-IN CUPS (8.5 mm)

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

REGULAR STANDARD CUPS RIBBED AND WEBBED

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	221WT	221LB	221LV	221OR
Regular Assorted Colours Order No.	221RA Assorted: White, L.Blue, Lavender, Orange			

SCREW-IN CUPS (8.5 mm)

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

SOFT STANDARD CUPS RIBBED AND WEBBED

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	221PK	221LM	221GR	221DB
Soft Assorted Colours Order No.	221SA Assorted: Pink, Lime, Green, D.Blue			

SCREW-IN CUPS (8.5 mm)

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

X-SOFT STANDARD CUPS RIBBED AND WEBBED

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	221RD	221YL
X-Soft Assorted Colours Order No.	221XA Assorted: Red, Yellow	

DISPOSABLE LATEX FREE STANDARD PROPHY CUPS SCREW-IN RIBBED AND WEBBED
100 pcs/box

SCREW-IN SHORT CUPS (7.0 mm)

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

REGULAR SHORT CUPS RIBBED AND WEBBED

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	S221WT	S221LB	S221LV	S221OR
Regular Assorted Colours Order No.	S221RA Assorted: White, L.Blue, Lavender, Orange			

SCREW-IN SHORT CUPS (7.0 mm)

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

SOFT SHORT CUPS RIBBED AND WEBBED

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	S221PK	S221LM	S221GR	S221DB
Soft Assorted Colours Order No.	S221SA Assorted: Pink, Lime, Green, D.Blue			

SCREW-IN SHORT CUPS (7.0 mm)

RIBBED AND WEBBED

1,500 - 3,000 r.p.m.

X-SOFT SHORT CUPS RIBBED AND WEBBED

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	S221RD	S221YL
X-Soft Assorted Colours Order No.	S221XA Assorted: Red, Yellow	

DISPOSABLE LATEX FREE SHORT PROPHY CUPS SCREW-IN RIBBED AND WEBBED
100 pcs/box

DISPOSABLE LATEX FREE PROPHY BRUSHES SNAP-ON REGULAR / SOFT / X-SOFT

100 pcs/box



REGULAR WHITE
(nylon brush dia. 0.20 mm)



SOFT CLEAR
(nylon brush dia. 0.15 mm)



X-SOFT YELLOW
(nylon brush dia. 0.10 mm)

Regular Type	Flat	Tapered	Soft Type	Flat	Tapered	X-Soft Type	Flat	Tapered
Regular White Brushes Order No.	R-260F	R-260T	Soft Clear Brushes Order No.	S-260F	S-260T	X-Soft Yellow Brushes Order No.	X-260F	X-260T

DISPOSABLE LATEX FREE PROPHY BRUSHES SCREW-IN REGULAR / SOFT / X-SOFT

100 pcs/box



REGULAR WHITE (nylon brush dia. 0.20 mm)



SOFT CLEAR (nylon brush dia. 0.15 mm)




X-SOFT YELLOW (nylon brush dia. 0.10 mm)

Regular Type	Flat	Tapered	Micro	Junior Cup	Mini Cup	Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup	X-Soft Type	Flat	Tapered	Micro	Junior Cup	Mini Cup								
Regular White Colour Order No.	R-261F	R-261T	R-265-1	R-268-1	R-269-1	Soft Clear Colour Order No.	S-261F	S-261T	S-265-1	S-268-1	S-269-1	X-Soft Yellow Colour Order No.	X-261F	X-261T	X-265-1	X-268-1	X-269-1								
Regular Assorted Colours Order No.	R-261FA R-261TA R-265-1A R-268-1A R-269-1A					Soft Assorted Colours Order No.					S-261FA S-261TA S-265-1A S-268-1A S-269-1A					X-Soft Assorted Colours Order No.					X-261FA X-261TA X-265-1A X-268-1A X-269-1A				
	Assorted: White, L.Blue, Lavender, Orange					Assorted: Pink, Lime, Green, D.Blue					Assorted: Red, Yellow														



REGULAR CUPS
TURBINE BLADES

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	T-220WT	T-220LB	T-220LV	T-220OR
Regular Assorted Colours Order No.	T-220RA Assorted: White, L.Blue, Lavender, Orange			



SOFT CUPS
TURBINE BLADES

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	T-220PK	T-220LM	T-220GR	T-220DB
Soft Assorted Colours Order No.	T-220SA Assorted: Pink, Lime, Green, D.Blue			



X-SOFT CUPS
TURBINE BLADES

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	T-220RD	T-220YL
X-Soft Assorted Colours Order No.	T-220XA Assorted: Red, Yellow	

DISPOSABLE LATEX FREE PROPHY CUPS SNAP-ON TURBINE BLADES
100 pcs/box



REGULAR STANDARD CUPS
TURBINE BLADES

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	T-221WT	T-221LB	T-221LV	T-221OR
Regular Assorted Colours Order No.	T-221RA Assorted: White, L.Blue, Lavender, Orange			



SOFT STANDARD CUPS
TURBINE BLADES

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	T-221PK	T-221LM	T-221GR	T-221DB
Soft Assorted Colours Order No.	T-221SA Assorted: Pink, Lime, Green, D.Blue			



X-SOFT STANDARD CUPS
TURBINE BLADES

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	T-221RD	T-221YL
X-Soft Assorted Colours Order No.	T-221XA Assorted: Red, Yellow	

DISPOSABLE LATEX FREE STANDARD PROPHY CUPS SCREW-IN TURBINE BLADES
100 pcs/box



REGULAR SHORT CUPS
TURBINE BLADES

Regular Cup Colours	White	Light Blue	Lavender	Orange
Regular Single Colour Order No.	T-S221WT	T-S221LB	T-S221LV	T-S221OR
Regular Assorted Colours Order No.	T-S221RA Assorted: White, L.Blue, Lavender, Orange			



SOFT SHORT CUPS
TURBINE BLADES

Soft Cup Colours	Pink	Lime	Green	Dark Blue
Soft Single Colour Order No.	T-S221PK	T-S221LM	T-S221GR	T-S221DB
Soft Assorted Colours Order No.	T-S221SA Assorted: Pink, Lime, Green, D.Blue			




X-SOFT SHORT CUPS
TURBINE BLADES

X-Soft Cup Colours	Red	Yellow
X-Soft Single Colour Order No.	T-S221RD	T-S221YL
X-Soft Assorted Colours Order No.	T-S221XA Assorted: Red, Yellow	

DISPOSABLE LATEX FREE SHORT PROPHY CUPS SCREW-IN TURBINE BLADES
100 pcs/box


AUTOCLAVABLE HVE SUCTION TUBES



- Fits European style 16 mm or standard 11 mm suction tubing
- Single use, autoclavable up to 134°C
- Special high quality plastic, sturdy enough for cheek retraction
- Fully polished internal surface and edge for quiet operation and patient comfort
- Assortment of bright, lively colours: Lavender, Light Blue, Light Green, Lime and Yellow

Assorted Colours, 10 pcs/pack
 335L Adult Large (16 mm)
 335M Adult Medium (16 mm)
 336P Pedo (16 mm)

005L Adult Large (16 mm)
 005M Adult Medium (16 mm)
 006P Pedo (16 mm)
 205M Adult Medium (11 mm)
 206P Pedo (11 mm)



DISPOSABLE SOFT TOUCH™ ORAL EVACUATORS (SLOTTED) VENTED LATEX FREE

- Soft Touch edge eliminates the risk of lacerating the oral tissue
- Rigid tubing strong enough for cheek retraction
- Vented to reduce unnecessary tissue grab and increase evacuation cover area
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders
- Colour: White (Blue or Lavender Tip)

PATENT PENDING
 ST001 Soft Touch™ Oral Evacuators, 50 pcs/pack



DISPOSABLE VENTED (SLOTTED) ORAL EVACUATORS

- Vented to reduce unnecessary tissue grab
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders

Disposable Oral Evacuators, 100 pcs/pack
 001 White
 001A Assorted Colours



DISPOSABLE VENTED/NON-VENTED ORAL EVACUATORS 'S' CUT

- Vented and non-vented combination
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders


Disposable Oral Evacuators, 100 pcs/pack
 301 White
 301A Assorted Colours



DISPOSABLE VENTED ORAL EVACUATORS 'S' CUT

- Vented to reduce unnecessary tissue grab
- Soft rigid tubing, allows for greater patient comfort yet is strong enough for cheek retraction
- Thoroughly polished surface for smooth and quiet operation
- Fits standard 11 mm suction holders
- Colours: Blue, Yellow, Green, Lime or Lavender

Disposable Oral Evacuators, 100 pcs/pack
 308 White
 308A Assorted Colours



AUTOCLAVABLE SURGICAL ASPIRATOR TIPS

- Non-sterile
- Autoclavable up to 134°C
- Fits 11 mm tubing
- Colours: Standard - White
Large orifice - Blue
- Single use



Autoclavable Surgical Tips
 25 pcs/pack
 007 Mini Tip
 009 Standard Non-Vented
 009V Standard Vented
 008 Large Orifice Non-Vented
 008V Large Orifice Vented



DISPOSABLE SALIVA EJECTORS

- Tip design that eliminates suction of tissue
- Smooth fixed tip for patient safety and comfort
- Phthalate free
- Made from non-toxic PVC


Saliva Ejectors, 100 pcs/pack
 300W White Tip/Clear Tube
 300B Blue Tip/Clear Tube
 300A White Tip/Coloured Tube



AUTOCLAVABLE ASPIRATOR BRUSHES

- Autoclavable up to 134°C
- Rigid bristles for effective cleaning

020 X-Fine dia. 5 mm, 6 pcs/pack
 021 Fine dia. 8 mm, 6 pcs/pack
 022 Medium dia. 14 mm, 6 pcs/pack
 023 Large dia. 20 mm, 6 pcs/pack



AUTOCLAVABLE SUCTION TUBE ADAPTORS

- Autoclavable up to 134°C

DISPOSABLE AIR-WATER SYRINGE TIPS (SHORT) EURO TYPE

- Directly interchangeable with American type short syringe tips (syringes which have been converted to use American type short syringe tips)
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air



Syringe Tips Short, 250 pcs/pack
028S Syringe Tips **Short Spectrum**
028W Syringe Tips **Short White**

DISPOSABLE AIR-WATER SYRINGE TIPS WITHOUT CORE

ready to use, no converter required for American style syringe

- Directly interchangeable with most American style metal air/water syringe tips
- Economically designed without separate water core, in exchange for a split second of moisture when switching from water to air
- Rounded tip end provides maximum patient comfort



Disposable 'e' Air-Water Syringe Tips without core, 250 pcs/pack
0120S Opaque **Colour** Tips
012W Opaque **White** Tips

DISPOSABLE AIR-WATER SYRINGE TIPS ready to use, no converter required fo American style syringe



- Directly interchangeable with most American style metal air/water syringe tips
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air

Disposable 'a' Air-Water Syringe Tips, 250 pcs/pack
018S **Spectrum** Colour Tips/White Cores
018C **Clear** Tips/Colour Cores
018OS **Opaque Colour** Tips/White Cores
018W **Opaque White** Tips/White Cores

DISPOSABLE TRANSPARENT SYRINGE TIPS

- Directly interchangeable with *Sani-Tip® type transparent tip (syringes which have been converted to use transparent tip)
- Costs less than sterilizing metal tips
- Size: Long(American type) Short(European type)
- Colour: Clear Transparent

Clear Tips, 250 pcs/pack
011A Standard Length (**American Type Syringe**)
011E Short Length (**European Type Syringe**)



*Sani-Tip is a registered trademark of Dentsply Sirona

Welcome to our new Greenline



We believe that making simple changes to the everyday products you purchase is the easiest way to help our planet.

This range is our first step towards offering you the choice of more environmentally friendly products.



Greenline bamboo cups

- Leakproof construction, non-slip design
- Dispenses easily from cup dispenser due to their rolled lip
- Conveniently designed 170ml (6oz) size

Looking to cut down on plastic use? Switching to bamboo cups is a simple and easy change that can have a big impact on reducing plastic waste in your surgery. Here are some reasons to make the switch to using bamboo:

- 1 Bamboo is the world's quickest growing plant and provides a sustainable source of material. When bamboo is cut down to make paper, it is able to quickly recover to be harvested again.
- 2 Bamboo absorbs a large amount of CO₂ as it grows, which helps to offset human carbon emissions.
- 3 Our Greenline outer carton is 100% recyclable.

Bamboo Cups 170 ml (6 oz), 1000 pcs/box
 6800BB Blank
 6800BH Healthy Teeth (4 assorted designs)

DISPOSABLE HEALTHY TEETH PAPER CUPS

- Leakproof construction, non-slip design
- Dispenses easily from cup dispenser due to their rolled lip
- Fun way to promote dental health to patients



6800HT Paper Cups 170 ml (6 oz), 1,000 pcs/box





Greenline air-water syringe tips

Reusable products are a great idea. Unfortunately, trying to clean the inside of a reusable metal air-water syringe tip is just not possible and if you can't clean it, you can't guarantee the effectiveness of its sterilisation. This means that using a disposable plastic air-water syringe tip is the only way to guarantee avoiding cross contamination.

- Directly interchangeable with American type syringe tips (long), or European syringes which have been converted to use American type syringe tips (short)
- Made from 100% recycled plastic
- No sharp edges for patient comfort
- Unique quad air core design to ensure dry air
- Cardboard packaging which is easily recyclable

Greenline Air-water Syringe Tips 200 pcs/box
G-018 (American Type)
G-028 (European Type)

1 Our Greenline air-water syringe tips are made from 100% recycled plastic, using waste materials left over from our other manufacturing processes.

2 The Greenline air-water syringe tips are packaged in 100% recyclable cardboard boxes, instead of large plastic bags, helping to reduce the amount of plastic packaging in your surgery.

ez interdental brushes



- ISO size (colour coded)
- Latex and BPA free
- Reusable
- Cardboard box
- Non-slip, easy grip design
- Small, compact and easy to carry

Interdental Brushes, ISO Size No. 1-6
Single or Assorted Sizes, 6 pcs/box

1 We have designed the shape of our handle to be small and practical in size, so that it uses up to 65% less plastic than other leading brands

2 Instead of using new plastic, we use 100% recycled plastic for the brush handle and 50% recycled plastic for the protective cap. This recycled plastic is made using waste materials left over from other manufacturing processes.


3 Unlike some other brands who package interdental brushes in unnecessarily large plastic boxes and bags, we use a cardboard box which is 100% plastic free and easily recyclable



ISO Size	1	2	3	4	5	6
Reference Size	XX Fine	X Fine	Fine	Fine-Medium	Medium	Large
Made to fit hole (mm)	<0.8	0.9-1.0	1.1-1.2	1.3-1.5	1.6-1.8	>1.9
Wire Dia. (mm)	0.35	0.35	0.45	0.45	0.45	0.45
Order Code	G800-1	G800-2	G800-3	G800-4	G800-5	G800-6
Assorted Order Code	G800-A No.1-6 Assorted					

HOLLOW HANDLE micro applicators

In an effort to limit the environmental effect of one of the most used items in a dental surgery we came up with some great ideas:




- Bends into any angle for the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

Hollow Handle Micro Applicators 100 pcs/box
 (Length 100 mm, dia 3 mm handles)
 HH-901 Regular (dia. 2.5 mm) Light Green
 HH-902 Fine (dia. 2 mm) Medium Green
 HH-903 Ultra Fine (dia. 1.5 mm) Dark Green

- 1 45% less plastic used in each hollow handle applicator than our standard micro applicator, due to the hollow design of the handle.
- 2 Instead of using new plastic, we use 100% recycled plastic for the brush tip and 50% recycled plastic for the hollow handle. This recycled plastic is made using waste materials left over from our other manufacturing processes.
- 3 No more plastic tube that can use up to a third of the amount of plastic as the actual product - just a 100% recyclable box.

mini micro applicators

In an effort to limit the environmental effect of one of the most used items in a dental surgery we came up with some great ideas:



- Bends into any angle for the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

Mini Micro Applicators 100 pcs/box
 (Length 85 mm, dia 2.5 mm handles)
 G-9901 Regular (dia. 2.5 mm) Light Green
 G-9902 Fine (dia. 2 mm) Medium Green
 G-9903 Ultra Fine (dia. 1.5 mm) Dark Green

- 1 We designed the handle to be a smaller, more practical size that reduces the amount of plastic used by 50% in comparison to our standard micro applicators.
- 2 Instead of new plastic, we used 100% recycled plastic. This recycled plastic is made using waste materials from our other manufacturing processes.
- 3 No more plastic tube that can use up to a third of the amount of plastic as the actual product - just a 100% recyclable box.

micro applicator tips


Our most environmentally friendly micro applicators:



- For the placement of small controlled amounts of material in limited access areas.
- Economical - saving up to 80% by the reduction of excess materials used.

Greenline Micro Applicator Tips 100 pcs/box
 G-921 Regular (dia. 2.5 mm) Light Green
 G-922 Fine (dia. 2 mm) Medium Green
 Autoclavable Micro Applicator Tip Handle
 7502W White
 7502T Transparent

- 1 By using a micro applicator tip with a reusable handle, you can reduce the amount the plastic that you would normally use by 80% when compared to a standard micro applicator.
- 2 Using an autoclavable handle saves plastic. Clean it, autoclave it and re-use it. Simple and effective.
- 3 Our micro applicator tips are packaged in a 100% recyclable cardboard box. Recycling can prevent pollution by reducing the need to collect new raw materials.
- 4 Instead of using new plastic for the micro applicator tips, we use 100% recycled plastic. The recycled plastic is made using waste materials from our other manufacturing processes.



DISPOSABLE MICRO APPLICATORS

- Economical and disposable, saving up to 80% by the reduction of excess materials used
- Bends into any angle for the placement of small controlled amounts of material in limited access areas

TUBE PACK




Available in :
Standard Handles
 100 mm x dia. 3 mm
Mini Handles
 85 mm x dia. 2.5 mm

BULK PACK



Available in :
Standard Handles
 100 mm x dia. 3 mm
Mini Handles
 85 mm x dia. 2.5 mm

DISPENSER PACK



Available in :
Standard Handles
 100 mm x dia. 3 mm

Standard Handles
 Tube Pack 4x100 pcs/tube
 901T *Regular*
 902T *Fine*
 903T *Ultrafine*
 904T *Cylinder*

Mini Handles
 Tube Pack 4x100 pcs/tube
 9901T *Regular*
 9902T *Fine*
 9903T *Ultrafine*

Standard Handles
 Bulk Pack 1000 pieces
 901B *Regular*
 902B *Fine*
 903B *Ultrafine*
 904B *Cylinder*

Mini Handles
 Bulk Pack 1000 pieces
 9901B *Regular*
 9902B *Fine*
 9903B *Ultrafine*

Standard Handles
 Dispenser Pack 400 pieces
 901D *Regular*
 902D *Fine*
 903D *Ultrafine*
 904D *Cylinder*

INDIVIDUAL TUBES

Standard Handles
 100 tubes/case (100 pcs/tube)
 901T-100 *Regular Light Blue*
 902T-100 *Fine Light Green*
 903T-100 *Ultrafine Light Lavender*
 904T-100 *Cylinder White*



INDIVIDUAL TUBES CASE

DISPOSABLE MICRO APPLICATOR DISPENSERS



18-9900 MINI

18-900 STANDARD

- Small, sturdy, durable construction

Applicator Dispenser
 18-900 *Standard Handle*
 18-9900 *Mini Handle*

DISPOSABLE MICRO APPLICATOR TIPS




REGULAR dia. 2.5 mm

FINE dia. 2.0 mm

922 Fine

DISPOSABLE BRUSH TIPS AND HANDLES



REGULAR dia. 3.1 mm

MINI dia. 3.1 mm

11 mm

7 mm

- Economical and disposable saving up to 80% by the reduction of excess materials used
- For the placement of small controlled amounts of material in limited access areas
- Can be used for etchants, bonding agents, cavity lining, fluoride varnishing, hemostatic and sealants etc

- Perfect for placement of etchants, bonding agents, sealers and cements etc
- Available Colours: **Blue, Green, Lavender or Yellow**

Micro Applicator Tips, 100 pcs/box
 (Blue, Green, Lavender or Yellow)
 921 *Regular*
 922 *Fine*


Micro Applicator Tips, 500 pcs/box
 (Blue, Green, Lavender or Yellow)
 B921 *Regular*
 B922 *Fine*

Brush Handle Autoclavable
 7502W - *White*
 7502T - *Transparent*

7501 *Brush Tips Regular Standard Pack, 100 pcs/box*
 7511 *Brush Tips Mini Standard Pack, 100 pcs/box*
 7502W *Brush Handle Autoclavable White*
 7502T *Brush Handle Autoclavable Clear*

DISPOSABLE BRUSH APPLICATORS

- Perfect for placement of etchants, bonding agents, sealers and cements etc.
- Bendable to reach around corners and the tightest spaces
- Handles are colour coded to eliminate confusion between materials
- Disposable, eliminates cross-contamination
- Available colours: **Blue, Green, Lavender or Yellow**



9 mm

BENDABLE

REGULAR dia. 1.8

7 mm

MINI dia. 1.5

Brush Applicator Single Colour, 100 pcs/pack
 7500 *Regular*
 7510 *Mini*

DISPOSABLE VALUSTICK STICKY APPLICATORS



TWIST for removal

- Bends into any angle for placement of Veneers, Inlays, Onlays, Crowns etc
- Strong adhesive for multiple applications
- Disposable
- Length: **110 mm**
- Colour: **White**

909 *Valustick Sticky Applicators*
 50 pcs/box

Face Masks & Paper Products

DISPOSABLE IIR FACE MASKS FLUID RESISTANT LATEX FREE



PERFORMANCE TYPE IIR
EN14683
BFE ≥99% PFE ≥99%
LEVEL 3 BARRIER
ASTM F2100

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Permits air to pass through mask to prevent glasses from fogging
- Colours: Blue, Green, Pink, Lavender or Black (ear-loop only)

IIR Face Masks, 50 pcs/box
2288 Ear-Loop
2288T Tie-On

DISPOSABLE IIR FACE MASKS WITH SHIELDS EAR-LOOP FLUID RESISTANT LATEX FREE




PERFORMANCE TYPE IIR
EN14683
BFE ≥99% PFE ≥99%
LEVEL 3 BARRIER
ASTM F2100

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Anti-fog shields
- Permits air to pass through mask to prevent shield from fogging
- Colours: Blue, Green, Pink or Lavender

FS2288 IIR Face Masks with Shields
Ear-Loop, 25 pcs/box

MASK EXTENDERS



098
Mask Extenders
5 pcs/pack

- Relieve ear fatigue and pain
- Adjustable buckle strip for earloop masks
- Autoclavable soft silicone
- Colours: Assorted, Blue, Green, Pink, Lavendar or White


DISPOSABLE FACE MASKS EAR-LOOP WITH PATTERNS FLUID RESISTANT LATEX FREE




LEVEL 3 BARRIER
INTERNATIONAL STANDARD ASTM F2100
BFE ≥99% PFE ≥99%
PERFORMANCE TYPE IIR
EUROPEAN STANDARD EN14683

- Non-irritating
- Fluid resistant, excellent filtration (BFE 99%)
- Permits air to pass through mask to prevent glasses from fogging

2288 Face Masks Ear-Loop with Patterns, 50 pcs/box




DISPOSABLE PROPHY BIBS EXTRA LONG FLUID RESISTANT



- Ideal for prophy
- Features contour neck design for additional coverage to shoulders and arm
- Two plies of facial quality tissue plus a layer of polyethylene
- Size: W45 cm x L60 cm
- Colour: Light Blue

2208 Prophy Bibs Extra Long
100 pcs/box + Bib Holder XS


DISPOSABLE FLUID RESISTANT TRAY COVER PAPERS



- Two plies of facial quality tissue plus a layer of polyethylene film
- Colours: Blue and white barrier

2220 "B" Plastic Tray Covers 200'S (29.5 cm X 21.5 cm)
2221 "F" Plastic Tray Covers 200'S (20 cm X 13.5 cm)
2223 "ISO" Aluminium Tray Covers 200'S (27.5 cm X 17.5 cm)


DISPOSABLE NAPKIN HOLDERS



- Fully disposable
- Easy to apply
- Width: 15 mm
- Length: 44 cm extendable up to 60 cm

2209 Napkin Holders, 100 pcs/pack

DISPOSABLE PSP BARRIER ENVELOPES



- Quick tear-off opening
- Fits most phosphor plates
- Soft vinyl with rounded corners

DURR® TYPE

Mid-Opening Barrier Envelopes

188-0 No. 0 (I.D. 37 mm x 24 mm) 100 pcs/box
 188-1 No. 1 (I.D. 42 mm x 26 mm) 100 pcs/box
 188-2 No. 2 (I.D. 43 mm x 33 mm) 100 pcs/box
 188-3 No. 3 (I.D. 56 mm x 29 mm) 50 pcs/box
 188-4 No. 4 (I.D. 78 mm x 59 mm) 50 pcs/box
Mid-Opening Barrier Envelopes Bulk
 188-2B No. 2 (I.D. 43 mm x 33 mm) 500 pcs/box

Top-Opening Barrier Envelopes

198-0 No. 0 (I.D. 24 mm x 37 mm) 100 pcs/box
 198-1 No. 1 (I.D. 26 mm x 42 mm) 100 pcs/box
 198-2 No. 2 (I.D. 33 mm x 43 mm) 100 pcs/box
Top-Opening Barrier Envelopes Bulk
 198-2B No. 2 (I.D. 33 mm x 43 mm) 500 pcs/box

DIGORA® (SOREDEX®) TYPE

Top-Opening Barrier Envelopes

189-0 No. 0 (I.D. 24 mm x 34 mm) 100 pcs/box
 189-1 No. 1 (I.D. 26 mm x 43 mm) 100 pcs/box
 189-2 No. 2 (I.D. 33 mm x 44 mm) 100 pcs/box

Protective Paper Covers

178-0 (2 x 23 mm x 36 mm) 100 pcs/box
 178-1 (2 x 24 mm x 42 mm) 100 pcs/box
 178-2 (2 x 30 mm x 42 mm) 100 pcs/box

KODAK® (CARESTEAM®) TYPE

Top-Opening Barrier Envelopes

199-0 No. 0 (I.D. 31 mm x 36 mm) 100 pcs/box
 199-1 No. 1 (I.D. 33 mm x 44 mm) 100 pcs/box
 199-2 No. 2 (I.D. 40 mm x 46 mm) 100 pcs/box

DISPOSABLE PEEL-N-STICK SENSOR HOLDERS

- Universal fitting



4001
Anterior Blue
100 pcs/pack



4003
Posterior Yellow
100 pcs/pack



4007
Endo Green
100 pcs/pack



4009
Bite Tab Red
50 pcs/pack




4005
Bite Wing Red
100 pcs/pack

X-RAY BITE CUSHIONS

2018 X-Ray
Bite Cushions
200 pcs/box




- Peel and stick
- Comfortable polyethylene foam
- For both PSP envelopes or sensors with sleeves
- Latex free



AUTOCLAVABLE PLASTIC X-RAY FILM HOLDER

- One end for anterior x-rays, the other end for posterior
- Both ends securely hold film without bending it
- Improves quality and accuracy of intraoral films
- Helps to standardize the bisecting angle technique
- Colours: Blue and Light Beige

1188 X-Ray Film Holder




DISPOSABLE BITE WING LOOPS

- Convenient pop-open design ensures quick and easy use
- Manufactured from quality ten point paper stock
- Quick, simple and economical

Bite Wing Loops, 500 pcs/box

A. 2011-1 Film Child
 B. 2011-2 Film Adult
 C. 2012-1 Sensor Size 1
 D. 2012-2 Sensor Size 2



DISPOSABLE PC MOUSE SLEEVES



- Universal size, fit both cordless and corded optical mouse
- Soft, pliable polypropylene sleeves
- Easy to apply

133

PC Mouse Sleeves, 500 pcs/box
133S 15 cm x 8.5 cm
133L 16 cm x 10 cm

DISPOSABLE X-RAY SLEEVES



- Full x-ray unit coverage
- Disposable yet economical
- Soft, pliable polypropylene sleeve holds position until removed
- Easy application and removal

108
109

X-Ray Head Sleeves, 250 pcs/box
108 Small 20 cm + 17 cm x 60 cm
109 Large 35 cm + 24 cm x 75 cm

DISPOSABLE HVE TUBE SLEEVES



- Pre-cut opening for easier application
- Made from very supple poly plastic for greater tactile feel

135S
135L

HVE Suction Tube Sleeves, 500 pcs/box
135S Small (11 mm) 5.5 cm x 35 cm
135L Large (16 mm) 6 cm x 38 cm

DISPOSABLE X-RAY SENSOR SLEEVES



- Made from very supple poly plastic for greater tactile feel
- Easy to apply

140XS
140S
140M
140L

183-1
183-2

A. Standard Sensor Sleeve, 500 pcs/box
140XS X-Small 3.8 cm x 20 cm
140S Small 4.2 cm x 20 cm
140M Medium 4.5 cm x 20 cm
140L Large 6 cm x 25 cm

B. Two Step Sensor Sleeves, 500 pcs/box
183-1 Size 1 3.4 cm / 5 cm x 22 cm
183-2 Size 2 3.8 cm / 5.5 cm x 22 cm

DISPOSABLE INSTRUMENT TRAY SLEEVES



- Instruments are placed directly on top of the disposable plastic sleeve
- Reduces the possibility of cross-contamination, saves cleaning time

101

102

Tray Sleeves, 500 pcs/box
101 Standard 'B' 27 cm x 36 cm
102 Mini 'F' 19 cm x 28 cm

DISPOSABLE ISO INSTRUMENT TRAY SLEEVES



- Instruments are placed directly on top of the disposable plastic sleeve
- Reduces the possibility of cross-contamination, saves cleaning time

190

ISO Metal Tray Sleeves, 500 pcs/box
190 Standard 31 cm x 21 cm

DISPOSABLE IMPRESSION GUN SLEEVES



- Plastic sleeve covers cartridge and handle
- Provides protection in case of cartridge failure or leakage

107

Impression Gun Sleeves,
500 pcs/pack
107 Universal 25 cm x 21 cm

DISPOSABLE MOUTH MIRROR SLEEVES




- Made from very supple poly plastic for greater tactile feel

140XS

Mouth Mirror Sleeves, 500 pcs/box
140XS X-Small 3.8 cm x 20 cm

DISPOSABLE BARRIER FILM



- With 5 mm non-adhesive edge for simple placement and removal
- Residue free
- Colours: Blue and Clear

8008-C

8008-B

Barrier Film, 1200 pcs/roll
8008-C Clear 10 cm x 15 cm
8008-B Blue 10 cm x 15 cm

DISPOSABLE T-STYLE LIGHT HANDLE SLEEVES



- Universal sizing to fit most T-style handles
- Full handle coverage
- Disposable yet economical
- Soft, pliable polypropylene sleeve holds position until removed
- Easy application and removal

T-Shape Light Handle Sleeves, 500 pcs/box
106 Universal 15 cm x 8.5/10 cm

DISPOSABLE BITE BLOCK SLEEVES



- Polypropylene sleeves
- Easy application and removal
- Fully disposable

Bite Block Sleeves,
5 x 200 pcs/box
145 Universal 2.6 cm x 5.5 cm

DISPOSABLE PEN TYPE CURING LIGHT SLEEVES




- Made from very supple poly plastic for greater tactile feel
- Easy to apply

Pen Type Curing Light Sleeves, 500 pcs/box
 228 Mini Short 3.8 cm x 25 cm
 123S Small 5 cm x 32 cm
 123SS Small Short 5 cm x 28 cm

123M Medium 5.8 cm x 32 cm
 123L Large 6.5 cm x 35 cm
 123XL X-Large 7.2 cm x 38 cm


DISPOSABLE INTRAORAL CAMERA /RA CURING LIGHT SLEEVES



- Made from very supple poly plastic for greater tactile feel
- Easy to apply

Intraoral Camera Sleeves / RA Curing Light Sleeves
 228 Mini Short 3.8 cm x 25 cm, 500 pcs/box
 125SS Short 4.9 cm x 28 cm, 500 pcs/box
 125 Standard 4.9 cm x 32 cm, 500 pcs/box

DISPOSABLE PEEL-N-STICK LIGHT GUIDE SLEEVES



- Soft, pliable polypropylene sleeve
- Easy to apply
- Economical

Light Guide Sleeves, 200 pcs/box
 128 Small (fits 7-8 mm Guide)
 129 Large (fits 9-11 mm Guide)

DISPOSABLE PEN AND HANDPIECE SLEEVES



- Disposable sleeves for pen, handpieces, and ultrasonic scalers
- Made from soft pliable poly plastic for greater tactile feel

500 pcs/box
 103 Pen Shape Instrument 2.4 cm x 22 cm
 104S Low Speed/Universal Slim 3.8 cm x 22 cm
 104L Low Speed/Universal Large 4 cm x 22 cm

DISPOSABLE SYRINGE / HVE SLEEVES



- Pre-cut opening for easier application
- Ideal for 3-way syringes, saliva ejectors and HVE valves etc

Syringe Sleeves, 500 pcs/box
 100C Clear 26 cm x 6.5 cm
 100B Blue 26 cm x 6.5 cm

DISPOSABLE TUBING SLEEVES



- For straight and coiled tubing
- Affordable protection from infectious aerosols and minimizes time spent on cleaning
- 1200 ft/roll (366 m)

118 Tubing Sleeve for straight tubing 2" (5 cm)
 119 Tubing Sleeve for coiled tubing 4" (10 cm)

DISPOSABLE FLOWABLE COMPOSITE SYRINGE SLEEVES



- Made from very supple poly plastic for greater tactile feel
- Easy to apply
- Economical

Flowable Composite Syringe Sleeves, 200 pcs/box
 138 Universal 12.5 cm x 5 cm

DISPOSABLE KEYBOARD SLEEVES



- Soft, pliable polypropylene sleeves

Keyboard Sleeves
 158S Standard 16 cm x 55 cm, 500 pcs/box
 158M Medium 21.5 cm x 55 cm, 250 pcs/box
 108 Large (20 cm + 17 cm) x 60 cm, 250 pcs/box

DISPOSABLE CHAIR SLEEVES



- Eliminates the need for separate headrest covers
- Avoids the need for harmful disinfectants and aerosols prolonging the life of dental chairs/stools

Chair Sleeves, 125 pcs/box
 111 Full Chair 180 cm x 72 cm
 112 Half Chair 100 cm x 65 cm

DISPOSABLE HEADREST SLEEVES



- Polypropylene sleeves
- Reduces possible cross-contamination from infectious aerosol spray


Headrest Sleeves, 500 pcs/box
 113 Small 27.5 cm x 26 cm
 114 Large 35 cm x 28 cm

DISPOSABLE NON-WOVEN HEADREST COVERS



- Breathable non-woven fabric
- Soft, provides maximum patient comfort
- Colours: Light Blue and White

Non Woven Headrest Covers, 500 pcs/box
 780S Small 26 cm x 28 cm
 780M Medium 35 cm x 28 cm



DISPOSABLE 3-IN-1 TRAYS

- Wide occlusal plane
- Strong and tough plastic
- Specially designed walls for extra retention
- Tear resistant quality mesh
- Colour: Blue

3-in-1 Trays

18-N401 Posterior 36 pcs/box
 18-N402 Quadrant 36 pcs/box
 18-N403 Sideless 36 pcs/box
 18-N404 Anterior 36 pcs/box
 18-N405 Full Arch 24 pcs/pack

DISPOSABLE 3-IN-1 TRAYS

Stainless Steel Wire Connectors



- RIGID Stainless Steel Wire Connector
- Stainless steel wire connector for greater access in limited space
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh
- Colour: Blue

3-in-1 Trays

18-S401 Posterior 36 pcs/box
 18-S402 Quadrant 36 pcs/box
 18-S403 Sideless 36 pcs/box

DISPOSABLE 3-IN-1 TRAYS

Rigid Bar Connectors




- RIGID Aluminium Bar Connector
- Strong and tough
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh
- Colour: Blue

3-in-1 Trays

18-T401 Posterior 36 pcs/box
 18-T402 Quadrant 36 pcs/box
 18-T403 Sideless 36 pcs/box

DISPOSABLE IMPRESSION TRAYS WITH RIM LOCK

for Implant Post and General Impressions



base sections can be easily removed with a bur for implant posts



rim lock reduced thickness trim lines on labial wall for easy removal in inclination post cases

- Save time and expensive laboratory charges
- Strong, rigid distortion free plastic construction
- Anatomically designed
- Smooth edges for patient comfort
- Excellent retention for impression materials whilst providing sufficient pressure for all details
- Colour: Blue

Disposable Impression Trays, 10 pcs/pack
 410 Intro (one size each)
 411-420 Single pack



AUTOCLAVABLE IMPRESSION TRAYS WITH RIM LOCK

- Autoclavable up to 134°C (275°F)
- Strong, rigid distortion free plastic construction
- Anatomically designed
- Smooth edges for patient comfort
- Excellent retention for impression materials whilst providing sufficient pressure for all details
- Colour: Light Grey

Autoclavable Impression Trays

430 Intro 10 pcs/pack (one size each)
 431-440 Single 5 pcs/pack

DISPOSABLE 3-IN-1 TRAYS

- Wide occlusal plane
- Strong and tough plastic
- Specially designed walls for extra retention
- Tear resistant quality mesh
- Individually wrapped



3-in-1 Trays
 N401 Posterior 36 pcs/box
 N402 Quadrant 36 pcs/box
 N403 Sideless 36 pcs/box
 N404 Anterior 36 pcs/box
 N405 Full Arch 24 pcs/pack

DISPOSABLE 3-IN-1 TRAYS

Wire Connectors Stainless Steel



- Stainless steel wire connector for greater access in limited space
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh

3-in-1 Trays
 S401 Posterior 36 pcs/box
 S402 Quadrant 36 pcs/box
 S403 Sideless 36 pcs/box

DISPOSABLE 3-IN-1 TRAYS

Rigid Bar Connectors



- Rigid Aluminium Bar Connector
- Strong and tough
- Wide occlusal plane
- Special rigid walls designed for extra retention
- Tear resistant quality mesh

3-in-1 Trays
 T401 Posterior 36 pcs/box
 T402 Quadrant 36 pcs/box
 T403 Sideless 36 pcs/box

DISPOSABLE PLASTIC COATED METAL PLIABLE IMPRESSION TRAYS



- Disposable
- Pliable metal

451-460 Pliable Metal Tray

AUTOCLAVABLE ALGINATE/PLASTER CURVED SPATULA

- For alginate or plaster
- Light weight, 58 gms only
- Autoclavable up to 134°C
- Stainless steel blade
- Handle colour: Blue

MS455 Curved Spatula

DISPOSABLE IMPRESSION SYRINGES

- Pre-bent for easy application
- Disposable
- 5 ml capacity

089 Impression Syringes 50 pcs/pack


FLEXIBLE MIXING BOWLS



- For effective mixing of alginates and plasters
- Sizes: 7460 Small dia. 11 cm x H8 cm
7470 Medium dia. 12.5 cm x H10 cm
- Available in Transparent Red, Green, Blue, Purple, Yellow and solid Blue

7460 Flexible Mixing Bowl Small
 7470 Flexible Mixing Bowl Medium

AUTOCLAVABLE ALGINATE AND PLASTER SPATULAS



- Autoclavable up to 134°C
- Fit all flexible mixing bowls
- Will not scratch the surface of bowls and clean up easily
- Flexible control in mixing with easy grip handle
- Size: Length: 190 mm

450R Regular Blue
 450XS Extra Stiff Grey

DISPOSABLE INTRAORAL SYRINGE TIPS

- Universal fitting
- Available in Yellow or White

Intraoral Tips, 100 pcs/pack
 085 Yellow for Yellow mixing tips
 086 Clear for Green and Pink mixing tips



DISPOSABLE DYNAMIC MIXING TIPS

- Fits Pentamix® type mixing machine
- Economically priced
- Colours: Red or White

7055 Dynamic Mixing Tips, 50 pcs/pack

¹ Pentamix is a registered trademark of 3M or 3M ESPE AG.

AUTOCLAVABLE NAPKIN HOLDERS



- Autoclavable silicone up to 134°C
- Stainless steel alligator clips
- Non-slip design
- Bright, attractive colours
- Colours available
Adult: Light Blue, Blue, Green, Red, Yellow, White, Pink and Lavender
Child: Lavender, Blue and Pink
XS (for neck contour bibs): Blue only

090 Napkin Holder Adult (L47 cm)
090C Napkin Holder Child (L41 cm)
090XS Napkin Holder Extra Short (L37 cm)

DISPOSABLE EYE SHIELDS



- Available in tinted or clear lenses
- Light weight, optical plastic shields
- Assorted colours frames: Blue, Light Blue, Lavender, Green and White

Disposable Eye Shield
20 Lenses + 20 Frames (Assorted Colours)
720T, Tinted
720C, Clear

Replacement Eye Shield Lens Only,
50 pcs/pack
720T-R, Tinted
720C-R, Clear

DISPOSABLE SELF-SEALING STERILISATION POUCHES

- With internal and external steam indicators
- Triple adhesive seal to ensure sterile storage
- Blue tinted plastic window helps detect puncture holes that may be caused by jagged instruments

Standard Pack, 200 pcs/box
6000 57 mm x 90 mm (2¼" x 3½")
6001 57 mm x 130 mm (2¼" x 5")
6003 90 mm x 145 mm (3½" x 5¾")
6005 70 mm x 230 mm (2¾" x 9")
6007 90 mm x 230 mm (3½" x 9")
6009 135 mm x 260 mm (5¼" x 10")
6011 190 mm x 330 mm (7½" x 13")

Standard Pack, 100 pcs/box
6015 250 mm x 380 mm (10" x 15")
6017 300 mm x 430 mm (12" x 17")



INSTRUMENT TRAY RACKS

- Sturdy, chromium plated steel construction
- Size:
Standard (8 trays)
W37 cm x D24 cm x H37 cm
Mini (6 trays)
W28 cm x D17 cm x H29 cm



658 Standard Rack

659 Mini Rack

658 Tray Rack Standard 'B'
659 Tray Rack Mini 'F'

DENTAL BIB HOLDER AND CLIP




- Cold disinfection only
- Cute design

091 Clip
092 Bib Holder, White or Red

DISPOSABLE FLUORIDE TRAYS

- Extremely comfortable, anatomically designed trays
- Economical price
- Colour coded



DOUBLE ARCH

SINGLE ARCH

Double Arch, 50 pcs/box
7800S Small (green)
7800M Medium (yellow)
7800L Large (blue)

Single Arch, 100 pcs/box
7801S Small (green)
7801M Medium (yellow)
7801L Large (blue)

DISPOSABLE STERILISATION ROLLS

- Designed for use with a suitable heat-sealing equipment or autoclave tape to seal each end of the roll after being cut to size.
- Manufactured from 70 gsm medical grade paper and 60 µm blue tinted film to help detect puncture holes
- Triple adhesive seal to protect contents
- Easy to read external steam indicators change from blue to dark grey to ensure sterile conditions have been met
- Three universal sizes for all applications
- Complies with ISO 11607-1 and EN 868-5



Sterilisation Rolls, 200 m roll
6052 50 mm
6053 75 mm
6054 100 mm

AUTOCLAVABLE TRAYS PLASTIC



- Autoclavable up to 134°C

650 Standard Flat 'B' Tray 34 cm x 24 cm x 2 cm
651 Standard Divided 'B' Tray 34 cm x 24 cm x 2 cm
652 Mini Tray Flat 'F' Tray 24 cm x 16.5 cm x 2 cm

STANDARD COLOURS
Blue
Light Blue
Green
Yellow
White
Light Beige
Lavender

AUTOCLAVABLE STERILIZATION CASSETTES PLASTIC



- Sturdy, durable construction
- Autoclavable

3881 *Small* (5 instruments)
3882 *Medium* (8 instruments)

STANDARD COLOURS	Blue	White	Light Blue	Green	Lavender
------------------	------	-------	------------	-------	----------

AUTOCLAVABLE SILICONE INSTRUMENT CODE RINGS



- Autoclavable to 134°C
- Sizes: Small - for small instruments
Large - for pliers and forceps etc
- Available in single colors: Blue, Light Blue, Green, Yellow, Pink, Red, Orange, Lavender, Black and White

Silicone Instrument Rings
657S Small, 50 pcs/box
657L Large, 25 pcs/box

AUTOCLAVABLE BUR/ENDO ORGANIZERS



4810 (78 holes)
for both hand/engine
endo instruments
21 mm - 30 mm

4811 (48 holes)
for both hand/engine
endo instruments
21 mm - 30 mm

4812 (36 holes)
for both hand/engine
endo instruments
21 mm - 30 mm

4813
12 endo vials

4818
78 FG

4819
42 FG + 36 CA

- Smart, flexible design for customize setups
- Autoclavable up to 134°C
- Colour: Blue

Endo Stand, W115 mm x D52 mm x H40 mm
4810 - 78 Holes
4811 - 48 Holes + 4 Endo Vials
4812 - 36 Holes + Endo Clean
4813 - 12 Endo Vials
Bur Stand, W115 mm x D52 mm x H40 mm
4818 - 78 FG Holes
4819 - 42 FG + 36 CA Holes

Stainless Steel Cover, W115 mm x D52 mm x H15 mm
4830 - Sterilization Cover

Bur/Endo Box, (box only)
4821 Organizer Box for 1 Stand W120 mm x D55 mm x H56 mm
4823 Organizer Box for 3 Stands W160 mm x D120 mm x H56 mm
4825 Organizer Box for 5 Stands W265 mm x D120 mm x H56 mm




PERFORATED BUR/ENDO ORGANIZER BOXES



STAINLESS STEEL COVER

4830



AUTOCLAVABLE ALUMINIUM BUR BLOCKS

- Ideal for storage of dental burs
- Specially designed for ultrasonic cleaning and autoclaving of burs
- Sturdy construction, autoclavable up to 134°C
- Colours: Silver and Blue

Small Bur Block
038-FG 15 FG W58 mm x D25 mm x H31 mm
039-MIX 10 FG + 5 RA W58 mm x D25 mm x H31 mm
037-HP 6 HP W54 mm x D28 mm x H62 mm
Large Bur Block
2832-FG 32 FG W80 mm x D42 mm x H33 mm
2832-MIX 16 FG + 16 RA W80 mm x D42 mm x H33 mm
2880-FG 80 FG W100 mm x D75 mm x H33 mm
2880-MIX 40 FG + 40 RA W100 mm x D75 mm x H33 mm

AUTOCLAVABLE PLASTIC BUR DISPENSERS



- Specially designed for cleaning and autoclaving of burs
- Locks open or closed for processing
- Autoclavable up to 134°C
- Size: 75 mm x 35 mm x 10 mm

050-FG, Bur Dispenser 12 FG
050-MIX Bur Dispenser 6 FG + 6 RA

COLOURS	Yellow
Blue	White
Light Blue	Light Beige
Green	Lavender

AUTOCLAVABLE MAGNETIC BUR STANDS


- Stands autoclavable up to 134°C
- Fits both FG and RA burs
- Size:
Small Square 42 mm x 42 mm x 12 mm
Large Rectangular 80 mm x 42 mm x 12 mm

COLOURS	Yellow
Blue	White
Light Blue	Light Beige
Green	Lavender



033 Bur Stand Square, 8 Holes
033A Bur Stand Cover Square
034 Bur Stand Rectangular, 14 Holes
034A Bur Stand Cover Rectangular

AUTOCLAVABLE PLASTIC BUR BLOCK/DISPENSER



- Size: 36 mm x 29 mm x 10.5 mm
- Colours: Light Blue, Blue, Green or Grey

S019A
Autoclavable
Bur Dispenser
(5 FG)



- Sterilization by cold disinfection only
- Size: 72 mm x 27 mm x 33 mm
- Colours: Light Blue, Blue, Green or Grey

S015D
Bur Block
(20 FG + 10 RA)

AUTOCLAVABLE NEEDLE STATION STAINLESS STEEL




031 Needle Station


- Holds any dental needle sheath
- Solid stainless construction, autoclavable
- Silicone ring base resists sliding
- Size: Dia. D55 mm x H38 mm

PHOTOGRAPHIC TITANIUM GLASS MIRRORS FRONT SURFACE DOUBLE SIDED

- Autoclavable up to 134°C
- Glass mirrors with hard surfaces



INTRAORAL CHEEK RETRACTORS



- Holds mouth open, depresses tongue movement
- Anatomically designed
- Available in both autoclavable and disposable



Autoclavable Intraoral Cheek Retractor
 2060A Adult Large, 1 pc/box
 2060B Adult Small, 1 pc/box
 2060C Child, 1 pc/box

Disposable Intraoral Cheek Retractors
 2080A Adult Large, 10 pcs/box
 2080B Adult Small, 10 pcs/box
 2080C Child, 10 pcs/box

INTRAORAL MOUTH LIPPERS



- Expands the mouth vertically rather than horizontally
- Ideal to working in the gingival areas for anteriors, ortho procedures, bleaching etc...
- Available in both autoclavable and disposable



Autoclavable Intraoral Lippers, 2 pcs/box
 2040A Adult, Semi-Transparent
 2040C Child, Semi-Transparent


Disposable Intraoral Lippers, 10 pcs/box
 2030A Adult, White
 2030C Child, White

AUTOCLAVABLE CHEEK RETRACTORS



- Autoclavable up to 134°C

Mouth Retractor
 2050C Child, 2 pcs/pack
 2050A Adult, 2 pcs/pack
 2055C Child, 2 pcs/pack
 2055A Adult, 2 pcs/pack



AUTOCLAVABLE MOUTH PROPS LATEX FREE

2090A Mouth Prop Adult
 2090P Mouth Prop Child

- Made of chemical resistant silicone
- Autoclavable up to 134°C
- Available in: - Adult (30 mm x 40 mm x 20 mm)
 Child (30 mm x 25 mm x 20 mm)

AUTOCLAVABLE BRASS BUR BRUSH



- Telescopic handle with brass wire bristles
- Length: 12 cm

1110 Brass Bur Brush

DISPOSABLE CURVED TIP SYRINGES



078 Curved Tip Syringes 50 pcs/box

- Made of polypropylene plastic
- Full 12 ml capacity
- Self sealing plunger
- Designed for perio irrigation, impression materials, post surgical home use, fluoride treatments etc

DISPOSABLE FLOWABLE COMPOSITE AND ETCHING GEL TIPS



- Universal Luer-lock design
- Bendable
- Gauges: 080 G.20 (0.9 mm)
 081 G.23 (0.6 mm)
 082 G.18 (1.2 mm)

100 pcs/pack
 080 Flow-Tips Black G.20
 081 Etch-Tips Light Blue G.23
 082 Liner-Tips Pink G.18

BRASS / STAINLESS STEEL WIRE BRUSHES



1115 Brass Wire Brush
 1118 Stainless Steel Wire Brush

- Autoclavable up to 134°C
- Brass / stainless steel wire brushes remove extra-stubborn stains from the tightest of spaces
- Non-slip handle

AUTOCLAVABLE FRACTURE DETECTOR

The instrument for locating cracks in teeth



025 Autoclavable Fracture Detector Blue

- Autoclavable to 134°C
- Simple tool for practice
- Quick and precise to locate cracks
- Can be used for crown and bridge seating

DISPOSABLE MULTI-PURPOSE DAPPEN DISHES

004B Standard Pack
Assorted Colours
1000 pcs/box



- Disposable to save time and prevent cross-contamination
- For prophylaxis, etching and bonding etc
- Colours: Lavender, White, Green, Light blue and Yellow

GLASS DAPPEN DISH



- Colours: Light Blue, Green or Clear

040 Glass Dappen Dish

DISPOSABLE MIXING PADS



Mixing Pads, 3X100 pcs/pack
3220 Small 35 mm X 45 mm
3225 Large 70 mm X 80 mm

TONGUE CLEANERS

- Effective in the treatment of halitosis
- Multiple cleaning ridges
- Assorted colours



9000 Tongue Cleaners
20 pcs/pack

JUMPING TEETH



- Cute design
- Economical giveaway for kids

8001
Jumping Teeth
24 pcs/box

PEN / TOOTHBRUSH HOLDER



- Cute design

2005 Pen / Toothbrush Holder

DISPOSABLE PROPHY RINGS

- Disposable to save time and prevent cross-contamination
- For prophylaxis, endo etc
- Assorted colours: Lavender, White, Green, Light blue and Yellow



010 Disposable Prophylaxis Rings, 200 pcs/box

AUTOCLAVABLE PROPHY RINGS

- Autoclavable up to 134°C
- For prophylaxis, endo etc
- Colour: Grey



A010 Autoclavable Prophylaxis Rings, 10 pcs/pack

GLASS CEMENT MIXING SLAB



045 Glass Slab

- Polished glass mixing slab with bevelled edges
- Size: 65 mm x 135 mm x 15 mm


DISPOSABLE MIXING WELLS

- Sturdy design

906 Mixing Wells 4 Wells 200 pcs/box
907 Mixing Wells 2 Wells 500 pcs/box



DISPOSABLE PLASTIC WEDGES



actual size
7650X (17 mm) 7650M (13 mm)
7650L (15 mm) 7650S (11 mm)

- Anatomically designed
- Soft tough plastic

Disposable Plastic Wedges, 100 pcs/box
7650X X-Large (17 mm) White
7650L Large (15 mm) Yellow
7650M Medium (13 mm) Green
7650S Small (11 mm) Blue

DENTAL APPLIANCE BOXES WITH MIRRORS



PASTEL COLOURS	
Vanilla	Sea Green
Sand	Lilac
Light Mauve	Baby Blue
White	Assorted

- Sturdy strong plastic
- Size: W80 mm x D72 mm x H32 mm

612
Dental Appliance Boxes
10 pcs/box

RETAINER BOXES/MOUTH GUARD BOXES/DENTURE BATHS



600 Retainer Box W75 mm x D61 mm x H28 mm
601 Mouth Guard Box W77 mm x D64 mm x H40 mm
602 All Guard Box W77 mm x D77 mm x H38 mm
603 Denture Bath W83 mm x D68 mm x H52 mm

Colours: Blue, Green, Yellow, White, Lime, Light Blue, Lavender, Pink or Assorted
600 Retainer Boxes, 10 pcs/box
601 Mouth Guard Boxes, 10 pcs/box
602 All Guard Boxes, 10 pcs/box
603 Denture Baths, 10 pcs/box

DISPOSABLE MOUTH MIRRORS



- Disposable plastic mouth mirrors for patients
- Anti-fog front surface fiber glass mirror
- Mirror size: dia. 23 mm

800 Disposable Mouth Mirrors, 10 pcs/box



DELUXE ACRYLIC COMPOSITE ORGANISERS

- Smart, flexible design
- Sturdy, durable construction
- Clear material makes contents easy to see
- For storage of composites, adhesive, micro applicators etc.

Composite Organiser
 M060 Mini *W19.5 cm x H9.5 cm x D14.5 cm*
 S060 Standard *W29 cm x H9.5 cm x D14.5 cm*

COTTON ROLL DISPENSER



1140 Roll Dispenser

COLOURS	Blue	Light Blue	Green
Yellow	White	Light Beige	Lavender

- Top flips back for easy loading, sliding drawer dispenses up to 4 rolls with a single pull
- Foam rubber strips inserted into base prevent slipping on table top or counter

DISPOSABLE MICRO APPLICATOR DISPENSERS



- Small, sturdy, durable construction

Applicator Dispenser
 18-900 *Standard Handle*
 18-9900 *Mini Handle*

ACRYLIC ORTHO CHAIN DISPENSER



059

- Long lasting dispenser that will fit the decor of any office
- Chain is dispensed easily with an interior roller
- Holds up to 15 spools

059 Chain Dispenser

ACRYLIC COMPOSITE DISPENSER



- Smart, durable construction
- Clear material makes contents easy to see
- For storage of 20 composite syringes, etc and bonding material etc.

H060 Composite Dispenser

ACRYLIC COMPOSITE SYRINGE HOLDERS



552

551

- Smart, durable construction
- Size:
 551 Small (11 holes) *W10 cm x D12.5 cm x H12 cm*
 552 Medium (23 holes) *W20 cm x D12.5 cm x H12 cm*

551 Syringe Holder *Small*
 552 Syringe Holder *Medium*



LIGHT PROTECTION HAND SHIELD

- Hand held shield for curing light
- Cold disinfection only
- Size: *12.5 cm x 26 cm x 0.3 cm*

063 Light Protection Hand Shield



LIGHT PROTECTION COVERS

- Extends working time of composite materials
- Sturdy, durable construction
- Cold disinfection only
- Size: Small *W10 cm x D7.5 cm x H3 cm*
 Medium *W15 cm x D10 cm x H3 cm*


062-0 Light Protection Cover *Small*
 062-1 Light Protection Cover *Medium*



ACRYLIC IMPRESSION GUN HOLDERS

- For both loaded or empty guns
- Store all guns in upright position
- Include storage compartments
- Sturdy, durable construction
- Sizes:
072 W145 mm x D140 mm x H150 mm
074 W265 mm x D140 mm x H150 mm
076 W395 mm x D140 mm x H150 mm

072 Gun Holder for 2 guns
074 Gun Holder for 4 guns
076 Gun Holder for 6 guns



ACRYLIC GRINDING BOX

- Ideal for grinding and sand blasting
- Retains flying debris
- Sturdy durable construction
- Size: W30 cm x D20 cm x H18 cm

065 Grinding Box

ACRYLIC GLOVE AND TISSUE DISPENSERS



- Smart and attractive acrylic design
- Sturdy, durable construction
- Pre-drilled holes for wall mounting
- Internal measurements:-
064 Glove Dispenser Standard W25 cm x D14 cm x H9 cm
068 Glove/Tissue Dispenser Large W24 cm x D12.5 cm x H10 cm
069 Glove/Tissue Dispenser Extra Large W24 cm x D12.5 cm x H11 cm

064 Glove Dispenser Standard
068 Glove/Tissue Dispenser Large
069 Glove/Tissue Dispenser Extra Large



PLASTIC CUP DISPENSER

- Holds approx. 50 disposable cups from 150 ml to 200 ml (5 oz to 7 oz)
- Self adhesive
- Made of ABS plastic (acrylonitrile butadiene styrene)
- Size: dia. 100 mm x L280 mm

1280 Plastic Cup Dispenser

ACRYLIC BIB AND C-FOLD TOWEL DISPENSERS



- Sturdy, durable construction
- Smart, attractive acrylic design
- Sizes:
057 W15 cm x D11 cm x H12 cm
058 W23.5 cm x D10 cm x H13.5 cm


057 Bib Dispenser
058 C-Fold Towel Dispenser
057CV Bib Dispenser With Cover
058CV C-Fold Towel Dispenser With Cover

ACRYLIC MASK DISPENSER



095 Mask Dispenser

- Sturdy, durable construction
- Hinged lid for protection against debris
- Clear material makes contents easy to see
- Pre-drilled holes for wall mounting
- Size: W194 mm x D106 mm x H108 mm



ACRYLIC POUCH DISPENSERS

- Can be used on table top or wall mounted in either vertical or horizontal position
- Sizes:-
061-0 (7.5 cm x 14.5 cm x 21 cm)
061-1 (8.5 cm x 27.5 cm x 21 cm)
061-2 (10 cm x 18.5 cm x 21 cm)
061-3 (10 cm x 27.5 cm x 21 cm)
061-4 (15 cm x 29.5 cm x 21 cm)

061-0 Pouch Dispenser for 5.7 cm x 10 cm Pouches
061-1 Pouch Dispenser for 7 cm x 23 cm Pouches
061-2 Pouch Dispenser for 9 cm x 13.5 cm Pouches
061-3 Pouch Dispenser for 9 cm x 23 cm Pouches

ACRYLIC BARRIER FILM DISPENSER



- Sturdy durable construction
- Clear material makes contents easy to see
- Size: dia. W14 cm x D23 cm x H19 cm

1155 Barrier Film Dispenser




REFINE MaxPiezo 7+ / DS7+ PORTABLE LED SCALERS

- Automatic frequency tracking, real-time feedback
- Extra large, capacity 600 ml water tank for water, chlorhexidine, hydrogen peroxide, sodium hypochlorite etc...
- Power and water controlled by touch panel, easy to clean for infection control
- Detachable handpiece
- Frequency: 28 kHz \pm 3 kHz
- Contents: scaler unit, handpiece, torque wrench, endo wrench and 8 scaler tips
- Size: W180 mm x D180 mm x H150 mm
- Weight: 1.6 Kg (unit only)
- Colour: White

ONE YEAR WARRANTY
(except scaler tips)

MaxPiezo 7 (EMS¹, WOODPECKER⁷ Type) Portable **Non-LED** Scaler Set
 MaxPiezo 7+ (EMS¹, WOODPECKER⁷ Type) Portable **LED** Scaler Set
 MaxPiezo DS7 (SATELEC², DTE⁷ Type) Portable **Non-LED** Scaler Set
 MaxPiezo DS7+ (SATELEC², DTE⁷ Type) Portable **LED** Scaler Set




REFINE MaxPiezo 6+ / DS6+ LED SCALERS

- Automatic frequency tracking, real-time feedback
- Power and water controlled by touch panel, easy to clean for infection control
- Detachable handpiece
- Frequency: 28 kHz \pm 3 kHz
- Contents: scaler unit, handpiece, torque wrench, endo wrench and 6 scaler tips
- Size: W155 mm x D168 mm x H80 mm
- Weight: 0.6 Kg (unit only)
- Colour: White

ONE YEAR WARRANTY
(except scaler tips)

MaxPiezo 6 (EMS¹, WOODPECKER⁷ Type) **Non-LED** Scaler Set
 MaxPiezo 6+ (EMS¹, WOODPECKER⁷ Type) **LED** Scaler Set
 MaxPiezo DS6 (SATELEC², DTE⁷ Type) **Non-LED** Scaler Set
 MaxPiezo DS6+ (SATELEC², DTE⁷ Type) **LED** Scaler Set




REFINE N3000L / V3000L BUILT-IN LED SCALERS

- Automatic frequency tracking, real-time feedback
- Detachable handpiece
- Frequency: 28 kHz \pm 3 kHz
- Contents: scaler unit, handpiece, torque wrench, endo wrench and 6 scaler tips

ONE YEAR WARRANTY
(except scaler tips)

N3000 (EMS¹, WOODPECKER⁷ Type) Built-In **Non-LED** Scaler Set
 N3000L (EMS¹, WOODPECKER⁷ Type) Built-In **LED** Scaler Set
 V3000 (SATELEC², DTE⁷ Type) Built-In **Non-LED** Scaler Set
 V3000L (SATELEC², DTE⁷ Type) Built-In **LED** Scaler Set



PREMIUM PLUS AUTOCLAVABLE SCALER HANDPIECE KITS

- Complete with:
- 1x Handpiece 3H / 5L / 7H / 7L
- 3x Perio scaler tips P1 / PD1
- 1x Torque wrench TW-1L
- 1x Scaler tip holder No.1
- 1x Sterilization box

- 3H **Non-LED** Handpiece Kit (EMS¹, WOODPECKER⁷ Type)
- 7H **Non-LED** Handpiece Kit (SATELEC², DTE⁷ Type)
- 5L **LED** Handpiece Kit (EMS¹, WOODPECKER⁷ Type)
- 7L **LED** Handpiece Kit (SATELEC², DTE⁷ Type)
- (for handpiece connections, please refer to Page 37)

ONE YEAR WARRANTY
(except scaler tips)



1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
 2. SATELEC is a registered trademark of Satelec/Acteon Group France
 7. WOODPECKER, DTE are registered trademarks of Guilin Woodpecker Medical Instrument Co. Ltd.

PREMIUM PLUS SCALER HANDPIECES



HP-3H Non-LED Scaler Handpiece (EMS¹, WOODPECKER⁷ Type)



HS-7H Non-LED Scaler Handpiece (SATELEC², DTE⁷, NSK³ Type)



HP-5L LED Scaler Handpiece (EMS¹, WOODPECKER⁷ Type)



HS-7L LED Scaler Handpiece (SATELEC², DTE⁷, NSK³ Type)

REFINE SCALER TORQUE WRENCHES



TW-5L
For EMS¹, WOODPECKER⁷
type scalars



TW-1L
For EMS¹, WOODPECKER⁷
KAVO PiezoLED⁵, SATELEC²,
DTE⁷, NSK³
type scalars



TS-1L
For SIRONA⁴
type scaler




TK-1L
For KAVO⁵
SONICflex⁵
SONOsoft⁵
type scalars

REFINE SCALER HANDPIECE HOSES



3H Non-LED (EMS¹, WOODPECKER⁷ Type)
Handpiece Hose



7H Non-LED (SATELEC², DTE⁷, NSK³ Type)
Handpiece Hose



5L LED (EMS¹, WOODPECKER⁷ Type)
Handpiece Hose



7L LED (SATELEC², DTE⁷, NSK³ Type)
Handpiece Hose



E04 ULTRASONIC FILES NiTi alloy

- For use with ultrasonic scaler
- Excellent tenacity
- Length: 33 mm

E04 ULTRASONIC FILES NiTi alloy	
#15 ○	#30 ●
#20 ●	#35 ●
#25 ●	#40 ●

E04 Ultrasonic Files
Single Sizes
6 pcs/pack

REFINE NO. 2 SCALER TIP HOLDER

REFEASTH2



REFINE TW-A ENDO WRENCH

Multi function wrench
for both endo chuck & bur

REFCTWA



REFINE FOOT SWITCH

REFGFS




1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
 2. SATELEC is a registered trademark of Satelec/Acteon Group France
 3. NSK is a registered trademark of Nakanishi Inc. Japan
 4. SIRONA is a registered trademark of Sirona Dental System
 5. KAVO, SONICflex, SONOsoft, PiezoLED are registered trademarks of Kavo Dental GmbH Germany
 6. AMDENT is a registered trademark of Amdent AB Sweden
 7. WOODPECKER, DTE are registered trademarks of Guilin Woodpecker Medical Instrument Co. Ltd.


PREMIUM PLUS SCALER TIPS STAINLESS STEEL

FOR EMS¹, WOODPECKER⁷, SATELEC², DTE⁷, NSK³ and SIRONA⁴ REFINE Type Scalers


SCALING




G1 (EMS¹, WOODPECKER⁷ Type)
GD1 (SATELEC², DTE⁷, NSK³ Type)
GS1 (SIRONA⁴ Type)
 Supragingival deposits in all quadrants




G2 (EMS¹, WOODPECKER⁷ Type)
GD2 (SATELEC², DTE⁷, NSK³ Type)
GS2 (SIRONA⁴ Type)
 Heavy supragingival deposits on anterior teeth



G3 (EMS¹, WOODPECKER⁷ Type)
GD3 (SATELEC², DTE⁷, NSK³ Type)
GS3 (SIRONA⁴ Type)
 Supragingival deposits in all quadrants, including the interproximal and sulcus areas



G4 (EMS¹, WOODPECKER⁷ Type)
GD4 (SATELEC², DTE⁷, NSK³ Type)
GS4 (SIRONA⁴ Type)
 Supragingival and interproximal deposits




G5 (EMS¹, WOODPECKER⁷ Type)
GD5 (SATELEC², DTE⁷, NSK³ Type)
GS5 (SIRONA⁴ Type)
 Supragingival deposits in all quadrants




G6 (EMS¹, WOODPECKER⁷ Type)
GD6 (SATELEC², DTE⁷, NSK³ Type)
GS6 (SIRONA⁴ Type)
 Voluminous supragingival deposits


ENDO



E1 (EMS¹, WOODPECKER⁷ Type)
ED1 (SATELEC², DTE⁷, NSK³ Type)
ES1 (SIRONA⁴ Type)
 120°file holder for anterior root canal irrigation



E2 (EMS¹, WOODPECKER⁷ Type)
ED2 (SATELEC², DTE⁷, NSK³ Type)
ES2 (SIRONA⁴ Type)
 95°file holder for molar teeth root canal irrigation



E4 (EMS¹, WOODPECKER⁷ Type)
ED4 (SATELEC², DTE⁷, NSK³ Type)
ES4 (SIRONA⁴ Type)
 Removing root filling obstructions during root canal retreatment



E3 (EMS¹, WOODPECKER⁷ Type)
ED3 (SATELEC², DTE⁷, NSK³ Type)
ES3 (SIRONA⁴ Type)
 Gutta-percha melting




E4D (EMS¹, WOODPECKER⁷ Type)
ED4D (SATELEC², DTE⁷, NSK³ Type)
ES4D (SIRONA⁴ Type)
 Removing calcification and filling material during root canal retreatment




E3D (EMS¹, WOODPECKER⁷ Type)
ED3D (SATELEC², DTE⁷, NSK³ Type)
ES3D (SIRONA⁴ Type)
 Diamond coated instrument for root canal enlarging



E5 (EMS¹, WOODPECKER⁷ Type)
ED5 (SATELEC², DTE⁷, NSK³ Type)
ES5 (SIRONA⁴ Type)
 Removing root filling obstructions during root canal retreatment



P4D (EMS¹, WOODPECKER⁷ Type)
PD4D (SATELEC², DTE⁷, NSK³ Type)
PS4D (SIRONA⁴ Type)
 Diamond coated instrument for root canal enlarging



E14 (EMS¹, WOODPECKER⁷ Type)
ED14 (SATELEC², DTE⁷, NSK³ Type)
ES14 (SIRONA⁴ Type)
 Removing root filling obstructions during root canal retreatments



E5D (EMS¹, WOODPECKER⁷ Type)
ED5D (SATELEC², DTE⁷, NSK³ Type)
ES5D (SIRONA⁴ Type)
 Removing calcification and filling material during canal retreatment



E15 (EMS¹, WOODPECKER⁷ Type)
ED15 (SATELEC², DTE⁷, NSK³ Type)
ES15 (SIRONA⁴ Type)
 Removing root filling obstructions during root canal retreatments


1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
 2. SATELEC is a registered trademark of Satelec/Acteon Group France
 3. NSK is a registered trademark of Nakanishi Inc. Japan
 4. SIRONA is a registered trademark of Sirona Dental System
 7. WOODPECKER, DTE are registered trademarks of Guilin Woodpecker Medical Instrument Co. Ltd.

PREMIUM PLUS SCALER TIPS STAINLESS STEEL


FOR EMS¹, WOODPECKER⁷, SATELEC², DTE⁷, NSK³ and SIRONA⁴ Type Scalers



P1 (EMS¹, WOODPECKER⁷ Type) PERIO
PD1 (SATELEC², DTE⁷, NSK³ Type)
PS1 (SIRONA⁴ Type)
 Shallow pocket subgingival deposits




P2L (EMS¹, WOODPECKER⁷ Type)
PD2L (SATELEC², DTE⁷, NSK³ Type)
 Left angle instrument to remove calculus from very narrow inter-root space and furcation



P3 (EMS¹, WOODPECKER⁷ Type)
PD3 (SATELEC², DTE⁷, NSK³ Type)
PS3 (SIRONA⁴ Type)
 Deep pocket subgingival deposits



P2R (EMS¹, WOODPECKER⁷ Type)
PD2R (SATELEC², DTE⁷, NSK³ Type)
 Right angle instrument to remove calculus from very narrow inter-root space and furcation



P4 (EMS¹, WOODPECKER⁷ Type)
PD4 (SATELEC², DTE⁷, NSK³ Type)
PS4 (SIRONA⁴ Type)
 Shallow pocket subgingival deposits



P2LD (EMS¹, WOODPECKER⁷ Type)
PD2LD (SATELEC², DTE⁷, NSK³ Type)
 Removal of calculus from narrow inter-root spaces (diamond-coated)



P3D (EMS¹, WOODPECKER⁷ Type)
PD3D (SATELEC², DTE⁷, NSK³ Type)
PS3D (SIRONA⁴ Type)
 Diamond coated instrument for root planning after periodontal flap surgery



P2RD (EMS¹, WOODPECKER⁷ Type)
PD2RD (SATELEC², DTE⁷, NSK³ Type)
 Diamond coated instrument for root planning

FOR AMDENT⁶ Type Scalers



A1 (AMDENT⁶ Type)
 Supragingival scaling (#37)



A2 (AMDENT⁶ Type)
 Supragingival scaling (#39)

FOR KAVO SONICflex⁵ Type Scalers




GK1 (KAVO⁵ Type)
 Supragingival deposits in all quadrants



GK2 (KAVO⁵ Type)
 Supragingival heavy calculus and plaque




GK3 (KAVO⁵ Type)
 Supragingival interdental calculus and calculus at the neck of the tooth




GK4 (KAVO⁵ Type)
 Supragingival deposits, including the interproximal and sulcus areas



GK5 (KAVO⁵ Type)
 Subgingival calculus




GK6 (KAVO⁵ Type)
 Left angle instrument for removing subgingival calculus



GK7 (KAVO⁵ Type)
 Right angle instrument for removing subgingival calculus

FOR KAVO SONOsoft⁵ Type Scalers



GC1 (KAVO⁵ Type)
 Supragingival deposits in all quadrants



GC2 (KAVO⁵ Type)
 Supragingival interdental calculus and calculus at the neck of the tooth



PC1 (KAVO⁵ Type)
 Subgingival calculus, including the interproximal and sulcus areas

KAVO PiezoLED⁵ Type Scalers



201 (KAVO⁵ Type)
 Supragingival and interproximal deposits



202 (KAVO⁵ Type)
 Supragingival deposits in all quadrants, including the interproximal and sulcus areas



203 (KAVO⁵ Type)
 Deep pocket subgingival deposits

1. EMS is a registered trademark of Electro Medical System S.A. Switzerland
 2. SATELEC is a registered trademark of Satelec/Acteon Group France
 3. NSK is a registered trademark of Nakanishi Inc. Japan
 4. SIRONA is a registered trademark of Siroa Dental System
 5. KAVO, SONICflex, SONOsoft, PiezoLED are registered trademarks of Kavo Dental GmbH Germany
 6. AMDENT is a registered trademark of Amdent AB Sweden
 7. WOODPECKER, DTE are registered trademarks of Guilin Woodpecker Medical Instrument Co. Ltd.

European Office

Premium Plus Poland sp. z o. o.

Bukowska 27
62-081 Wysogotowo

Poland

+48 61 880 1094
info@premiumpluspl.com
www.premiumpluspoland.com

UK Office

Premium Plus UK Ltd.

2, Knighton Heath Industrial Estate
847 Ringwood Road, Bournemouth
Dorset BH11 8NE

U.K.

+44 1202 611 011
info@premiumplusuk.com
www.premiumplusuk.com

Australian Office

Premium Plus Australia Pty. Ltd.

98 Victoria Street,
Smithfield NSW 2164

Australia

+61 287 176 500
info@premiumplusau.com
www.premiumplusau.com

USA Office

Premium Plus Dental Supplies Inc.

155 Liberty Avenue
Brooklyn NY 11212

U.S.A.

+1 718 366 8686
sales@premiumplususa.com
www.premiumplususa.com

Japan Office

Premium Plus Japan Co., Ltd.

5th Floor, 1-1-31, Nishimidorigaoka,
Toyonakashi, Osaka 560-0005,

Japan

+81 6 6845 0066
premiumplus.info@premiumplus.jp
www.premiumplus.jp

Hong Kong Office

Premium Plus Medical Supplies Ltd.

1001, Yuen Long Trading Centre
No.33, Wang Yip Street West
Yuen Long, N.T.

Hong Kong

+852 2443 1219
hk@premiumplushk.com
www.premiumplushk.com

Manufacturing Facility

Premium Plus (Dongguan) Limited

Flat 101, No. 122, Tianqiao Road,
Changping, Dongguan,
Guangdong 523581

China

+86 769 83397277
info@premiumpluschina.com
www.premiumplushk.com